


Lampiran Program SPSS


1. Uji Normalitas

Descriptives		Statistic	Std. Error
Mean		16.3577	.13698
95% Confidence Interval for Mean	Lower Bound	16.0821	
	Upper Bound	16.6333	
5% Trimmed Mean		16.3848	
Median		16.5950	
Variance		.901	
skoring_kinerja	Std. Deviation	.94903	
Minimum		14.37	
Maximum		18.29	
Range		3.92	
Interquartile Range		1.28	
Skewness		-.583	.343
Kurtosis		-.496	.674

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
skoring_kinerja	.122	48	.071	.931	48	.007

a. Lilliefors Significance Correction





2. Uji Univariat

a. Motivasi

kategori motivasi

	Frequency	Percent	Valid Percent	Cumulative Percent
.00	21	43.8	43.8	43.8
Valid 1.00	27	56.3	56.3	100.0
Total	48	100.0	100.0	

b. Kinerja

kategori kinerja

	Frequency	Percent	Valid Percent	Cumulative Percent
.00	20	41.7	41.7	41.7
Valid 1.00	28	58.3	58.3	100.0
Total	48	100.0	100.0	

3. Uji bivariat

kategori motivasi * kategori kinerja Crosstabulation

		kategori kinerja		Total
		.00	1.00	
kategori motivasi	Count	13	8	21
	Expected Count	8.8	12.3	21.0
	% within kategori motivasi	61.9%	38.1%	100.0%
1.00	Count	7	20	27
	Expected Count	11.3	15.8	27.0
	% within kategori motivasi	25.9%	74.1%	100.0%
Total	Count	20	28	48
	Expected Count	20.0	28.0	48.0
	% within kategori motivasi	41.7%	58.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6.291 ^a	1	.012		
Continuity Correction ^b	4.898	1	.027		
Likelihood Ratio	6.389	1	.011		
Fisher's Exact Test				.019	.013
Linear-by-Linear Association	6.160	1	.013		
N of Valid Cases	48				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.75.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategori motivasi (.00 / 1.00)	4.643	1.355	15.908
For cohort kategori kinerja = .00	2.388	1.162	4.908
For cohort kategori kinerja = 1.00	.514	.285	.927
N of Valid Cases	48		