

Analisis Univariate :

**pendidikan responden**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TD	18	27.7	27.7	27.7
SD	22	33.8	33.8	61.5
SM	21	32.3	32.3	93.8
PT	4	6.2	6.2	100.0
Total	65	100.0	100.0	

**pekerjaan responden**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid IRT	35	53.8	53.8	53.8
Wiraswasta	18	27.7	27.7	81.5
karyawan	12	18.5	18.5	100.0
Total	65	100.0	100.0	

**kategori Body Image**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid menolak	33	50.8	50.8	50.8
menerima	32	49.2	49.2	100.0
Total	65	100.0	100.0	


**kategori kecemasan**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid rendah	24	36.9	36.9	36.9
tinggi	41	63.1	63.1	100.0
Total	65	100.0	100.0	

**umur\_1**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid <54	32	49.2	49.2	49.2
>54	33	50.8	50.8	100.0
Total	65	100.0	100.0	


Histogram



Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategori Body Image (menolak / menerima)	1.621	.586	4.484
For cohort kategori kecemasan = rendah	1.358	.709	2.600
For cohort kategori kecemasan = tinggi	.837	.576	1.218
N of Valid Cases	65		

Histogram



**kategori Body Image \* kategori kecemasan \* umur\_1 Crosstabulation**

umur_1			kategori kecemasan		Total	
			rendah	tinggi		
<54	kategori Body Image	menolak	Count	4	10	14
			% within kategori Body Image	28.6%	71.4%	100.0%
	menerima	Count	5	13	18	
		% within kategori Body Image	27.8%	72.2%	100.0%	
	Total	Count	9	23	32	
		% within kategori Body Image	28.1%	71.9%	100.0%	
>54	kategori Body Image	menolak	Count	10	9	19
			% within kategori Body Image	52.6%	47.4%	100.0%
	menerima	Count	5	9	14	
		% within kategori Body Image	35.7%	64.3%	100.0%	
	Total	Count	15	18	33	
		% within kategori Body Image	45.5%	54.5%	100.0%	

**Tests of Normality**

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
kategori_BI	.195	65	.000	.915	65	.000

a. Lilliefors Significance Correction

**Descriptives**

		Statistic	Std. Error
kategori_BI	Mean	4.29	.218
	95% Confidence Interval for Mean		
	Lower Bound	3.86	
	Upper Bound	4.73	
	5% Trimmed Mean	4.32	
	Median	5.00	
	Variance	3.085	
	Std. Deviation	1.756	
	Minimum	1	
	Maximum	7	
	Range	6	
	Interquartile Range	3	
	Skewness	-.410	.297
	Kurtosis	-.964	.586

**Tests of Normality**

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
total	.124	65	.014	.965	65	.061

a. Lilliefors Significance Correction

**Descriptives**

			Statistic	Std. Error
total	Mean		9.05	.363
	95% Confidence Interval for Mean	Lower Bound	8.32	
		Upper Bound	9.77	
	5% Trimmed Mean		9.02	
	Median		9.00	
	Variance		8.576	
	Std. Deviation		2.928	
	Minimum		4	
	Maximum		15	
	Range		11	
	Interquartile Range		4	
	Skewness		.000	.297
	Kurtosis		-.695	.586

## Bivariate:

kategori Body Image \* kategori kecemasan Crosstabulation

			kategori kecemasan		Total
			rendah	tinggi	
kategori Body Image	menolak	Count	14	19	33
		% within kategori Body Image	42.4%	57.6%	100.0%
	menerima	Count	10	22	32
		% within kategori Body Image	31.3%	68.8%	100.0%
Total		Count	24	41	65
		% within kategori Body Image	36.9%	63.1%	100.0%

## Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.871 <sup>a</sup>	1	.351		
Continuity Correction <sup>b</sup>	.457	1	.499		
Likelihood Ratio	.874	1	.350		
Fisher's Exact Test				.443	.250
Linear-by-Linear Association	.858	1	.354		
N of Valid Cases	65				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.82.

b. Computed only for a 2x2 table

## Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategori Body Image (menolak / menerima)	1.621	.586	4.484
For cohort kategori kecemasan = rendah	1.358	.709	2.600
For cohort kategori kecemasan = tinggi	.837	.576	1.218

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for kategori Body Image (menolak / menerima)	1.621	.586	4.484
For cohort kategori kecemasan = rendah	1.358	.709	2.600
For cohort kategori kecemasan = tinggi	.837	.576	1.218
N of Valid Cases	65		