


Graph



Explore

Case Processing Summary

| | Cases | | | | | |
|------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Umur | 126 | 100,0% | 0 | 0,0% | 126 | 100,0% |

Descriptives

| | | | Statistic | Std. Error |
|------|----------------------------------|-------------|-----------|------------|
| | Mean | | 26,58 | ,519 |
| Umur | 95% Confidence Interval for Mean | Lower Bound | 25,55 | |
| | | Upper Bound | 27,61 | |


| | | |
|---------------------|--------|------|
| 5% Trimmed Mean | 26,16 | |
| Median | 25,00 | |
| Variance | 33,990 | |
| Std. Deviation | 5,830 | |
| Minimum | 18 | |
| Maximum | 53 | |
| Range | 35 | |
| Interquartile Range | 6 | |
| Skewness | 1,330 | ,216 |
| Kurtosis | 2,735 | ,428 |



Tests of Normality


| | Kolmogorov-Smirnov ^a | | | Shapiro-Wilk | | |
|------|---------------------------------|-----|------|--------------|-----|------|
| | Statistic | df | Sig. | Statistic | df | Sig. |
| Umur | ,154 | 126 | ,000 | ,906 | 126 | ,000 |

a. Lilliefors Significance Correction

Umur







Frequencies

Statistics

Umur

| | | |
|--------|---------|-------|
| N | Valid | 126 |
| | Missing | 0 |
| Mean | | 26,58 |
| Median | | 25,00 |


Umur

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid 18 | 3 | 2,4 | 2,4 | 2,4 |
| 19 | 3 | 2,4 | 2,4 | 4,8 |
| 20 | 5 | 4,0 | 4,0 | 8,7 |
| 21 | 10 | 7,9 | 7,9 | 16,7 |
| 22 | 7 | 5,6 | 5,6 | 22,2 |
| 23 | 20 | 15,9 | 15,9 | 38,1 |
| 24 | 8 | 6,3 | 6,3 | 44,4 |
| 25 | 13 | 10,3 | 10,3 | 54,8 |

| | | | | |
|-------|-----|-------|-------|-------|
| 26 | 6 | 4,8 | 4,8 | 59,5 |
| 27 | 6 | 4,8 | 4,8 | 64,3 |
| 28 | 6 | 4,8 | 4,8 | 69,0 |
| 29 | 8 | 6,3 | 6,3 | 75,4 |
| 30 | 2 | 1,6 | 1,6 | 77,0 |
| 31 | 4 | 3,2 | 3,2 | 80,2 |
| 32 | 7 | 5,6 | 5,6 | 85,7 |
| 33 | 5 | 4,0 | 4,0 | 89,7 |
| 35 | 2 | 1,6 | 1,6 | 91,3 |
| 36 | 3 | 2,4 | 2,4 | 93,7 |
| 37 | 2 | 1,6 | 1,6 | 95,2 |
| 38 | 1 | ,8 | ,8 | 96,0 |
| 39 | 1 | ,8 | ,8 | 96,8 |
| 40 | 1 | ,8 | ,8 | 97,6 |
| 42 | 2 | 1,6 | 1,6 | 99,2 |
| 53 | 1 | ,8 | ,8 | 100,0 |
| Total | 126 | 100,0 | 100,0 | |

Graph

[DataSet1] G:\SKRIPSWEET\SPSS\Untitled 22 Januari.sav



Explore

Case Processing Summary

| | Cases | | | | | |
|------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| TotalPengetahuan | 126 | 100,0% | 0 | 0,0% | 126 | 100,0% |

Descriptives

| | | Statistic | Std. Error |
|------------------|----------------------------------|-----------|------------|
| TotalPengetahuan | Mean | 28,79 | ,242 |
| | 95% Confidence Interval for Mean | | |
| | Lower Bound | 28,32 | |
| | Upper Bound | 29,27 | |
| | 5% Trimmed Mean | 28,93 | |
| | Median | 29,50 | |
| | Variance | 7,365 | |
| | Std. Deviation | 2,714 | |
| | Minimum | 21 | |
| | Maximum | 33 | |
| | Range | 12 | |
| | Interquartile Range | 4 | |
| | Skewness | -,791 | ,216 |
| | Kurtosis | ,166 | ,428 |


Tests of Normality

| | Kolmogorov-Smirnov ^a | | | Shapiro-Wilk | | |
|------------------|---------------------------------|-----|------|--------------|-----|------|
| | Statistic | df | Sig. | Statistic | df | Sig. |
| TotalPengetahuan | ,172 | 126 | ,000 | ,931 | 126 | ,000 |


a. Lilliefors Significance Correction



TotalPengetahuan

Histogram



Normal Q-Q Plot of TotalPengetahuan





Frequencies

Statistics

TotalPengetahuan


| | | |
|--------|---------|-------|
| N | Valid | 126 |
| | Missing | 0 |
| Mean | | 28,79 |
| Median | | 29,50 |

TotalPengetahuan

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----------|---------|---------------|--------------------|
| 21 | 2 | 1,6 | 1,6 | 1,6 |
| 22 | 2 | 1,6 | 1,6 | 3,2 |
| 23 | 2 | 1,6 | 1,6 | 4,8 |
| 24 | 1 | ,8 | ,8 | 5,6 |
| 25 | 12 | 9,5 | 9,5 | 15,1 |
| 26 | 9 | 7,1 | 7,1 | 22,2 |
| 27 | 7 | 5,6 | 5,6 | 27,8 |
| 28 | 11 | 8,7 | 8,7 | 36,5 |
| 29 | 17 | 13,5 | 13,5 | 50,0 |
| 30 | 26 | 20,6 | 20,6 | 70,6 |
| 31 | 22 | 17,5 | 17,5 | 88,1 |
| 32 | 9 | 7,1 | 7,1 | 95,2 |
| 33 | 6 | 4,8 | 4,8 | 100,0 |
| Total | 126 | 100,0 | 100,0 | |

Graph

[DataSet1] G:\SKRIPSWEET\SPSS\Untitled 22 Januari.sav



Explore

Case Processing Summary

| | Cases | | | | | |
|-----------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| TotalPPK3 | 126 | 100,0% | 0 | 0,0% | 126 | 100,0% |

Descriptives

| | | Statistic | Std. Error |
|-----------|----------------------------------|-------------|------------|
| TotalPPK3 | Mean | 12,22 | ,175 |
| | 95% Confidence Interval for Mean | Lower Bound | 11,88 |
| | | Upper Bound | 12,57 |
| | 5% Trimmed Mean | 12,23 | |
| | Median | 12,00 | |
| | Variance | 3,854 | |
| | Std. Deviation | 1,963 | |
| | Minimum | 9 | |
| | Maximum | 16 | |
| | Range | 7 | |
| | Interquartile Range | 3 | |
| | Skewness | ,122 | ,216 |
| | Kurtosis | -1,159 | ,428 |


Tests of Normality

| | Kolmogorov-Smirnov ^a | | | Shapiro-Wilk | | |
|-----------|---------------------------------|-----|------|--------------|-----|------|
| | Statistic | df | Sig. | Statistic | df | Sig. |
| TotalPPK3 | ,170 | 126 | ,000 | ,927 | 126 | ,000 |


a. Lilliefors Significance Correction



TotalPPK3

Histogram



Normal Q-Q Plot of TotalPPK3





Frequencies

[DataSet1] G:\SKRIPSWEET\SPSS\Untitled 22 Januari.sav

Statistics

TotalPPK3

| | | |
|--------|---------|-------|
| N | Valid | 126 |
| | Missing | 0 |
| Mean | | 12,22 |
| Median | | 12,00 |

TotalPPK3


| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| 9 | 9 | 7,1 | 7,1 | 7,1 |
| 10 | 19 | 15,1 | 15,1 | 22,2 |
| 11 | 27 | 21,4 | 21,4 | 43,7 |
| 12 | 14 | 11,1 | 11,1 | 54,8 |
| Valid 13 | 21 | 16,7 | 16,7 | 71,4 |
| 14 | 11 | 8,7 | 8,7 | 80,2 |
| 15 | 23 | 18,3 | 18,3 | 98,4 |
| 16 | 2 | 1,6 | 1,6 | 100,0 |
| Total | 126 | 100,0 | 100,0 | |

GRAPH

/HISTOGRAM (NORMAL) =TotalPKP.

Graph

[DataSet1] G:\SKRIPSWEET\SPSS\Untitled 22 Januari.sav



Explore

Case Processing Summary

| | Cases | | | | | |
|----------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| TotalPKP | 126 | 100,0% | 0 | 0,0% | 126 | 100,0% |

Descriptives

| | | Statistic | Std. Error |
|----------|----------------------------------|-----------|------------|
| TotalPKP | Mean | 19,93 | ,325 |
| | 95% Confidence Interval for Mean | | |
| | Lower Bound | 19,28 | |
| | Upper Bound | 20,57 | |
| | 5% Trimmed Mean | 20,26 | |
| | Median | 21,00 | |
| | Variance | 13,347 | |
| | Std. Deviation | 3,653 | |
| | Minimum | 6 | |
| | Maximum | 24 | |
| | Range | 18 | |
| | Interquartile Range | 5 | |
| | Skewness | -1,268 | ,216 |
| | Kurtosis | 2,341 | ,428 |


Tests of Normality

| | Kolmogorov-Smirnov ^a | | | Shapiro-Wilk | | |
|----------|---------------------------------|-----|------|--------------|-----|------|
| | Statistic | df | Sig. | Statistic | df | Sig. |
| TotalPKP | ,147 | 126 | ,000 | ,887 | 126 | ,000 |


a. Lilliefors Significance Correction



TotalPKP

Histogram



Normal Q-Q Plot of TotalPKP





Frequencies

Statistics


TotalPKP

| | | |
|--------|---------|-------|
| N | Valid | 126 |
| | Missing | 0 |
| Mean | | 19,93 |
| Median | | 21,00 |

TotalPKP

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| 6 | 2 | 1,6 | 1,6 | 1,6 |
| 10 | 2 | 1,6 | 1,6 | 3,2 |
| 13 | 2 | 1,6 | 1,6 | 4,8 |
| 14 | 3 | 2,4 | 2,4 | 7,1 |
| 15 | 3 | 2,4 | 2,4 | 9,5 |
| 16 | 7 | 5,6 | 5,6 | 15,1 |
| 17 | 6 | 4,8 | 4,8 | 19,8 |
| Valid 18 | 13 | 10,3 | 10,3 | 30,2 |
| 19 | 18 | 14,3 | 14,3 | 44,4 |
| 20 | 3 | 2,4 | 2,4 | 46,8 |
| 21 | 18 | 14,3 | 14,3 | 61,1 |
| 22 | 12 | 9,5 | 9,5 | 70,6 |
| 23 | 14 | 11,1 | 11,1 | 81,7 |
| 24 | 23 | 18,3 | 18,3 | 100,0 |
| Total | 126 | 100,0 | 100,0 | |

Graph



Explore

Case Processing Summary

| | Cases | | | | | |
|---------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| TotalUA | 126 | 100,0% | 0 | 0,0% | 126 | 100,0% |

Descriptives

| | | Statistic | Std. Error |
|---------|----------------------------------|-------------|------------|
| | Mean | 57,13 | ,491 |
| | 95% Confidence Interval for Mean | Lower Bound | 56,15 |
| | | Upper Bound | 58,10 |
| | 5% Trimmed Mean | 57,66 | |
| | Median | 58,00 | |
| TotalUA | Variance | 30,432 | |
| | Std. Deviation | 5,516 | |
| | Minimum | 35 | |
| | Maximum | 64 | |
| | Range | 29 | |
| | Interquartile Range | 4 | |


| | | |
|----------|--------|------|
| Skewness | -1,657 | ,216 |
| Kurtosis | 3,175 | ,428 |



Tests of Normality


| | Kolmogorov-Smirnov ^a | | | Shapiro-Wilk | | |
|---------|---------------------------------|-----|------|--------------|-----|------|
| | Statistic | df | Sig. | Statistic | df | Sig. |
| TotalUA | ,191 | 126 | ,000 | ,844 | 126 | ,000 |

a. Lilliefors Significance Correction

TotalUA







Frequencies

Statistics

| TotalUA | | |
|---------|---------|-------|
| N | Valid | 126 |
| | Missing | 0 |
| Mean | | 57,13 |
| Median | | 58,00 |

| TotalUA | | | | |
|----------|-----------|---------|---------------|--------------------|
| | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid 35 | 1 | ,8 | ,8 | ,8 |
| 40 | 2 | 1,6 | 1,6 | 2,4 |
| 41 | 1 | ,8 | ,8 | 3,2 |
| 43 | 1 | ,8 | ,8 | 4,0 |
| 44 | 2 | 1,6 | 1,6 | 5,6 |
| 45 | 2 | 1,6 | 1,6 | 7,1 |
| 47 | 2 | 1,6 | 1,6 | 8,7 |
| 48 | 1 | ,8 | ,8 | 9,5 |
| 51 | 2 | 1,6 | 1,6 | 11,1 |
| 52 | 4 | 3,2 | 3,2 | 14,3 |
| 54 | 2 | 1,6 | 1,6 | 15,9 |
| 55 | 9 | 7,1 | 7,1 | 23,0 |

| | | | | |
|-------|-----|-------|-------|-------|
| 56 | 12 | 9,5 | 9,5 | 32,5 |
| 57 | 13 | 10,3 | 10,3 | 42,9 |
| 58 | 13 | 10,3 | 10,3 | 53,2 |
| 59 | 18 | 14,3 | 14,3 | 67,5 |
| 60 | 10 | 7,9 | 7,9 | 75,4 |
| 61 | 7 | 5,6 | 5,6 | 81,0 |
| 62 | 11 | 8,7 | 8,7 | 89,7 |
| 63 | 4 | 3,2 | 3,2 | 92,9 |
| 64 | 9 | 7,1 | 7,1 | 100,0 |
| Total | 126 | 100,0 | 100,0 | |