

UNIVARIAT

1. Usia

KategoriUsia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<=40th	30	48,4	48,4	48,4
	>40th	32	51,6	51,6	100,0
	Total	62	100,0	100,0	

2. Lama Paparan Terhadap Keluhan

KategoriKerjaHari

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<= 6 jam	25	40,3	40,3	40,3
	> 6 jam	37	59,7	59,7	100,0
	Total	62	100,0	100,0	

3. Masa Kerja

Kategori lamakerja

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<= 5 tahun	20	32,3	32,3	32,3
	> 5 th	42	67,7	67,7	100,0
	Total	62	100,0	100,0	

4. Mata Merah

Mata Merah

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	20	32,3	32,3	32,3
	1	42	67,7	67,7	100,0
	Total	62	100,0	100,0	

5. Mata Bengkak

Mata Bengkak

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	52	83,9	83,9	83,9
	1	10	16,1	16,1	100,0
	Total	62	100,0	100,0	

6. Mata Sakit

Mata Sakit

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	28	45,2	45,2	45,2
	1	34	54,8	54,8	100,0
	Total	62	100,0	100,0	

7. Mata Panas

Mata Panas

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	26	41,9	41,9	41,9
	1	36	58,1	58,1	100,0
	Total	62	100,0	100,0	

8. Mata Gatal

Mata Gatal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	23	37,1	37,1	37,1
	1	39	62,9	62,9	100,0
	Total	62	100,0	100,0	

9. Mata Berpasir

Mata Berpasir

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	41	66,1	66,1	66,1
	1	21	33,9	33,9	100,0
	Total	62	100,0	100,0	

10. Keluhan Konjungtivitis Fotoelektrika

Kategori Keluhan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak ada keluhan	27	43,5	43,5	43,5
	ada keluhan	35	56,5	56,5	100,0
	Total	62	100,0	100,0	

BIVARIAT

Hubungan Sinar UV terhadap Keluhan Konjungtivitis Fotoelektrika

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4,631 ^a	1	,031		
Continuity Correction ^b	3,301	1	,069		
Likelihood Ratio	4,674	1	,031		
Fisher's Exact Test				,045	,035
Linear-by-Linear Association	4,557	1	,033		
N of Valid Cases	62				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 4,79.

b. Computed only for a 2x2 table