

Lampiran 5 Hasil Uji Normalitas Data




Variabel Independet (X)

Case Processing Summary						
	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
END USER COMPUTING SATISFACTION (EUCS)	46	100.0%	0	0.0%	46	100.0%

Descriptives					
END USER COMPUTING SATISFACTION (EUCS)				Statistic	Std. Error
	Mean			76.83	1.143
	95% Confidence Interval for		Lower Bound	74.52	
	Mean			79.13	
	5% Trimmed Mean			77.03	
	Median			78.00	
	Variance			60.147	
	Std. Deviation			7.755	
	Minimum			55	
	Maximum			95	
	Range			40	
	Interquartile Range			7	
	Skewness			-.574	.350
	Kurtosis			1.038	.688

Tests of Normality						
	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
END USER COMPUTING SATISFACTION (EUCS)	.140	46	.024	.962	46	.140

a. Lilliefors Significance Correction



Variabel Dependent (Y)


Case Processing Summary						
	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
MANFAAT NYATA PENGGUNA SISTEM INFORMASI ELEKTRONIK DI PUSKESMAS SAWAH BESAR JAKARTA	46	100.0%	0	0.0%	46	100.0%

Descriptives			
		Statistic	Std. Error
MANFAAT NYATA PENGGUNA SISTEM INFORMASI ELEKTRONIK DI PUSKESMAS SAWAH BESAR JAKARTA	Mean	26.52	.471
	95% Confidence Interval for Mean	Lower Bound	25.57
		Upper Bound	27.47
	5% Trimmed Mean	26.51	
	Median	27.00	
	Variance	10.211	
	Std. Deviation	3.195	
	Minimum	19	
	Maximum	36	
	Range	17	
	Interquartile Range	1	
	Skewness	-.047	.350
	Kurtosis	1.483	.688



Tests of Normality						
	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
MANFAAT NYATA PENGGUNA SISTEM INFORMASI ELEKTRONIK DI PUSKESMAS SAWAH BESAR JAKARTA	.255	46	.000	.890	46	.000

a. Lilliefors Significance Correction

Normal Q-Q Plot of MANFAAT NYATA PENGGUNA SISTEM INFORMASI ELEKTRONIK DI PUSKESMAS SAWAH BESAR JAKARTA



Detrended Normal Q-Q Plot of MANFAAT NYATA PENGGUNA SISTEM INFORMASI ELEKTRONIK DI PUSKESMAS SAWAH BESAR JAKARTA



MANFAAT NYATA PENGGUNA SISTEM INFORMASI ELEKTRONIK DI PUSKESMAS SAWAH BESAR JAKARTA