



## HASIL UJI VALIDITAS PENGETAHUAN TBC

### Correlations

	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	JML
S1 Pearson Correlation	1	.202	.099	.202	.921**	.148	.053	.148	.853**	.099	.010	.099	.921**	.148	.053	.148	.512**
Sig. (2-tailed)	.	.284	.604	.284	.000	.436	.780	.436	.000	.604	.956	.604	.000	.436	.780	.436	.004
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S2 Pearson Correlation	.202	1	.155	.068	.155	.915**	.111	.024	.111	.843**	.071	-.02	.155	.915**	.111	.024	.477**
Sig. (2-tailed)	.284	.	.414	.720	.414	.000	.558	.901	.558	.000	.710	.928	.414	.000	.558	.901	.008
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S3 Pearson Correlation	.099	.155	1	.843**	.048	.099	.926**	.757**	.000	.048	.860**	.683**	.048	.099	.926**	.757**	.742**
Sig. (2-tailed)	.604	.414	.	.000	.803	.604	.000	.000	1.0	.803	.000	.000	.803	.604	.000	.000	.000
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S4 Pearson Correlation	.202	.068	.843**	1	.155	.024	.780**	.915**	.111	-.02	.725**	.843**	.155	.024	.780**	.915**	.757**
Sig. (2-tailed)	.284	.720	.000	.	.414	.901	.000	.000	.558	.928	.000	.000	.414	.901	.000	.000	.000
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S5 Pearson Correlation	.921**	.155	.048	.155	1	.263	.154	.263	.926**	.206	.106	.206	.841**	.099	.000	.099	.548**
Sig. (2-tailed)	.000	.414	.803	.414	.	.160	.416	.160	.000	.274	.578	.274	.000	.604	1.0	.604	.002
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S6 Pearson Correlation	.148	.915**	.099	.024	.263	1	.213	.148	.213	.921**	.167	.099	.099	.830**	.053	-.02	.512**
Sig. (2-tailed)	.436	.000	.604	.901	.160	.	.258	.436	.258	.000	.378	.604	.604	.000	.780	.905	.004
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S7 Pearson Correlation	.053	.111	.926**	.780**	.154	.213	1	.853**	.100	.154	.929**	.772**	.000	.053	.850**	.693**	.773**
Sig. (2-tailed)	.780	.558	.000	.000	.416	.258	.	.000	.599	.416	.000	.000	1.0	.780	.000	.000	.000
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S8 Pearson Correlation	.148	.024	.757**	.915**	.263	.148	.853**	1	.213	.099	.793**	.921**	.099	-.02	.693**	.830**	.780**
Sig. (2-tailed)	.436	.901	.000	.000	.160	.436	.000	.	.258	.604	.000	.000	.604	.905	.000	.000	.000
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S9 Pearson Correlation	.853**	.111	.000	.111	.926**	.213	.100	.213	1	.309	.196	.309	.772**	.053	-.05	.053	.522**
Sig. (2-tailed)	.000	.558	1.0	.558	.000	.258	.599	.258	.	.097	.300	.097	.000	.780	.793	.780	.003
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S10 Pearson Correlation	.099	.843**	.048	-.02	.206	.921**	.154	.099	.309	1	.257	.206	.048	.757**	.000	-.07	.484**
Sig. (2-tailed)	.604	.000	.803	.928	.274	.000	.416	.604	.097	.	.171	.274	.803	.000	1.0	.730	.007
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S11 Pearson Correlation	.010	.071	.860**	.725**	.106	.167	.929**	.793**	.196	.257	1	.860**	-.05	.010	.783**	.636**	.746**
Sig. (2-tailed)	.956	.710	.000	.000	.578	.378	.000	.000	.300	.171	.	.000	.812	.956	.000	.000	.000
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S12 Pearson Correlation	.099	-.02	.683**	.843**	.206	.099	.772**	.921**	.309	.206	.860**	1	.048	-.07	.617**	.757**	.742**
Sig. (2-tailed)	.604	.928	.000	.000	.274	.604	.000	.000	.097	.274	.000	.	.803	.730	.000	.000	.000
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S13 Pearson Correlation	.921**	.155	.048	.155	.841**	.099	.000	.099	.772**	.048	-.05	.048	1	.263	.154	.263	.484**
Sig. (2-tailed)	.000	.414	.803	.414	.000	.604	1.0	.604	.000	.803	.812	.803	.	.160	.416	.160	.007
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S14 Pearson Correlation	.148	.915**	.099	.024	.099	.830**	.053	-.02	.053	.757**	.010	-.07	.263	1	.213	.148	.446**
Sig. (2-tailed)	.436	.000	.604	.901	.604	.000	.780	.905	.780	.000	.956	.730	.160	.	.258	.436	.014
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S15 Pearson Correlation	.053	.111	.926**	.780**	.000	.053	.850**	.693**	-.05	.000	.783**	.617**	.154	.213	1	.853**	.710**
Sig. (2-tailed)	.780	.558	.000	.000	1.0	.780	.000	.000	.793	1.0	.000	.000	.416	.258	.	.000	.000
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
S16 Pearson Correlation	.148	.024	.757**	.915**	.099	-.02	.693**	.830**	.053	-.07	.636**	.757**	.263	.148	.853**	1	.713**
Sig. (2-tailed)	.436	.901	.000	.000	.604	.905	.000	.000	.780	.730	.000	.000	.160	.436	.000	.	.000
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
JML Pearson Correlation	.512**	.477**	.742**	.757**	.548**	.512**	.773**	.780**	.522**	.484**	.746**	.742**	.484**	.446**	.710**	.713**	1
Sig. (2-tailed)	.004	.008	.000	.000	.002	.004	.000	.000	.003	.007	.000	.000	.007	.014	.000	.000	.
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

## HASIL UJI RELIABILITAS PENGETAHUAN TBC

\*\*\*\*\* Method 1 (space saver) will be used for this analysis \*\*\*\*\*

□

### RELIABILITY ANALYSIS - SCALE (ALPHA)

#### Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Alpha if Item Deleted
S1	10.6000	19.1448	.4345	.8926
S2	10.5667	19.3575	.4002	.8936
S3	10.6333	18.1023	.6903	.8832
S4	10.5667	18.2540	.7123	.8829
S5	10.6333	18.9299	.4710	.8914
S6	10.6000	19.1448	.4345	.8926
S7	10.6667	17.8851	.7256	.8817
S8	10.6000	18.0414	.7364	.8817
S9	10.6667	18.9885	.4401	.8927
S10	10.6333	19.2057	.4001	.8940
S11	10.7000	17.9414	.6926	.8829
S12	10.6333	18.1023	.6903	.8832
S13	10.6333	19.2057	.4001	.8940
S14	10.6000	19.4207	.3619	.8951
S15	10.6667	18.1609	.6526	.8845
S16	10.6000	18.3172	.6592	.8845

#### Reliability Coefficients

N of Cases = 30.0

N of Items = 16

Alpha = .8946

**DATA UJI VALIDITAS PERILAKU PENGOBATAN TBC**

Resp	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	JML
Resp 1	0	1	0	0	1	1	1	0	0	1	5
Resp 2	1	1	1	0	0	1	1	1	0	0	6
Resp 3	1	0	1	1	1	1	0	1	1	1	8
Resp 4	1	1	1	1	1	1	1	1	1	1	10
Resp 5	1	1	1	1	0	1	1	1	1	0	8
Resp 6	0	1	1	0	1	1	1	1	0	1	7
Resp 7	1	1	0	1	1	1	0	0	1	1	7
Resp 8	1	1	1	1	0	0	1	1	0	0	6
Resp 9	1	1	1	1	1	1	1	1	1	1	10
Resp 10	1	0	1	1	1	1	0	0	1	1	7
Resp 11	0	1	1	0	0	0	1	1	0	0	4
Resp 12	1	1	1	1	1	1	1	1	1	1	10
Resp 13	0	1	1	0	1	1	1	1	0	1	7
Resp 14	1	0	0	1	0	0	0	0	1	0	3
Resp 15	1	0	1	1	1	1	0	1	1	1	8
Resp 16	1	1	1	1	1	1	1	1	1	1	10
Resp 17	1	0	1	1	0	0	0	1	1	0	5
Resp 18	0	0	0	0	1	1	0	0	0	1	3
Resp 19	1	1	1	1	1	1	1	1	1	1	10
Resp 20	1	1	1	1	1	1	1	1	1	1	10
Resp 21	0	0	0	0	0	0	0	0	0	0	0
Resp 22	1	1	1	1	1	1	1	1	1	1	10
Resp 23	1	1	1	1	1	1	1	1	1	1	10
Resp 24	0	0	0	0	1	1	0	0	0	1	3
Resp 25	1	1	1	1	0	0	1	1	1	0	7
Resp 26	0	1	1	1	1	1	1	1	1	1	9
Resp 27	1	1	1	0	1	1	1	1	0	1	8
Resp 28	1	0	0	1	1	1	0	0	1	1	6
Resp 29	1	1	1	1	1	1	1	1	1	1	10
Resp 30	1	1	0	1	1	1	1	0	1	1	8

S1	Pears on Co Sig. (2-tailed N
S2	Pears on Co Sig. (2-tailed N
S3	Pears on Co Sig. (2-tailed N
S4	Pears on Co Sig. (2-tailed N
S5	Pears on Co Sig. (2-tailed N
S6	Pears on Co Sig. (2-tailed N
S7	Pears on Co Sig. (2-tailed N
S8	Pears on Co Sig. (2-tailed N
S9	Pears on Co Sig. (2-tailed N
S10	Pears on Co Sig. (2-tailed N
JML	Pears on Co Sig. (2-tailed N

\*\* . Correlation is s  
\* . Correlation is si

HASIL UJI VALIDITAS PERILAKU PENGOBATAN TBC

HAS

Correlations

	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	JML
rrelation d)	1 .604 30	.099 .604 30	.318 .087 30	.757** .000 30	-.023 .905 30	.075 .692 30	.053 .780 30	.263 .160 30	.693** .000 30	-.023 .905 30	.556** .001 30
rrelation d)	.099 .604 30	1 .018 30	.428* .018 30	.048 .803 30	.099 .604 30	.218 .247 30	.926** .000 30	.524** .003 30	.000 1.000 30	.099 .604 30	.597** .001 30
rrelation d)	.318 .087 30	.428* .018 30	1 .018 30	.263 .160 30	-.023 .905 30	.075 .692 30	.533** .002 30	.921** .000 30	.213 .258 30	-.023 .905 30	.642** .000 30
rrelation d)	.757** .000 30	.048 .803 30	.263 .160 30	1 .000 30	.099 .604 30	.036 .849 30	.000 1.000 30	.206 .274 30	.926** .000 30	.099 .604 30	.597** .001 30
rrelation d)	-.023 .905 30	.099 .604 30	-.023 .905 30	.099 .604 30	1 .000 30	.829** .000 30	.053 .780 30	-.066 .730 30	.213 .258 30	1.000** .000 30	.527** .003 30
rrelation d)	.075 .692 30	.218 .247 30	.075 .692 30	.036 .849 30	.829** .000 30	1 .350 30	.177 .849 30	-.066 .350 30	.213 .350 30	.829** .000 30	.572** .001 30
rrelation d)	.053 .780 30	.926** .000 30	.533** .002 30	.000 1.000 30	.053 .780 30	.177 .350 30	1 .000 30	.617** .793 30	-.050 .793 30	.053 .780 30	.584** .001 30
rrelation d)	.263 .160 30	.524** .003 30	.921** .000 30	.206 .274 30	-.066 .730 30	.036 .849 30	.617** .000 30	1 .416 30	.154 .416 30	-.066 .730 30	.624** .000 30
rrelation d)	.693** .000 30	.000 1.000 30	.213 .258 30	.926** .000 30	.213 .258 30	.177 .350 30	-.050 .793 30	.154 .416 30	1 .258 30	.213 .258 30	.611** .000 30
rrelation d)	-.023 .905 30	.099 .604 30	-.023 .905 30	.099 .604 30	1.000** .000 30	.829** .000 30	.053 .780 30	-.066 .730 30	.213 .258 30	1 .000 30	.527** .003 30
rrelation d)	.556** .001 30	.597** .001 30	.642** .000 30	.597** .001 30	.527** .003 30	.572** .001 30	.584** .001 30	.624** .000 30	.611** .000 30	.527** .003 30	1 .000 30

significant at the 0.01 level (2-tailed).  
 significant at the 0.05 level (2-tailed).

\*\*\*\*\* Method 1 (sp

?

RELIABILITY A

Item-total Statistics

	Scale Mean if Item Deleted	Scale Var if It De
S1	6.4333	5
S2	6.4667	5
S3	6.4333	5
S4	6.4667	5
S5	6.4333	6
S6	6.3667	6
S7	6.5000	5
S8	6.4667	5
S9	6.5000	5
S10	6.4333	

Reliability Coefficients

N of Cases = 30.0

Alpha = .7851

**IL UJI RELIABILITAS PERILAKU PENGOBATAN TBC**

ace saver) will be used for this analysis \*\*\*\*\*

**NALYSIS - SCALE (ALPHA)**

Item	Corrected Item- Total Correlation	Alpha if Item Deleted
1.9782	.4223	.7705
2.8437	.4652	.7652
3.7713	.5255	.7578
4.8437	.4652	.7652
5.0471	.3887	.7745
6.0333	.4555	.7669
7.8448	.4462	.7677
8.7747	.4987	.7609
9.7759	.4788	.7634
10.0471	.3887	.7745

N of Items = 10