

**PROGRAM STUDI NERS
FAKULTAS ILMU - ILMU KESEHATAN
UNIVERSITAS ESA UNGGUL
Karya Tulis Ilmiah, Agustus 2018**

MUHAMAD RAFIK., S.Kep
2017-03-05-020

**ASUHAN KEPERAWATAN PADA PASIEN SYOK HIPOVOLEMIK DENGAN
PEMBERIAN *POSISI PASSIVE LEG RAISING* DI INSTALASI GAWAT DARURAT
RSUD KABUPATEN TANGERANG 2018**

5 Bab + 66 Halaman + 23 Tabel + 1 Skema

ABSTRAK

Passive leg raising (PLR) merupakan posisi yang rutin digunakan sebagai tatalaksana awal pada intensive care unit sebelum mendapatkan resusitasi cairan pada pasien hipovolemik dan hipotensi. Penelitian ini bertujuan untuk mengidentifikasi pelaksanaan asuhan keperawatan pada pasien dengan syok hipovolemik dengan pemberian *posisi passive leg raising* di Instalasi Gawat Darurat RSUD Kabupaten Tangerang 2018. Dalam penulisan laporan karay tulis ilmiah akhir program studi profesi ners peneliti menggunakan metode deskriptif (dengan pendekatan proses keperawatan) dan metode kepustakaan (dengan telusur literature). Karakteristik pasien yang menjadi responden studi kasus syok hipovolemik rata-rata berusia >60 tahun. Didapatkan masalah keperawatan pada pasien syok hipovolemik adalah penurunan curah jantung, kekurangan volume cairan, ketidakefektifan perfusi jaringan perifer, dan nutrisi kurang dari kebutuhan tubuh. Dari hasil penelitian ditemukan pada pasien syok hipovolemik umumnya penurunan tekanan darah < 90 mmhg. Menggunakan posisi *passive leg raising* salah satu penatalaksanaan yang dapat dilakukan pada pasien syok hipovolemik. Rekomendasi dari penelitian ini adalah *posisi passive leg raising* dapat meningkatkan tekanan darah darah systolic maupun diastolic pada pasien syok hipovolemik yang mengalami penurunan tekanan darah.

Kata Kunci : Syok Hipovolemik , *Passive Leg Raising* (PLR)

STUDY PROGRAM NERS
FACULTY OF SCIENCE - HEALTH SCIENCE
UNIVERSITY OF ESA UNGGUL
Scientific Writing, August 2018

MUHAMAD RAFIK.,S.Kep
2017-03-05-020

NURSING INSTITUTIONS IN HIPOVOLEMIC SYOK PATIENTS WITH PASSIVE LEG
RAISING POSITIVE POSSIBLE IN EMERGENCY EMERGENCY RSUD REGENCY OF
TANGERANG 2018

5 Chapter + 66 Pages + 23 Tables + 1 Scheme

ABSTRACT

Passive leg raising (PLR) is a routine position used as a preliminary treatment of intensive care units before obtaining fluid resuscitation in hypovolemic and hypotensive patients. This study aims to identify the implementation of nursing care in patients with hypovolemic shock with the provision of passive leg raising position at the Emergency Installation of Tangerang District Hospital 2018. In the writing of scientific writing report final report ners research program using descriptive method (with nursing process approach) and literary method (with literature search). Characteristics of patients who responded to cases of hypovolemic shock rata-rata aged > 60 years. Nursing problems in hypovolemic shock patients are decreased cardiac output, lack of fluid volume, peripheral tissue perfusion ineffectiveness, and less nutrients than body needs. From the results of the study found in patients hypovolemic shock generally decrease blood pressure <90 mmhg. Using a passive leg raising position one of the best management can be done in hypovolemic shock patients. The recommendation of this study is the position of passive leg raising can increase blood pressure of systolic and diastolic blood in hypovolemic shock patients who experienced a decrease in blood pressure.

Keywords: Hipovolemic Shock, Passive Leg Raising (PLR),