

## LAMPIRAN 3 HASIL STATISTIK

### Descriptives

**Descriptive Statistics**

	N	Minimum	Maximum	Mean	Std. Deviation
SIZE	54	21,02679	34,38724	27,8787798	2,20502623
PROFITABILITAS	54	-5,500	54,400	6,09685	9,266923
LEVERAGE	54	-3,4600	16,3000	1,490370	2,5805886
MAN	54	,000	32,900	4,82906	8,231784
CSR	54	,120	,540	,30259	,103179
Valid N (listwise)	54				

### Regression

**Model Summary<sup>b</sup>**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	,571 <sup>a</sup>	,326	,271	,088072	1,829

a. Predictors: (Constant), MAN, ROA, DER, SIZE

b. Dependent Variable: CSR

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,184	4	,046	5,936	,001 <sup>b</sup>
	Residual	,380	49	,008		
	Total	,564	53			

a. Dependent Variable: CSR

b. Predictors: (Constant), MAN, ROA, DER, SIZE


**Coefficients<sup>a</sup>**

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	,754	,166		4,540	,000	
	SIZE_In	-,018	,006	-,389	-3,021	,004	,828 1,208
	Profitabilitas	,004	,001	,315	2,568	,013	,911 1,098
	Leverage	,016	,005	,405	3,331	,002	,928 1,078
	MAN	,002	,001	,173	1,447	,154	,966 1,035

a. Dependent Variable: CSR


### LAMPIRAN 3 HASIL STATISTIK

Normal P-P Plot of Regression Standardized Residual  
Dependent Variable: CSR



Scatterplot

Dependent Variable: CSR



### LAMPIRAN 3 HASIL STATISTIK

#### NPar Tests

##### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		54
Normal Parameters <sup>a,b</sup>	Mean	,0000000
	Std. Deviation	,08468315
Most Extreme Differences	Absolute	,089
	Positive	,089
	Negative	-,055
Test Statistic		,089
Asymp. Sig. (2-tailed)		,200 <sup>c,d</sup>

- a. Test distribution is Normal.
- b. Calculated from data.
- c. Lilliefors Significance Correction.
- d. This is a lower bound of the true significance.