

LAMPIRAN

Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	98	100.0
	Missing Cases	0	.0
	Total	98	100.0
Unselected Cases		0	.0
Total		98	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable

Encoding

Original Value	Internal Value
Tidak	0
Disetujui	
Disetujui	1

Categorical Variables Codings

		Frequency	Parameter coding (1)
Identitas Obat	Tidak Lengkap	3	1.000
	Lengkap	95	.000

Block 0: Beginning Block

Classification Table^{a,b}

	Observed		Predicted		
			Persetujuan Klaim BPJS		Percentage Correct
			Tidak Disetujui	Disetujui	
Step 0	Persetujuan Klaim BPJS	Tidak Disetujui	0	16	.0
		Disetujui	0	82	100.0
	Overall Percentage				83.7

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	1.634	.273	35.750	1	.218	5.125

Variables not in the Equation

		Score	df	Sig.	
Step 0	Variables	Identitas obat(1)	15.861	1	.000
		Peningkatan keamanan obat	32.755	1	.000
		Kepastian prosedur	70.081	1	.000
	Overall Statistics		80.976	3	.000

uji signifikansi model

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	54.873	3	.000
	Block	54.873	3	.000
	Model	54.873	3	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	32.355 ^a	.429	.727

a. Estimation terminated at iteration number 20 because maximum iterations has been reached.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	7.953	3	1.000

Contingency Table for Hosmer and Lemeshow Test

		Persetujuan Klaim BPJS = tidak disetujui		Persetujuan Klaim BPJS = disetujui		Total
		Observed	Expected	Observed	Expected	
Step 1	1	9	9.000	0	.000	9
	2	3	3.000	0	.000	3
	3	4	4.000	82	82.000	86

Classification Table^a

	Observed	Predicted			
		Persetujuan klaim BPJS		Percentage	
		tidak disetujui	disetujui	Correct	
Step 1	Persetujuan klaim BPJS	tidak disetujui	12	4	75.0
		disetujui	0	82	100.0
	Overall Percentage				95.9

a. The cut value is .500

Interpretasi ODDS RATIO

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1 ^a	Identitas obat (1)	1.310	.664	19.470	1	.000	4.415
	Peningkatan keamanan obat	.648	.137	14.303	1	.000	2.000
	Kepastian prosedur	.893	.226	23.000	1	.000	6.367
	Constant	-3.203	1.344	5.543	1	.000	.000

a. Variable(s) entered on step 1: identitasobat, peningkatankeamananobat, kepastianprosedur.