

Lampiran 2. Hasil Penghitungan Uji Coba Instrumen

A. Uji Validitas Instrumen Motivasi Kerja Perawat

```

CORRELATIONS
/VARIABLES=No_1 No_2 No_3 No_4 No_5 No_6 No_7 No_8 No_9 No_10 No_11 No_12 No_13 No_14 No_15 No_16
No_17 No_18 No_19 No_20 No_21 No_22 No_23 No_24 Skor_total
/PRINT=TWOTAIL NOSIG
/STATISTICS DESCRIPTIVES XPROD
/MISSING=PAIRWISE.
    
```

Correlations

Notes		
Output Created		10-FEB-2018 20:08:26
Comments		
Input	Data	F:\MARS YENNY\SPSS\SPSS 10 FEB\VARIABEL MOTIVASI VALIDASI QUOSIONER.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	30
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.

Syntax	CORRELATIONS	
	/VARIABLES=No_1 No_2 No_3 No_4 No_5 No_6 No_7 No_8 No_9 No_10 No_11 No_12 No_13 No_14 No_15 No_16 No_17 No_18 No_19 No_20 No_21 No_22 No_23 No_24 Skor_total	
	/PRINT=TWOTAIL NOSIG	
	/STATISTICS DESCRIPTIVES	
	XPROD	
	/MISSING=PAIRWISE.	
Resources	Processor Time	00:00:00,11
	Elapsed Time	00:00:00,15

[DataSet1] F:\MARS YENNY\SPSS\SPSS 10 FEB\VARIABEL MOTIVASI VALIDASI QUOSIONER.sav

Descriptive Statistics			
	Mean	Std. Deviation	N
No_1	3,43	,626	30
No_2	3,83	,461	30
No_3	4,23	,504	30
No_4	4,23	,504	30
No_5	4,13	,507	30
No_6	3,90	,759	30

No_7	4,07	,521	30
No_8	3,67	,661	30
No_9	4,03	,320	30
No_10	4,07	,450	30
No_11	4,37	,490	30
No_12	3,57	,728	30
No_13	4,27	,640	30
No_14	4,23	,430	30
No_15	4,13	,507	30
No_16	4,23	,568	30
No_17	3,73	,583	30
No_18	4,23	,504	30
No_19	4,07	,521	30
No_20	4,30	,466	30
No_21	3,97	,556	30
No_22	3,17	,874	30
No_23	4,23	,568	30
No_24	4,20	,407	30
Skor_total	96,30	7,086	30

Lampiran 2a Uji Validitas Instrumen Motivasi Kerja

		Correlations																								Skor_tot
		No_1	No_2	No_3	No_4	No_5	No_6	No_7	No_8	No_9	No_10	No_11	No_12	No_13	No_14	No_15	No_16	No_17	No_18	No_19	No_20	No_21	No_22	No_23	No_24	al
No_1	Pearson Correlation	1	.498 ^{**}	.215	-.331	-.297	-.051	-.092	.194	-.075	.139	.026	.199	.304	-.004	.137	.288	.233	.324	.331	.130	.142	.430 [*]	.384 [*]	-.081	.351
	Sig. (2-tailed)		.005	.254	.074	.111	.790	.630	.303	.695	.465	.891	.291	.102	.982	.469	.123	.215	.080	.074	.494	.454	.018	.036	.670	.058
	Sum of Squares and Cross-products	11,367	4,167	1,967	-3,033	-2,733	-.700	-.867	2,333	-.433	1,133	.233	2,633	3,533	-.033	1,267	2,967	2,467	2,967	3,133	1,100	1,433	6,833	3,967	-.600	45,100
	Covariance	.392	.144	.068	-.105	-.094	-.024	-.030	.080	-.015	.039	.008	.091	.122	-.001	.044	.102	.085	.102	.108	.038	.049	.236	.137	-.021	1,555
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_2	Pearson Correlation	.498 ^{**}	1	.321	-.124	-.196	.345	.335	.038	.039	.222	.280	.188	.623 ^{**}	.203	.246	.548 ^{**}	.470 ^{**}	.321	.191	.241	.650 ^{**}	.242	.285	.184	.565 ^{**}
	Sig. (2-tailed)	.005		.083	.515	.298	.062	.070	.843	.838	.239	.134	.319	.000	.282	.191	.002	.009	.083	.311	.200	.000	.197	.127	.331	.001
	Sum of Squares and Cross-products	4,167	6,167	2,167	-.833	-1,333	3,500	2,333	.333	.167	1,333	1,833	1,833	5,333	1,167	1,667	4,167	3,667	2,167	1,333	1,500	4,833	2,833	2,167	1,000	53,500
	Covariance	.144	.213	.075	-.029	-.046	.121	.080	.011	-.006	.046	.063	.063	.184	.040	.057	.144	.126	.075	.046	.052	.167	.098	.075	.034	1,845
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_3	Pearson Correlation	.215	.321	1	.321	.009	.243	.201	-.138	-.050	.233	.619 ^{**}	.379 ^{**}	.656 ^{**}	.694 ^{**}	.818 ^{**}	.887 ^{**}	-.133	.729 ^{**}	.596 ^{**}	.572 ^{**}	.152	.143	.786 ^{**}	.269	.742 ^{**}
	Sig. (2-tailed)	.254	.083		.083	.962	.195	.286	.467	.793	.215	.000	.039	.000	.000	.000	.000	.484	.000	.001	.001	.423	.449	.000	.150	.000
	Sum of Squares and Cross-products	1,967	2,167	7,367	2,367	.067	2,700	1,533	1,333	-.233	1,533	4,433	4,033	6,133	4,367	6,067	7,367	-1,133	5,367	4,533	3,900	1,233	1,833	6,367	1,600	76,900
	Covariance	.068	.075	.254	.082	.002	.093	.053	.046	-.008	.053	.153	.139	.211	.151	.209	.254	-.039	.185	.156	.134	.043	.063	.220	.055	2,652
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_4	Pearson Correlation	-.331	-.124	.321	1	.548 ^{**}	-.027	.333	.242	.378 ^{**}	.537 ^{**}	.340	.191	.228	.217	.009	.285	-.133	.186	-.193	.279	-.094	-.483 ^{**}	.285	.437 ^{**}	.279
	Sig. (2-tailed)	.074	.515	.083		.002	.887	.072	.198	.039	.002	.066	.312	.225	.249	.962	.127	.484	.326	.308	.136	.620	.007	.127	.016	.135

Lampiran 2a Uji Validitas Instrumen Motivasi Kerja

	Sum of Squares and Cross-products	-3,033	-.833	2,367	7,367	4,067	-.300	2,533	2,333	1,767	3,533	2,433	2,033	2,133	1,367	,067	2,367	-1,133	1,367	-1,467	1,900	-.767	-6,167	2,367	2,600	28,900
	Covariance	-.105	-.029	,082	,254	,140	-.010	,087	,080	,061	,122	,084	,070	,074	,047	,002	,082	-.039	,047	-.051	,066	-.026	-.213	,082	,090	,997
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_5	Pearson Correlation	-.297	-.196	,009	,548 ^{**}	1	-.054	-.035	,240	,397 ^{**}	,564 ^{**}	,213	-.025	-.113	,169	,063	-.112	-.225	,279	-.296	,262	-.228	-.363 ^{**}	,128	,535 ^{**}	,123
	Sig. (2-tailed)	,111	,298	,962	,002		,778	,855	,202	,030	,001	,259	,896	,551	,373	,743	,557	,231	,136	,113	,161	,225	,049	,502	,002	,518
	Sum of Squares and Cross-products	-2,733	-1,333	,067	4,067	7,467	-.600	-.267	2,333	1,867	3,733	1,533	-.267	-1,067	1,067	,467	-.933	-1,933	2,067	-2,267	1,800	-1,867	-4,667	1,067	3,200	12,800
	Covariance	-.094	-.046	,002	,140	,257	-.021	-.009	,080	,064	,129	,053	-.009	-.037	,037	,016	-.032	-.067	,071	-.078	,062	-.064	-.161	,037	,110	,441
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_6	Pearson Correlation	-.051	,345	,243	-.027	-.054	1	,715 ^{**}	-.069	,298	,020	,009	,044	,270	,285	,484 ^{**}	,376 ^{**}	,561 ^{**}	-.027	,279	-.010	,646 ^{**}	,390 ^{**}	-.024	,067	,474 ^{**}
	Sig. (2-tailed)	,790	,062	,195	,887	,778		,000	,718	,109	,916	,961	,819	,149	,127	,007	,041	,001	,887	,135	,959	,000	,033	,900	,725	,008
	Sum of Squares and Cross-products	-.700	3,500	2,700	-.300	-.600	16,700	8,200	-1,000	2,100	,200	,100	,700	3,800	2,700	5,400	4,700	7,200	-.300	3,200	-.100	7,900	7,500	-.300	,600	73,900
	Covariance	-.024	,121	,093	-.010	-.021	,576	,283	-.034	,072	,007	,003	,024	,131	,093	,186	,162	,248	-.010	,110	-.003	,272	,259	-.010	,021	2,548
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_7	Pearson Correlation	-.092	,335	,201	,333	-.035	,715 ^{**}	1	,067	,400 ^{**}	,422 ^{**}	,306	-.012	,359	,236	,226	,412 ^{**}	,628 ^{**}	,070	,110	,199	,603 ^{**}	,202	,062	,260	,536 ^{**}
	Sig. (2-tailed)	,630	,070	,286	,072	,855	,000		,726	,028	,020	,100	,949	,052	,209	,229	,024	,000	,713	,562	,292	,000	,285	,744	,165	,002
	Sum of Squares and Cross-products	-.867	2,333	1,533	2,533	-.267	8,200	7,867	,867	1,933	2,867	2,267	-.133	3,467	1,533	1,733	3,533	5,533	,533	,867	1,400	5,067	2,667	,533	1,600	57,400
	Covariance	-.030	,080	,053	,087	-.009	,283	,271	,023	,067	,099	,078	-.005	,120	,053	,060	,122	,191	,018	,030	,048	,175	,092	,018	,055	1,979
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_8	Pearson Correlation	,194	,038	,138	,242	,240	-.069	,067	1	,544 ^{**}	,193	,390 ^{**}	,550 ^{**}	,054	,040	,034	,122	-.060	,242	,167	,224	,156	,159	,122	,256	,390 ^{**}
	Sig. (2-tailed)	,303	,843	,467	,198	,202	,718	,726		,002	,306	,033	,002	,775	,832	,857	,519	,754	,198	,378	,234	,409	,401	,519	,171	,033

Lampiran 2a Uji Validitas Instrumen Motivasi Kerja

	Sum of Squares and Cross-products	2,333	,333	1,333	2,333	2,333	-1,000	,667	12,667	3,333	1,667	3,667	7,667	,667	,333	,333	1,333	-.667	2,333	1,667	2,000	1,667	2,667	1,333	2,000	53,000
	Covariance	,080	,011	,046	,080	,080	-.034	,023	,437	,115	,057	,126	,264	,023	,011	,011	,046	-.023	,080	,057	,069	,057	,092	,046	,069	1,828
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_9	Pearson Correlation	-.075	,039	-.050	,378	,397	,298	,400	,544	1	,463	,139	,212	-.045	-.058	-.028	-.044	,419	,164	,193	,162	,394	-.021	,145	,477	,391
	Sig. (2-tailed)	,695	,838	,793	,039	,030	,109	,028	,002		,010	,463	,260	,814	,759	,882	,816	,021	,387	,306	,393	,031	,914	,443	,008	,033
	Sum of Squares and Cross-products	-.433	,167	-.233	1,767	1,867	2,100	1,933	3,333	2,967	1,933	633	1,433	-.267	-.233	-.133	-.233	2,267	,767	,933	,700	2,033	-.167	,767	1,800	25,700
	Covariance	-.015	,006	-.008	,061	,064	,072	,067	,115	,102	,067	,022	,049	-.009	-.008	-.005	-.008	,078	,026	,032	,024	,070	-.006	,026	,062	,886
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_10	Pearson Correlation	,139	,222	,233	,537	,564	,020	,422	,193	,463	1	,355	-.119	,176	,095	,111	,207	,333	,537	-.020	,395	,009	-.117	,477	,678	,470
	Sig. (2-tailed)	,465	,239	,215	,002	,001	,916	,020	,306	,010		,055	,530	,353	,617	,560	,273	,072	,002	,918	,031	,962	,538	,008	,000	,009
	Sum of Squares and Cross-products	1,133	1,333	1,533	3,533	3,733	,200	2,867	1,667	1,933	5,867	2,267	-1,133	1,467	,533	,733	1,533	2,533	3,533	-.133	2,400	,067	-1,333	3,533	3,600	43,400
	Covariance	,039	,046	,053	,122	,129	,007	,099	,057	,067	,202	,078	-.039	,051	,018	,025	,053	,087	,122	-.005	,083	,002	-.046	,122	,124	1,497
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_11	Pearson Correlation	,026	,280	,619	,340	,213	,009	,306	,390	,139	,355	1	,267	,667	,725	,490	,673	-.129	,758	,306	,860	,299	,013	,549	,484	,702
	Sig. (2-tailed)	,891	,134	,000	,066	,259	,961	,100	,033	,463	,055		,153	,000	,000	,006	,000	,498	,000	,100	,000	,108	,944	,002	,007	,000
	Sum of Squares and Cross-products	,233	1,833	4,433	2,433	1,533	-.100	2,267	3,667	,633	2,267	6,967	2,767	6,067	4,433	3,533	5,433	-1,067	5,433	2,267	5,700	2,367	,167	4,433	2,800	70,700
	Covariance	,008	,063	,153	,084	,053	,003	,078	,126	,022	,078	,240	,095	,209	,153	,122	,187	-.037	,187	,078	,197	,082	,006	,153	,097	2,438
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_12	Pearson Correlation	,199	,188	,379	,191	-.025	,044	-.012	,550	,212	-.119	,267	1	,183	,224	,255	,336	-.200	,191	,352	,193	,304	,334	,253	-.047	,441
	Sig. (2-tailed)	,291	,319	,039	,312	,896	,819	,949	,002	,260	,530	,153		,334	,234	,174	,069	,289	,312	,057	,307	,103	,071	,178	,807	,015

Lampiran 2a Uji Validitas Instrumen Motivasi Kerja

	Sum of Squares and Cross-products	2,633	1,833	4,033	2,033	-.267	.700	-.133	7,667	1,433	-1,133	2,767	15,367	2,467	2,033	2,733	4,033	-2,467	2,033	3,867	1,900	3,567	6,167	3,033	-.400	65,900
	Covariance	.091	.063	.139	.070	-.009	.024	-.005	.264	.049	-.039	.095	.530	.085	.070	.094	.139	-.085	.070	.133	.066	.123	.213	.105	-.014	2,272
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_13	Pearson Correlation	.304	.623	.656	.228	-.113	.270	.359	.054	-.045	.176	.667	.183	1	.643	.418	.866	.105	.549	.255	.648	.511	.041	.582	.318	.704
	Sig. (2-tailed)	.102	.000	.000	.225	.551	.149	.052	.775	.814	.353	.000	.334	.000	.022	.000	.582	.002	.173	.000	.004	.829	.001	.087	.000	
	Sum of Squares and Cross-products	3,533	5,333	6,133	2,133	-1,067	3,800	3,467	.667	-.267	1,467	6,067	2,467	11,867	5,133	3,933	9,133	1,133	5,133	2,467	5,600	5,267	.667	6,133	2,400	92,600
	Covariance	.122	.184	.211	.074	-.037	.131	.120	.023	-.009	.051	.209	.085	.409	.177	.136	.315	.039	.177	.085	.193	.182	.023	.211	.083	3,193
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_14	Pearson Correlation	-.004	.203	.694	.217	.169	.285	.236	.040	-.058	.095	.725	.224	.643	1	.800	.757	-.156	.694	.544	.843	.322	.168	.616	.315	.700
	Sig. (2-tailed)	.982	.282	.000	.249	.373	.127	.209	.832	.759	.617	.000	.234	.000	.000	.000	.411	.000	.002	.000	.083	.375	.000	.090	.000	
	Sum of Squares and Cross-products	-.033	1,167	4,367	1,367	1,067	2,700	1,533	.333	-.233	.533	4,433	2,033	5,133	5,367	5,067	5,367	-1,133	4,367	3,533	4,900	2,233	1,833	4,367	1,600	61,900
	Covariance	-.001	.040	.151	.047	.037	.093	.053	.011	-.008	.018	.153	.070	.177	.185	.175	.185	-.039	.151	.122	.169	.077	.063	.151	.055	2,134
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_15	Pearson Correlation	.137	.246	.818	.009	.063	.484	.226	.034	-.028	.111	.490	.255	.418	.800	1	.725	.008	.683	.748	.554	.261	.415	.606	.200	.717
	Sig. (2-tailed)	.469	.191	.000	.962	.743	.007	.229	.857	.882	.560	.006	.174	.022	.000	.000	.968	.000	.000	.001	.164	.023	.000	.288	.000	
	Sum of Squares and Cross-products	1,267	1,667	6,067	.067	.467	5,400	1,733	.333	-.133	.733	3,533	2,733	3,933	5,067	7,467	6,067	.067	5,067	5,733	3,800	2,133	5,333	5,067	1,200	74,800
	Covariance	.044	.057	.209	.002	.016	.186	.060	.011	-.005	.025	.122	.094	.136	.175	.257	.209	.002	.175	.198	.131	.074	.184	.175	.041	2,579
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_16	Pearson Correlation	.288	.548	.887	.285	-.112	.376	.412	.122	-.044	.207	.673	.336	.866	.757	.725	1	.090	.646	.528	.638	.462	.197	.680	.239	.830
	Sig. (2-tailed)	.123	.002	.000	.127	.557	.041	.024	.519	.816	.273	.000	.069	.000	.000	.000	.000	.636	.000	.003	.000	.010	.298	.000	.204	.000

Lampiran 2a Uji Validitas Instrumen Motivasi Kerja

	Sum of Squares and Cross-products	2,967	4,167	7,367	2,367	-.933	4,700	3,533	1,333	-.233	1,533	5,433	4,033	9,133	5,367	6,067	9,367	.867	5,367	4,533	4,900	4,233	2,833	6,367	1,600	96,900
	Covariance	.102	.144	.254	.082	-.032	.162	.122	.046	-.008	.053	.187	.139	.315	.185	.209	.323	.030	.185	.156	.169	.146	.098	.220	.055	3,341
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_17	Pearson Correlation	.233	.470	-.133	-.133	-.225	.561	.628	-.060	.419	.333	-.129	-.200	.105	-.156	.008	.090	1	-.016	.174	-.076	.610	.361	-.014	.232	.329
	Sig. (2-tailed)	.215	.009	.484	.484	.231	.001	.000	.754	.021	.072	.498	.289	.582	.411	.968	.636	.935	.358	.689	.000	.050	.942	.216	.076	
	Sum of Squares and Cross-products	2,467	3,667	-1,133	-1,133	-1,933	7,200	5,533	-.667	2,267	2,533	-1,067	-2,467	1,133	-1,133	.067	.867	9,867	-.133	1,533	-.600	5,733	5,333	-.133	1,600	39,400
	Covariance	.085	.126	-.039	-.039	-.067	.248	.191	-.023	.078	.087	-.037	-.085	.039	-.039	.002	.030	.340	-.005	.053	-.021	.198	.184	-.005	.055	1,359
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_18	Pearson Correlation	.324	.321	.729	.186	.279	-.027	.070	.242	.164	.537	.758	.191	.549	.694	.683	.646	-.016	1	.596	.866	.152	.143	.887	.605	.771
	Sig. (2-tailed)	.080	.083	.000	.326	.136	.887	.713	.198	.387	.002	.000	.312	.002	.000	.000	.000	.935	.001	.000	.423	.449	.000	.000	.000	
	Sum of Squares and Cross-products	2,967	2,167	5,367	1,367	2,067	-.300	.533	2,333	.767	3,533	5,433	2,033	5,133	4,367	5,067	5,367	-.133	7,367	4,533	5,900	1,233	1,833	7,367	3,600	79,900
	Covariance	.102	.075	.185	.047	.071	-.010	.018	.080	.026	.122	.187	.070	.177	.151	.175	.185	-.005	.254	.156	.203	.043	.063	.254	.124	2,755
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_19	Pearson Correlation	.331	.191	.596	-.193	-.296	.279	.110	.167	.193	-.020	.306	.352	.255	.544	.748	.528	.174	.596	1	.483	.365	.505	.645	.098	.630
	Sig. (2-tailed)	.074	.311	.001	.308	.113	.135	.582	.378	.306	.918	.100	.057	.173	.002	.000	.003	.358	.001	.007	.047	.004	.000	.608	.000	
	Sum of Squares and Cross-products	3,133	1,333	4,533	-1,467	-2,267	3,200	.867	1,667	.933	-.133	2,267	3,867	2,467	3,533	5,733	4,533	1,533	4,533	7,867	3,400	3,067	6,667	5,533	.600	67,400
	Covariance	.108	.046	.156	-.051	-.078	.110	.030	.057	.032	-.005	.078	.133	.085	.122	.198	.156	.053	.156	.271	.117	.106	.230	.191	.021	2,324
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_20	Pearson Correlation	.130	.241	.572	.279	.262	-.010	.199	.224	.162	.395	.860	.193	.648	.843	.554	.638	-.076	.866	.483	1	.306	.042	.768	.582	.734
	Sig. (2-tailed)	.494	.200	.001	.136	.161	.959	.292	.234	.393	.031	.000	.307	.000	.000	.001	.000	.689	.000	.007	.100	.824	.000	.001	.000	

Lampiran 2a Uji Validitas Instrumen Motivasi Kerja

	Sum of Squares and Cross-products	1,100	1,500	3,900	1,900	1,800	-.100	1,400	2,000	.700	2,400	5,700	1,900	5,600	4,900	3,800	4,900	-.600	5,900	3,400	6,300	2,300	.500	5,900	3,200	70,300
	Covariance	.038	.052	.134	.066	.062	-.003	.048	.069	.024	.083	.197	.066	.193	.169	.131	.169	-.021	.203	.117	.217	.079	.017	.203	.110	2,424
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_21	Pearson Correlation	.142	.650	.152	-.094	-.228	.646	.603	.156	.394	.009	.299	.304	.511	.322	.261	.462	.610	.152	.365	.306	1	.296	.135	.183	.606
	Sig. (2-tailed)	.454	.000	.423	.620	.225	.000	.000	.409	.031	.962	.108	.103	.004	.083	.164	.010	.000	.423	.047	.100		.113	.478	.333	.000
	Sum of Squares and Cross-products	1,433	4,833	1,233	-.767	-1,867	7,900	5,067	1,667	2,033	.067	2,367	3,567	5,267	2,233	2,133	4,233	5,733	1,233	3,067	2,300	8,967	4,167	1,233	1,200	69,300
	Covariance	.049	.167	.043	-.026	-.064	.272	.175	.057	.070	.002	.082	.123	.182	.077	.074	.146	.198	.043	.106	.079	.309	.144	.043	.041	2,390
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_22	Pearson Correlation	.430	.242	.143	-.483	-.363	.390	.202	.159	-.021	-.117	.013	.334	.041	.168	.415	.197	.361	.143	.505	.042	.296	1	.058	-.194	.381
	Sig. (2-tailed)	.018	.197	.449	.007	.049	.033	.285	.401	.914	.538	.944	.071	.829	.375	.023	.298	.050	.449	.004	.824	.113		.761	.305	.038
	Sum of Squares and Cross-products	6,833	2,833	1,833	-6,167	-4,667	7,500	2,667	2,667	-.167	-1,333	.167	6,167	.667	1,833	5,333	2,833	5,333	1,833	6,667	.500	4,167	22,167	.833	-2,000	68,500
	Covariance	.236	.098	.063	-.213	-.161	.259	.092	.092	-.006	-.046	.006	.213	.023	.063	.184	.098	.184	.063	.230	.017	.144	.764	.029	-.069	2,362
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_23	Pearson Correlation	.384	.285	.766	.285	.128	-.024	.062	.122	.145	.477	.549	.253	.582	.616	.606	.680	-.014	.887	.645	.768	.135	.058	1	.537	.727
	Sig. (2-tailed)	.036	.127	.000	.127	.502	.900	.744	.519	.443	.008	.002	.178	.001	.000	.000	.000	.942	.000	.000	.000	.478	.761		.002	.000
	Sum of Squares and Cross-products	3,967	2,167	6,367	2,367	1,067	-.300	.533	1,333	.767	3,533	4,433	3,033	6,133	4,367	5,067	6,367	-.133	7,367	5,533	5,900	1,233	.833	9,367	3,600	84,900
	Covariance	.137	.075	.220	.082	.037	-.010	.018	.046	.026	.122	.153	.105	.211	.151	.175	.220	-.005	.254	.191	.203	.043	.029	.323	.124	2,928
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_24	Pearson Correlation	-.081	.184	.269	.437	.535	.067	.260	.256	.477	.678	.484	-.047	.318	.315	.200	.239	.232	.605	.098	.582	.183	-.194	.537	1	.517
	Sig. (2-tailed)	.670	.331	.150	.016	.002	.725	.165	.171	.008	.000	.007	.807	.087	.090	.288	.204	.216	.000	.608	.001	.333	.305	.002		.003

B. Uji Validitas Instrumen Penerapan *Patient Safety*

Universitas
Esa Unggul

Universitas
Esa Unggul

Universitas
Esa Unggul

Universitas
Esa U

```
GET  
FILE='F:\MARS YENNY\SPSS\SPSS 10 FEB\VARIABEL PENERAPAN PATIENT SAFETY.sav'.  
DATASET NAME DataSet1 WINDOW=FRONT.  
CORRELATIONS  
/VARIABLES=NO_1 NO_2 NO_3 NO_4 NO_5 NO_6 NO_7 NO_8 NO_9 NO_10 NO_11 NO_12 NO_13 NO_14 NO_15 NO_16  
NO_17 NO_18 NO_19 SKOR  
/PRINT=TWOTAIL NOSIG  
/STATISTICS DESCRIPTIVES XPROD  
/MISSING=PAIRWISE.
```

Correlations

Notes

Output Created		10-FEB-2018 23:06:06
Comments		
Input	Data	F:\MARS YENNY\SPSS\SPSS 10 FEB\VARIABEL PENERAPAN PATIENT SAFETY.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>

	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		<p>CORRELATIONS</p> <p> /VARIABLES=NO_1 NO_2 NO_3 NO_4 NO_5 NO_6 NO_7 NO_8 NO_9 NO_10 NO_11 NO_12 NO_13 NO_14 NO_15 NO_16 NO_17 NO_18 NO_19</p> <p>SKOR</p> <p> /PRINT=TWOTAIL NOSIG</p> <p> /STATISTICS DESCRIPTIVES</p> <p>XPROD</p> <p> /MISSING=PAIRWISE.</p>
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,03

[DataSet1] F:\MARS YENNY\SPSS\SPSS 10 FEB\VARIABEL PENERAPAN PATIENT SAFETY.sav

Descriptive Statistics

	Mean	Std. Deviation	N
NO_1	3,83	,834	30
NO_2	4,33	,479	30
NO_3	4,20	,484	30
NO_4	4,30	,466	30
NO_5	4,37	,556	30
NO_6	4,40	,498	30
NO_7	4,20	,484	30
NO_8	4,30	,466	30
NO_9	4,30	,466	30
NO_10	4,30	,466	30
NO_11	4,27	,450	30
NO_12	3,97	,320	30
NO_13	4,27	,450	30
NO_14	4,33	,547	30
NO_15	4,37	,556	30
NO_16	4,23	,568	30
NO_17	4,23	,430	30
NO_18	4,07	,365	30
NO_19	3,93	,521	30
SKOR	80,20	6,749	30

Lampiran 2b. Uji Validitas Variabel Penerapan Patient Safety

		Correlations																				
		NO_1	NO_2	NO_3	NO_4	NO_5	NO_6	NO_7	NO_8	NO_9	NO_10	NO_11	NO_12	NO_13	NO_14	NO_15	NO_16	NO_17	NO_18	NO_19	SKOR	
NO_1	Pearson Correlation	1	,402'	,683''	,399'	,434'	,415'	,598''	,399'	,311	,488''	,398'	,496''	,582''	,580''	,657''	-,061	,593''	,604''	,371'	,705''	
	Sig. (2-tailed)		,027	,000	,029	,017	,023	,000	,029	,095	,006	,029	,005	,001	,001	,000	,750	,001	,000	,044	,000	
	Sum of Squares and Cross-products	20,167	4,667	8,000	4,500	5,833	5,000	7,000	4,500	3,500	5,500	4,333	3,833	6,333	7,667	8,833	-,833	6,167	5,333	4,667	115,000	
	Covariance	,695	,161	,276	,155	,201	,172	,241	,155	,121	,190	,149	,132	,218	,264	,305	-,029	,213	,184	,161	3,966	
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_2	Pearson Correlation	,402'	1	,594''	,617''	,690''	,722''	,594''	,463''	,309	,463''	,693''	,300	,533''	,614''	,560''	,337	,446'	,263	,230	,725''	
	Sig. (2-tailed)	,027		,001	,000	,000	,000	,001	,010	,097	,010	,000	,107	,002	,000	,001	,068	,014	,161	,221	,000	
	Sum of Squares and Cross-products	4,667	6,667	4,000	4,000	5,333	5,000	4,000	3,000	2,000	3,000	4,333	1,333	3,333	4,667	4,333	2,667	2,667	1,333	1,667	68,000	
	Covariance	,161	,230	,138	,138	,184	,172	,138	,103	,069	,103	,149	,046	,115	,161	,149	,092	,092	,046	,057	2,345	
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_3	Pearson Correlation	,683''	,594''	1	,642''	,615''	,657''	,706''	,489''	,183	,642''	,697''	,267	,697''	,651''	,743''	,326	,596''	,507''	,465''	,831''	
	Sig. (2-tailed)	,000	,001		,000	,000	,000	,000	,006	,332	,000	,000	,153	,000	,000	,000	,079	,001	,004	,010	,000	
	Sum of Squares and Cross-products	8,000	4,000	6,800	4,200	4,800	4,600	4,800	3,200	1,200	4,200	4,400	1,200	4,400	5,000	5,800	2,600	3,600	2,600	3,400	78,800	
	Covariance	,276	,138	,234	,145	,166	,159	,166	,110	,041	,145	,152	,041	,152	,172	,200	,090	,124	,090	,117	2,717	
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_4	Pearson Correlation	,399'	,617''	,642''	1	,625''	,653''	,489''	,365'	,524''	,524''	,592''	,069	,757''	,812''	,758''	,508''	,499''	,486''	,369'	,791''	
	Sig. (2-tailed)	,029	,000	,000		,000	,000	,006	,047	,003	,003	,001	,716	,000	,000	,000	,004	,005	,006	,045	,000	
	Sum of Squares and Cross-products	4,500	4,000	4,200	6,300	4,700	4,400	3,200	2,300	3,300	3,300	3,600	,300	4,600	6,000	5,700	3,900	2,900	2,400	2,600	72,200	
	Covariance																					
	N																					

Lampiran 2b. Uji Validitas Variabel Penerapan Patient Safety

	Covariance	,155	,138	,145	,217	,162	,152	,110	,079	,114	,114	,124	,010	,159	,207	,197	,134	,100	,083	,090	2,490
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_5	Pearson Correlation	,434	,690	,615	,625	1	,946	,615	,625	,492	,625	,699	,459	,561	,718	,777	,484	,495	,215	,206	,834
	Sig. (2-tailed)	,017	,000	,000	,000		,000	,000	,000	,006	,000	,000	,011	,001	,000	,000	,007	,005	,254	,274	,000
	Sum of Squares and Cross-products	5,833	5,333	4,800	4,700	8,967	7,600	4,800	4,700	3,700	4,700	5,067	2,367	4,067	6,333	6,967	4,433	3,433	1,267	1,733	90,800
	Covariance	,201	,184	,166	,162	,309	,262	,166	,162	,128	,162	,175	,082	,140	,218	,240	,153	,118	,044	,060	3,131
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_6	Pearson Correlation	,415	,722	,657	,653	,946	1	,657	,653	,505	,653	,739	,303	,585	,760	,821	,511	,515	,227	,239	,857
	Sig. (2-tailed)	,023	,000	,000	,000	,000		,000	,000	,004	,000	,000	,104	,001	,000	,000	,004	,004	,227	,203	,000
	Sum of Squares and Cross-products	5,000	5,000	4,600	4,400	7,600	7,200	4,600	4,400	3,400	4,400	4,800	1,400	3,800	6,000	6,600	4,200	3,200	1,200	1,800	83,600
	Covariance	,172	,172	,159	,152	,262	,248	,159	,152	,117	,152	,166	,048	,131	,207	,228	,145	,110	,041	,062	2,883
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_7	Pearson Correlation	,598	,594	,706	,489	,615	,657	1	,642	,183	,489	,697	,490	,697	,782	,743	,200	,265	,507	,602	,810
	Sig. (2-tailed)	,000	,001	,000	,006	,000	,000		,000	,332	,006	,000	,006	,000	,000	,000	,288	,157	,004	,000	,000
	Sum of Squares and Cross-products	7,000	4,000	4,800	3,200	4,800	4,600	6,800	4,200	1,200	3,200	4,400	2,200	4,400	6,000	5,800	1,600	1,600	2,600	4,400	76,800
	Covariance	,241	,138	,166	,110	,166	,159	,234	,145	,041	,110	,152	,076	,152	,207	,200	,055	,055	,090	,152	2,648
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_8	Pearson Correlation	,399	,463	,489	,365	,625	,653	,642	1	,524	,524	,592	,069	,592	,406	,492	,117	,327	,081	-,057	,616
	Sig. (2-tailed)	,029	,010	,006	,047	,000	,000	,000		,003	,003	,001	,716	,001	,026	,006	,538	,078	,670	,766	,000
	Sum of Squares and Cross-products	4,500	3,000	3,200	2,300	4,700	4,400	4,200	6,300	3,300	3,300	3,600	,300	3,600	3,000	3,700	,900	1,900	,400	-,400	56,200

Lampiran 2b. Uji Validitas Variabel Penerapan Patient Safety

	Covariance	,155	,103	,110	,079	,162	,152	,145	,217	,114	,114	,124	,010	,124	,103	,128	,031	,066	,014	-,014	1,938
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_9	Pearson Correlation	,311	,309	,183	,524 ^{**}	,492 ^{**}	,505 ^{**}	,183	,524 ^{**}	1	,206	,099	,069	,263	,406 ^{**}	,492 ^{**}	-,013	,499 ^{**}	,284	-,057	,463 ^{**}
	Sig. (2-tailed)	,095	,097	,332	,003	,006	,004	,332	,003		,274	,604	,716	,160	,026	,006	,946	,005	,129	,766	,010
	Sum of Squares and Cross-products	3,500	2,000	1,200	3,300	3,700	3,400	1,200	3,300	6,300	1,300	,600	,300	1,600	3,000	3,700	-,100	2,900	1,400	-,400	42,200
	Covariance	,121	,069	,041	,114	,128	,117	,041	,114	,217	,045	,021	,010	,055	,103	,128	-,003	,100	,048	-,014	1,455
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_10	Pearson Correlation	,488 ^{**}	,463 ^{**}	,642 ^{**}	,524 ^{**}	,625 ^{**}	,653 ^{**}	,489 ^{**}	,524 ^{**}	,206	1	,757 ^{**}	,069	,757 ^{**}	,541 ^{**}	,625 ^{**}	,638 ^{**}	,671 ^{**}	,486 ^{**}	,227	,770 ^{**}
	Sig. (2-tailed)	,006	,010	,000	,003	,000	,000	,006	,003	,274		,000	,716	,000	,002	,000	,000	,000	,006	,227	,000
	Sum of Squares and Cross-products	5,500	3,000	4,200	3,300	4,700	4,400	3,200	3,300	1,300	6,300	4,600	,300	4,600	4,000	4,700	4,900	3,900	2,400	1,600	70,200
	Covariance	,190	,103	,145	,114	,162	,152	,110	,114	,045	,217	,159	,010	,159	,138	,162	,169	,134	,083	,055	2,421
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_11	Pearson Correlation	,398 ^{**}	,693 ^{**}	,697 ^{**}	,592 ^{**}	,699 ^{**}	,739 ^{**}	,697 ^{**}	,592 ^{**}	,099	,757 ^{**}	1	,064	,830 ^{**}	,608 ^{**}	,561 ^{**}	,558 ^{**}	,558 ^{**}	,308	,373 ^{**}	,800 ^{**}
	Sig. (2-tailed)	,029	,000	,000	,001	,000	,000	,000	,001	,604	,000		,737	,000	,000	,001	,001	,001	,098	,042	,000
	Sum of Squares and Cross-products	4,333	4,333	4,400	3,600	5,067	4,800	4,400	3,600	,600	4,600	5,867	,267	4,867	4,333	4,067	4,133	3,133	1,467	2,533	70,400
	Covariance	,149	,149	,152	,124	,175	,166	,152	,124	,021	,159	,202	,009	,168	,149	,140	,143	,108	,051	,087	2,428
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_12	Pearson Correlation	,496 ^{**}	,300	,267	,069	,459 ^{**}	,303	,490 ^{**}	,069	,069	,069	,064	1	,064	,460 ^{**}	,459 ^{**}	-,145	,058	,315	,400 ^{**}	,387 ^{**}
	Sig. (2-tailed)	,005	,107	,153	,716	,011	,104	,006	,716	,716	,716	,737		,737	,011	,011	,443	,759	,090	,028	,035
	Sum of Squares and Cross-products	3,833	1,333	1,200	,300	2,367	1,400	2,200	,300	,300	,300	,267	2,967	,267	2,333	2,367	-,767	,233	1,067	1,933	24,200
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

Lampiran 2b. Uji Validitas Variabel Penerapan Patient Safety

	Covariance	,132	,046	,041	,010	,082	,048	,076	,010	,010	,010	,009	,102	,009	,080	,082	-.026	,008	,037	,067	,834
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
3	NO_1 Pearson Correlation	,582	,533	,697	,757	,561	,585	,697	,592	,263	,757	,830	,064	1	,748	,699	,423	,558	,518	,373	,834
	Sig. (2-tailed)	,001	,002	,000	,000	,001	,001	,000	,001	,160	,000	,000	,737		,000	,000	,020	,001	,003	,042	,000
	Sum of Squares and Cross-products	6,333	3,333	4,400	4,600	4,067	3,800	4,400	3,600	1,600	4,600	4,867	,267	5,867	5,333	5,067	3,133	3,133	2,467	2,533	73,400
	Covariance	,218	,115	,152	,159	,140	,131	,152	,124	,055	,159	,168	,009	,202	,184	,175	,108	,108	,085	,087	2,531
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
4	NO_1 Pearson Correlation	,580	,614	,651	,812	,718	,760	,782	,406	,406	,541	,608	,460	,748	1	,945	,407	,391	,576	,565	,888
	Sig. (2-tailed)	,001	,000	,000	,000	,000	,000	,000	,026	,026	,002	,000	,011	,000		,000	,026	,033	,001	,001	,000
	Sum of Squares and Cross-products	7,667	4,667	5,000	6,000	6,333	6,000	6,000	3,000	3,000	4,000	4,333	2,333	5,333	8,667	8,333	3,667	2,667	3,333	4,667	95,000
	Covariance	,264	,161	,172	,207	,218	,207	,207	,103	,103	,138	,149	,080	,184	,299	,287	,126	,092	,115	,161	3,276
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
5	NO_1 Pearson Correlation	,657	,560	,743	,758	,777	,821	,743	,492	,492	,625	,561	,459	,699	,945	1	,375	,495	,555	,445	,908
	Sig. (2-tailed)	,000	,001	,000	,000	,000	,000	,000	,006	,006	,000	,001	,011	,000	,000		,041	,005	,001	,014	,000
	Sum of Squares and Cross-products	8,833	4,333	5,800	5,700	6,967	6,600	5,800	3,700	3,700	4,700	4,067	2,367	5,067	8,333	8,967	3,433	3,433	3,267	3,733	98,800
	Covariance	,305	,149	,200	,197	,240	,228	,200	,128	,128	,162	,140	,082	,175	,287	,309	,118	,118	,113	,129	3,407
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
6	NO_1 Pearson Correlation	-.061	,337	,326	,508	,484	,511	,200	,117	-.013	,638	,558	-.145	,423	,407	,375	1	,193	,255	,287	,473
	Sig. (2-tailed)	,750	,068	,079	,004	,007	,004	,288	,538	,946	,000	,001	,443	,020	,026	,041		,307	,174	,124	,008
	Sum of Squares and Cross-products	-.833	2,667	2,600	3,900	4,433	4,200	1,600	,900	-.100	4,900	4,133	-.767	3,133	3,667	3,433	9,367	1,367	1,533	2,467	52,600

Lampiran 2b. Uji Validitas Variabel Penerapan Patient Safety

	Covariance	-.029	.092	.090	.134	.153	.145	.055	.031	-.003	.169	.143	-.026	.108	.126	.118	.323	.047	.053	.085	1,814
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
7	NO_1 Pearson Correlation	.593 ^{**}	.446 ^{**}	.596 ^{**}	.499 ^{**}	.495 ^{**}	.515 ^{**}	.265	.327	.499 ^{**}	.671 ^{**}	.558 ^{**}	.058	.558 ^{**}	.391 ^{**}	.495 ^{**}	.193	1	.556 ^{**}	.226	.660 ^{**}
	Sig. (2-tailed)	.001	.014	.001	.005	.005	.004	.157	.078	.005	.000	.001	.759	.001	.033	.005	.307		.001	.230	.000
	Sum of Squares and Cross-products	6,167	2,667	3,600	2,900	3,433	3,200	1,600	1,900	2,900	3,900	3,133	.233	3,133	2,667	3,433	1,367	5,367	2,533	1,467	55,600
	Covariance	.213	.092	.124	.100	.118	.110	.055	.066	.100	.134	.108	.008	.108	.092	.118	.047	.185	.087	.051	1,917
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
8	NO_1 Pearson Correlation	.604 ^{**}	.263	.507 ^{**}	.486 ^{**}	.215	.227	.507 ^{**}	.081	.284	.486 ^{**}	.308	.315	.518 ^{**}	.576 ^{**}	.555 ^{**}	.255	.556 ^{**}	1	.749 ^{**}	.624 ^{**}
	Sig. (2-tailed)	.000	.161	.004	.006	.254	.227	.004	.670	.129	.006	.098	.090	.003	.001	.001	.174	.001		.000	.000
	Sum of Squares and Cross-products	5,333	1,333	2,600	2,400	1,267	1,200	2,600	.400	1,400	2,400	1,467	1,067	2,467	3,333	3,267	1,533	2,533	3,867	4,133	44,600
	Covariance	.184	.046	.090	.083	.044	.041	.090	.014	.048	.083	.051	.037	.085	.115	.113	.053	.087	.133	.143	1,538
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
9	NO_1 Pearson Correlation	.371 [*]	.230	.465 ^{**}	.369 ^{**}	.206	.239	.602 ^{**}	-.057	-.057	.227	.373 [*]	.400 [*]	.373 [*]	.565 ^{**}	.445 ^{**}	.287	.226	.749 ^{**}	1	.514 ^{**}
	Sig. (2-tailed)	.044	.221	.010	.045	.274	.203	.000	.766	.766	.227	.042	.028	.042	.001	.014	.124	.230	.000		.004
	Sum of Squares and Cross-products	4,667	1,667	3,400	2,600	1,733	1,800	4,400	-.400	-.400	1,600	2,533	1,933	2,533	4,667	3,733	2,467	1,467	4,133	7,867	52,400
	Covariance	.161	.057	.117	.090	.060	.062	.152	-.014	-.014	.055	.087	.067	.087	.161	.129	.085	.051	.143	.271	1,807
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
SKOR	Pearson Correlation	.705 ^{**}	.725 ^{**}	.831 ^{**}	.791 ^{**}	.834 ^{**}	.857 ^{**}	.810 ^{**}	.616 ^{**}	.463 [*]	.770 ^{**}	.800 ^{**}	.387 [*]	.834 ^{**}	.888 ^{**}	.908 ^{**}	.473 ^{**}	.660 ^{**}	.624 ^{**}	.514 ^{**}	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	.010	.000	.000	.035	.000	.000	.000	.008	.000	.000	.004	
	Sum of Squares and Cross-products	115,000	68,000	78,800	72,200	90,800	83,600	76,800	56,200	42,200	70,200	70,400	24,200	73,400	95,000	98,800	52,600	55,600	44,600	52,400	1320,800
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

Lampiran 2b. Uji Validitas Variabel Penerapan Patient Safety

Covariance	3,966	2,345	2,717	2,490	3,131	2,883	2,648	1,938	1,455	2,421	2,428	,834	2,531	3,276	3,407	1,814	1,917	1,538	1,807	45,545
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).