

Lampiran 5. Pengujian Persyaratan Analisis

- Lampiran 5 A : Uji Validitas Data
- Lampiran 5 B : Uji Reliabilitas Data
- Lampiran 5 C : Uji Normalitas Data
- Lampiran 5 D : Uji Linearitas Data

LAMPIRAN 5 A . UJI VALIDITAS DATA

Universitas
Esa Unggul

Correlations**Descriptive Statistics**

	Mean	Std. Deviation	N
No_1	3,43	,626	30
No_2	3,83	,461	30
No_3	4,23	,504	30
NO_4	3,90	,759	30
NO_5	4,07	,521	30
NO_6	3,67	,661	30
NO_7	4,07	,254	30
NO_8	4,07	,450	30
NO_9	4,37	,490	30
NO_10	3,57	,728	30
NO_11	4,27	,640	30
NO_12	4,23	,430	30
NO_13	4,13	,507	30
NO_14	4,23	,568	30
NO_15	4,23	,504	30
NO_16	4,07	,521	30
NO_17	4,30	,466	30
NO_18	3,97	,556	30
NO_19	3,17	,874	30
NO_20	4,23	,568	30
NO_21	4,20	,407	30
Skor_total	84,23	6,776	30

Correlations

		No_1	No_2	No_3	NO_4	NO_5	NO_6	NO_7	NO_8	NO_9	NO_10	NO_11	NO_12	NO_13	NO_14	NO_15	NO_16	NO_17	NO_18	NO_19	NO_20	NO_21	Skor_to tal	
No_1	Pearson Correlation	1	,498	,215	-,051	-,092	,194	,029	,139	,026	,199	,304	-,004	,137	,288	,324	,331	,130	,142	,430	,384	-,081	,398	
	Sig. (2-tailed)		,005	,254	,790	,630	,303	,879	,465	,891	,291	,102	,982	,469	,123	,080	,074	,494	,454	,018	,036	,670	,029	
	Sum of Squares and Cross-products	11,367	4,167	1,967	-,700	-,867	2,333	,133	1,133	,233	2,633	3,533	-,033	1,267	2,967	2,967	3,133	1,100	1,433	6,833	3,967	-,600	48,967	
	Covariance	,392	,144	,068	-,024	-,030	,080	,005	,039	,008	,091	,122	-,001	,044	,102	,102	,108	,038	,049	,236	,137	-,021	1,689	
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_2	Pearson Correlation	,498	1	,321	,345	,335	,038	,098	,222	,280	,188	,623	,203	,246	,548	,321	,191	,241	,650	,242	,285	,184	,576	
	Sig. (2-tailed)	,005		,083	,062	,070	,843	,605	,239	,134	,319	,000	,282	,191	,002	,083	,311	,200	,000	,197	,127	,331	,001	
	Sum of Squares and Cross-products	4,167	6,167	2,167	3,500	2,333	,333	,333	1,333	1,833	1,833	5,333	1,167	1,667	4,167	2,167	1,333	1,500	4,833	2,833	2,167	1,000	52,167	
	Covariance	,144	,213	,075	,121	,080	,011	,011	,046	,063	,063	,184	,040	,057	,144	,075	,046	,052	,167	,098	,075	-,034	1,799	
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
No_3	Pearson Correlation	,215	,321	1	,243	,201	,138	,144	,233	,619	,379	,656	,694	,818	,887	,729	,596	,572	,152	,143	,766	,269	,771	
	Sig. (2-tailed)	,254	,083		,195	,286	,467	,448	,215	,000	,039	,000	,000	,000	,000	,000	,001	,001	,423	,449	,000	,150	,000	
	Sum of Squares and Cross-products	1,967	2,167	7,367	2,700	1,533	1,333	,533	1,533	4,433	4,033	6,133	4,367	6,067	7,367	5,367	4,533	3,900	1,233	1,833	6,367	1,600	76,367	
	Covariance	,068	,075	,254	,093	,053	,046	,018	,053	,153	,139	,211	,151	,209	,254	,185	,156	,134	,043	,063	,220	,055	2,633	
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

Lampiran 5a Uji Validitas data - variabel motivasi

NO_4	Pearson Correlation	-.051	,345	,243	1	,715"	-.069	,215	,020	,009	,044	,270	,285	,484"	,376"	-.027	,279	-.010	,646"	,390"	-.024	,067	,447"
	Sig. (2-tailed)	,790	,062	,195		,000	,718	,254	,916	,961	,819	,149	,127	,007	,041	,887	,135	,959	,000	,033	,900	,725	,013
	Sum of Squares and Cross-products	-700	3,500	2,700	16,700	8,200	-1,000	1,200	,200	,100	,700	3,800	2,700	5,400	4,700	-300	3,200	-100	7,900	7,500	-300	,600	66,700
	Covariance	-.024	,121	,093	,576	,283	-.034	,041	,007	,003	,024	,131	,093	,186	,162	-.010	,110	-.003	,272	,259	-.010	,021	2,300
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	NO_5	Pearson Correlation	-.092	,335	,201	,715"	1	,067	,226	,422"	,306	-.012	,359	,236	,226	,412"	,070	,110	,199	,603"	,202	,062	,260
Sig. (2-tailed)		,630	,070	,286	,000		,726	,229	,020	,100	,949	,052	,209	,229	,024	,713	,562	,292	,000	,285	,744	,165	,008
Sum of Squares and Cross-products		-867	2,333	1,533	8,200	7,867	,667	,867	2,867	2,267	-133	3,467	1,533	1,733	3,533	,533	,867	1,400	5,067	2,667	,533	1,600	48,533
Covariance		-.030	,080	,053	,283	,271	,023	,030	,099	,078	-.005	,120	,053	,060	,122	,018	,030	,048	,175	,092	,018	,055	1,674
N		30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_6		Pearson Correlation	,194	,038	,138	-.069	,067	1	,548"	,193	,390"	,550"	,054	,040	,034	,122	,242	,167	,224	,156	,159	,122	,256
	Sig. (2-tailed)	,303	,843	,467	,718	,726		,002	,306	,033	,002	,775	,832	,857	,519	,198	,378	,234	,409	,401	,519	,171	,043
	Sum of Squares and Cross-products	2,333	,333	1,333	-1,000	,667	12,667	2,667	1,667	3,667	7,667	,667	,333	,333	1,333	2,333	1,667	2,000	1,667	2,667	1,333	2,000	48,333
	Covariance	,080	,011	,046	-.034	,023	,437	,092	,057	,126	,264	,023	,011	,011	,046	,080	,057	,069	,057	,092	,046	,069	1,667
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	NO_7	Pearson Correlation	,029	,098	,144	,215	,226	,548"	1	,262	,351	,349	,099	,169	,196	,128	,413"	,487"	,408"	,505"	,104	,367"	,535"
Sig. (2-tailed)		,879	,605	,448	,254	,229	,002		,162	,057	,059	,602	,373	,298	,502	,023	,006	,025	,004	,586	,046	,002	,006
Sum of Squares and Cross-products		,133	,333	,533	1,200	,867	2,667	1,867	,867	1,267	1,867	,467	,533	,733	,533	1,533	1,867	1,400	2,067	,667	1,533	1,600	24,533
Covariance		,005	,011	,018	,041	,030	,092	,064	,030	,044	,064	,016	,018	,025	,018	,053	,064	,048	,071	,023	,053	,055	,846
N		30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

Lampiran 5a Uji Validitas data - variabel motivasi

NO_8	Pearson Correlation	,139	,222	,233	,020	,422	,193	,262	1	,355	-,119	,176	,095	,111	,207	,537	-,020	,395	,009	-,117	,477	,678	,368
	Sig. (2-tailed)	,465	,239	,215	,916	,020	,306	,162		,055	,530	,353	,617	,560	,273	,002	,918	,031	,962	,538	,008	,000	,045
	Sum of Squares and Cross-products	1,133	1,333	1,533	,200	2,867	1,667	,867	5,867	2,267	-,133	1,467	,533	,733	1,533	3,533	-,133	2,400	,067	-,1333	3,533	3,600	32,533
	Covariance	,039	,046	,053	,007	,099	,057	,030	,202	,078	-,039	,051	,018	,025	,053	,122	-,005	,083	,002	-,046	,122	,124	1,122
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	NO_9	Pearson Correlation	,026	,280	,619	,009	,306	,390	,351	,355	1	,267	,667	,725	,490	,673	,758	,306	,860	,299	,013	,549	,484
Sig. (2-tailed)		,891	,134	,000	,961	,100	,033	,057	,055		,153	,000	,000	,006	,000	,000	,100	,000	,108	,944	,002	,007	,000
Sum of Squares and Cross-products		,233	1,833	4,433	,100	2,267	3,667	1,267	2,267	6,967	2,767	6,067	4,433	3,533	5,433	5,433	2,267	5,700	2,367	,167	4,433	2,800	68,433
Covariance		,008	,063	,153	,003	,078	,126	,044	,078	,240	,095	,209	,153	,122	,187	,187	,078	,197	,082	,006	,153	,097	2,360
N		30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_10		Pearson Correlation	,199	,188	,379	,044	-,012	,550	,349	-,119	,267	1	,183	,224	,255	,336	,191	,352	,193	,304	,334	,253	-,047
	Sig. (2-tailed)	,291	,319	,039	,819	,949	,002	,059	,530	,153		,334	,234	,174	,069	,312	,057	,307	,103	,071	,178	,807	,009
	Sum of Squares and Cross-products	2,633	1,833	4,033	,700	-,133	7,667	1,867	-,133	2,767	15,367	2,467	2,033	2,733	4,033	2,033	3,867	1,900	3,567	6,167	3,033	-,400	67,033
	Covariance	,091	,063	,139	,024	-,005	,264	,064	-,039	,095	,530	,085	,070	,094	,139	,070	,133	,066	,123	,213	,105	-,014	2,311
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	NO_11	Pearson Correlation	,304	,623	,656	,270	,359	,054	,099	,176	,667	,183	1	,643	,418	,866	,549	,255	,648	,511	,041	,582	,318
Sig. (2-tailed)		,102	,000	,000	,149	,052	,775	,602	,353	,000	,334		,000	,022	,000	,002	,173	,000	,004	,829	,001	,087	,000
Sum of Squares and Cross-products		3,533	5,333	6,133	3,800	3,467	,667	,467	1,467	6,067	2,467	11,867	5,133	3,933	9,133	5,133	2,467	5,600	5,267	,667	6,133	2,400	91,133
Covariance		,122	,184	,211	,131	,120	,023	,016	,051	,209	,085	,409	,177	,136	,315	,177	,085	,193	,182	,023	,211	,083	3,143
N		30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

Lampiran 5a Uji Validitas data - variabel motivasi

NO_12	Pearson Correlation	-.004	.203	.694"	.285	.236	.040	.169	.095	.725"	.224	.643"	1	.800"	.757"	.694"	.544"	.843"	.322	.168	.616"	.315	.726"
	Sig. (2-tailed)	.982	.282	.000	.127	.209	.832	.373	.617	.000	.234	.000	.000	.000	.000	.000	.002	.000	.083	.375	.000	.090	.000
	Sum of Squares and Cross-products	-.033	1,167	4,367	2,700	1,533	.333	.533	.533	.433	2,033	5,133	5,367	5,067	5,367	4,367	3,533	4,900	2,233	1,833	4,367	1,600	61,367
	Covariance	-.001	.040	.151	.093	.053	.011	.018	.018	.153	.070	.177	.185	.175	.185	.151	.122	.169	.077	.063	.151	.055	2,116
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	NO_13	Pearson Correlation	.137	.246	.818"	.484"	.226	.034	.196	.111	.490"	.255	.418	.800"	1	.725"	.683"	.748"	.554"	.261	.415	.606"	.200
Sig. (2-tailed)		.469	.191	.000	.007	.229	.857	.298	.560	.006	.174	.022	.000	.000	.000	.000	.001	.164	.023	.000	.288	.000	
Sum of Squares and Cross-products		1,267	1,667	6,067	5,400	1,733	.333	.733	.733	3,533	2,733	3,933	5,067	7,467	6,067	5,067	5,733	3,800	2,133	5,333	5,067	1,200	75,067
Covariance		.044	.057	.209	.186	.060	.011	.025	.025	.122	.094	.136	.175	.257	.209	.175	.198	.131	.074	.184	.175	.041	2,589
N		30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_14		Pearson Correlation	.288	.548"	.887"	.376	.412	.122	.128	.207	.673"	.336	.866"	.757"	.725"	1	.646"	.528"	.638"	.462	.197	.680"	.239
	Sig. (2-tailed)	.123	.002	.000	.041	.024	.519	.502	.273	.000	.069	.000	.000	.000	.000	.000	.003	.000	.010	.298	.000	.204	.000
	Sum of Squares and Cross-products	2,967	4,167	7,367	4,700	3,533	1,333	.533	1,533	5,433	4,033	9,133	5,367	6,067	9,367	5,367	4,533	4,900	4,233	2,833	6,367	1,600	95,367
	Covariance	.102	.144	.254	.162	.122	.046	.018	.053	.187	.139	.315	.185	.209	.323	.185	.156	.169	.146	.098	.220	.055	3,289
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	NO_15	Pearson Correlation	.324	.321	.729"	-.027	.070	.242	.413	.537"	.758"	.191	.549"	.694"	.683"	.646"	1	.596"	.866"	.152	.143	.887"	.605"
Sig. (2-tailed)		.080	.083	.000	.887	.713	.198	.023	.002	.000	.312	.002	.000	.000	.000	.000	.001	.000	.423	.449	.000	.000	.000
Sum of Squares and Cross-products		2,967	2,167	5,367	-.300	.533	2,333	1,533	3,533	5,433	2,033	5,133	4,367	5,067	5,367	7,367	4,533	5,900	1,233	1,833	7,367	3,600	77,367
Covariance		.102	.075	.185	-.010	.018	.080	.053	.122	.187	.070	.177	.151	.175	.185	.254	.156	.203	.043	.063	.254	.124	2,668
N		30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

Lampiran 5a Uji Validitas data - variabel motivasi

NO_16	Pearson Correlation	,331	,191	,596"	,279	,110	,167	,487"	-,020	,306	,352	,255	,544"	,748"	,528"	,596"	1	,483"	,365"	,505"	,645"	,098	,689"
	Sig. (2-tailed)	,074	,311	,001	,135	,562	,378	,006	,918	,100	,057	,173	,002	,000	,003	,001		,007	,047	,004	,000	,608	,000
	Sum of Squares and Cross-products	3,133	1,333	4,533	3,200	,867	1,667	1,867	-,133	2,267	3,867	2,467	3,533	5,733	4,533	4,533	7,867	3,400	3,067	6,667	5,533	,600	70,533
	Covariance	,108	,046	,156	,110	,030	,057	,064	-,005	,078	,133	,085	,122	,198	,156	,156	,271	,117	,106	,230	,191	,021	2,432
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	NO_17	Pearson Correlation	,130	,241	,572"	-,010	,199	,224	,408"	,395"	,860"	,193	,648"	,843"	,554"	,638"	,866"	,483"	1	,306	,042	,768"	,582"
Sig. (2-tailed)		,494	,200	,001	,959	,292	,234	,025	,031	,000	,307	,000	,000	,001	,000	,000	,007		,100	,824	,000	,001	,000
Sum of Squares and Cross-products		1,100	1,500	3,900	-,100	1,400	2,000	1,400	2,400	5,700	1,900	5,600	4,900	3,800	4,900	5,900	3,400	6,300	2,300	,500	5,900	3,200	67,900
Covariance		,038	,052	,134	-,003	,048	,069	,048	,083	,197	,066	,193	,169	,131	,169	,203	,117	,217	,079	,017	,203	,110	2,341
N		30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_18		Pearson Correlation	,142	,650"	,152	,646"	,603"	,156	,505"	,009	,299	,304	,511"	,322	,261	,462"	,152	,365"	,306	1	,296	,135	,183
	Sig. (2-tailed)	,454	,000	,423	,000	,000	,409	,004	,962	,108	,103	,004	,083	,164	,010	,423	,047	,100		,113	,478	,333	,000
	Sum of Squares and Cross-products	1,433	4,833	1,233	7,900	5,067	1,667	2,067	,067	2,367	3,567	5,267	2,233	2,133	4,233	1,233	3,067	2,300	8,967	4,167	1,233	1,200	66,233
	Covariance	,049	,167	,043	,272	,175	,057	,071	,002	,082	,123	,182	,077	,074	,146	,043	,106	,079	,309	,144	,043	,041	2,284
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
	NO_19	Pearson Correlation	,430"	,242	,143	,390"	,202	,159	,104	-,117	,013	,334	,041	,168	,415"	,197	,143	,505"	,042	,296	1	,058	-,194
Sig. (2-tailed)		,018	,197	,449	,033	,285	,401	,586	,538	,944	,071	,829	,375	,023	,298	,449	,004	,824	,113		,761	,305	,016
Sum of Squares and Cross-products		6,833	2,833	1,833	7,500	2,667	2,667	,667	-,1333	,167	6,167	,667	1,833	5,333	2,833	1,833	6,667	,500	4,167	22,167	,833	-,2000	74,833
Covariance		,236	,098	,063	,259	,092	,092	,023	-,046	,006	,213	,023	,063	,184	,098	,063	,230	,017	,144	,764	,029	-,069	2,580
N		30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

Lampiran 5a Uji Validitas data - variabel motivasi

NO_20	Pearson Correlation	,384*	,285	,766**	-,024	,062	,122	,367*	,477**	,549**	,253	,582**	,616**	,606**	,680**	,887**	,645**	,768**	,135	,058	1	,537**	,738**
	Sig. (2-tailed)	,036	,127	,000	,900	,744	,519	,046	,008	,002	,178	,001	,000	,000	,000	,000	,000	,000	,478	,761	,002	,000	
	Sum of Squares and Cross-products	3,967	2,167	6,367	-,300	,533	1,333	1,533	3,533	4,433	3,033	6,133	4,367	5,067	6,367	7,367	5,533	5,900	1,233	,833	9,367	3,600	82,367
	Covariance	,137	,075	,220	-,010	,018	,046	,053	,122	,153	,105	,211	,151	,175	,220	,254	,191	,203	,043	,029	,323	,124	2,840
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_21	Pearson Correlation	-,081	,184	,269	,067	,260	,256	,535**	,678**	,484**	-,047	,318	,315	,200	,239	,605**	,098	,582**	,183	-,194	,537**	1	,445*
	Sig. (2-tailed)	,670	,331	,150	,725	,165	,171	,002	,000	,007	,807	,087	,090	,288	,204	,000	,608	,001	,333	,305	,002	,014	
	Sum of Squares and Cross-products	-,600	1,000	1,600	,600	1,600	2,000	1,600	3,600	2,800	-,400	2,400	1,600	1,200	1,600	3,600	,600	3,200	1,200	-,2000	3,600	4,800	35,600
	Covariance	-,021	,034	,055	,021	,055	,069	,055	,124	,097	-,014	,083	,055	,041	,055	,124	,021	,110	,041	-,069	,124	,166	1,228
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
Skor_tot al	Pearson Correlation	,398*	,576**	,771**	,447	,474**	,372*	,492**	,368*	,711**	,469**	,725**	,726**	,753**	,854**	,781**	,689**	,741**	,606**	,436*	,738**	,445*	1
	Sig. (2-tailed)	,029	,001	,000	,013	,008	,043	,006	,045	,000	,009	,000	,000	,000	,000	,000	,000	,000	,000	,016	,000	,014	
	Sum of Squares and Cross-products	48,967	52,167	76,367	66,700	48,533	48,333	24,533	32,533	68,433	67,033	91,133	61,367	75,067	95,367	77,367	70,533	67,900	66,233	74,833	82,367	35,600	1331,36
	Covariance	1,689	1,799	2,633	2,300	1,674	1,667	,846	1,122	2,360	2,311	3,143	2,116	2,589	3,289	2,668	2,432	2,341	2,284	2,580	2,840	1,228	45,909
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Correlations

Descriptive Statistics

	Mean	Std. Deviation	N
NO_1	3,83	,834	30
NO_2	4,33	,479	30
NO_3	4,20	,484	30
NO_4	4,30	,466	30
NO_5	4,37	,556	30
NO_6	4,40	,498	30
NO_7	4,20	,484	30
NO_8	4,30	,466	30
NO_9	4,30	,466	30
NO_10	4,30	,466	30
NO_11	4,27	,450	30
NO_12	3,97	,320	30
NO_13	4,27	,450	30
NO_14	4,33	,547	30
NO_15	4,37	,556	30
NO_16	4,23	,568	30
NO_17	4,23	,430	30
NO_18	4,07	,365	30
NO_19	3,93	,521	30
SKOR	80,20	6,749	30

Lampiran 5 a - Uji Validasi Data - Var Pelaksanaan Patient Safety

Correlations

		NO_1	NO_2	NO_3	NO_4	NO_5	NO_6	NO_7	NO_8	NO_9	NO_10	NO_11	NO_12	NO_13	NO_14	NO_15	NO_16	NO_17	NO_18	NO_19	SKOR	
NO_1	Pearson Correlation	1	,402	,683	,399	,434	,415	,598	,399	,311	,488	,398	,496	,582	,580	,657	-,061	,593	,604	,371	,705	
	Sig. (2-tailed)		,027	,000	,029	,017	,023	,000	,029	,095	,006	,029	,005	,001	,001	,000	,750	,001	,000	,044	,000	
	Sum of Squares and	20,167	4,667	8,000	4,500	5,833	5,000	7,000	4,500	3,500	5,500	4,333	3,833	6,333	7,667	8,833	-,833	6,167	5,333	4,667	115,000	
	Cross-products																					
	Covariance	,695	,161	,276	,155	,201	,172	,241	,155	,121	,190	,149	,132	,218	,264	,305	-,029	,213	,184	,161	3,966	
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_2	Pearson Correlation	,402	1	,594	,617	,690	,722	,594	,463	,309	,463	,693	,300	,533	,614	,560	,337	,446	,263	,230	,725	
	Sig. (2-tailed)	,027		,001	,000	,000	,000	,001	,010	,097	,010	,000	,107	,002	,000	,001	,068	,014	,161	,221	,000	
	Sum of Squares and	4,667	6,667	4,000	4,000	5,333	5,000	4,000	3,000	2,000	3,000	4,333	1,333	3,333	4,667	4,333	2,667	2,667	1,333	1,667	68,000	
	Cross-products																					
	Covariance	,161	,230	,138	,138	,184	,172	,138	,103	,069	,103	,149	,046	,115	,161	,149	,092	,092	,046	,057	2,345	
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_3	Pearson Correlation	,683	,594	1	,642	,615	,657	,706	,489	,183	,642	,697	,267	,697	,651	,743	,326	,596	,507	,465	,831	
	Sig. (2-tailed)	,000	,001		,000	,000	,000	,000	,006	,332	,000	,000	,153	,000	,000	,000	,079	,001	,004	,010	,000	
	Sum of Squares and	8,000	4,000	6,800	4,200	4,800	4,600	4,800	3,200	1,200	4,200	4,400	1,200	4,400	5,000	5,800	2,600	3,600	2,600	3,400	78,800	
	Cross-products																					
	Covariance	,276	,138	,234	,145	,166	,159	,166	,110	,041	,145	,152	,041	,152	,172	,200	,090	,124	,090	,117	2,717	
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_4	Pearson Correlation	,399	,617	,642	1	,625	,653	,489	,365	,524	,524	,592	,069	,757	,812	,758	,508	,499	,486	,369	,791	

Lampiran 5 a - Uji Validasi Data - Var Pelaksanaan Patient Safety

	Sig. (2-tailed)	,029	,000	,000	,000	,000	,006	,047	,003	,003	,001	,716	,000	,000	,000	,004	,005	,006	,045	,000	
	Sum of Squares and Cross-products	4,500	4,000	4,200	6,300	4,700	4,400	3,200	2,300	3,300	3,300	3,600	,300	4,600	6,000	5,700	3,900	2,900	2,400	2,600	72,200
	Covariance	,155	,138	,145	,217	,162	,152	,110	,079	,114	,114	,124	,010	,159	,207	,197	,134	,100	,083	,090	2,490
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_5	Pearson Correlation	,434	,690	,615	,625	1	,946	,615	,625	,492	,625	,699	,459	,561	,718	,777	,484	,495	,215	,206	,834
	Sig. (2-tailed)	,017	,000	,000	,000	,000	,000	,000	,006	,000	,000	,011	,001	,000	,000	,007	,005	,254	,274	,000	
	Sum of Squares and Cross-products	5,833	5,333	4,800	4,700	8,967	7,600	4,800	4,700	3,700	4,700	5,067	2,367	4,067	6,333	6,967	4,433	3,433	1,267	1,733	90,800
	Covariance	,201	,184	,166	,162	,309	,262	,166	,162	,128	,162	,175	,082	,140	,218	,240	,153	,118	,044	,060	3,131
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_6	Pearson Correlation	,415	,722	,657	,653	,946	1	,657	,653	,505	,653	,739	,303	,585	,760	,821	,511	,515	,227	,239	,857
	Sig. (2-tailed)	,023	,000	,000	,000	,000	,000	,000	,004	,000	,000	,104	,001	,000	,000	,004	,004	,227	,203	,000	
	Sum of Squares and Cross-products	5,000	5,000	4,600	4,400	7,600	7,200	4,600	4,400	3,400	4,400	4,800	1,400	3,800	6,000	6,600	4,200	3,200	1,200	1,800	83,600
	Covariance	,172	,172	,159	,152	,262	,248	,159	,152	,117	,152	,166	,048	,131	,207	,228	,145	,110	,041	,062	2,883
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_7	Pearson Correlation	,598	,594	,706	,489	,615	,657	1	,642	,183	,489	,697	,490	,697	,782	,743	,200	,265	,507	,602	,810
	Sig. (2-tailed)	,000	,001	,000	,006	,000	,000	,000	,332	,006	,000	,006	,000	,000	,000	,000	,288	,157	,004	,000	,000
	Sum of Squares and Cross-products	7,000	4,000	4,800	3,200	4,800	4,600	6,800	4,200	1,200	3,200	4,400	2,200	4,400	6,000	5,800	1,600	1,600	2,600	4,400	76,800
	Covariance	,241	,138	,166	,110	,166	,159	,234	,145	,041	,110	,152	,076	,152	,207	,200	,055	,055	,090	,152	2,648
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_8	Pearson Correlation	,399	,463	,489	,365	,625	,653	,642	1	,524	,524	,592	,069	,592	,406	,492	,117	,327	,081	-,057	,616

Lampiran 5 a - Uji Validasi Data - Var Pelaksanaan Patient Safety

	Sig. (2-tailed)	,029	,010	,006	,047	,000	,000	,000	,003	,003	,001	,716	,001	,026	,006	,538	,078	,670	,766	,000	
	Sum of Squares and Cross-products	4,500	3,000	3,200	2,300	4,700	4,400	4,200	6,300	3,300	3,300	3,600	,300	3,600	3,000	3,700	,900	1,900	,400	-400	56,200
	Covariance	,155	,103	,110	,079	,162	,152	,145	,217	,114	,114	,124	,010	,124	,103	,128	,031	,066	,014	-,014	1,938
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_9	Pearson Correlation	,311	,309	,183	,524	,492	,505	,183	,524	1	,206	,099	,069	,263	,406	,492	-,013	,499	,284	-,057	,463
	Sig. (2-tailed)	,095	,097	,332	,003	,006	,004	,332	,003	,274	,604	,716	,160	,026	,006	,946	,005	,129	,766	,010	
	Sum of Squares and Cross-products	3,500	2,000	1,200	3,300	3,700	3,400	1,200	3,300	6,300	1,300	,600	,300	1,600	3,000	3,700	-,100	2,900	1,400	-400	42,200
	Covariance	,121	,069	,041	,114	,128	,117	,041	,114	,217	,045	,021	,010	,055	,103	,128	-,003	,100	,048	-,014	1,455
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_10	Pearson Correlation	,488	,463	,642	,524	,625	,653	,489	,524	,206	1	,757	,069	,757	,541	,625	,638	,671	,486	,227	,770
	Sig. (2-tailed)	,006	,010	,000	,003	,000	,000	,006	,003	,274	,000	,716	,000	,002	,000	,000	,000	,000	,006	,227	,000
	Sum of Squares and Cross-products	5,500	3,000	4,200	3,300	4,700	4,400	3,200	3,300	1,300	6,300	4,600	,300	4,600	4,000	4,700	4,900	3,900	2,400	1,600	70,200
	Covariance	,190	,103	,145	,114	,162	,152	,110	,114	,045	,217	,159	,010	,159	,138	,162	,169	,134	,083	,055	2,421
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_11	Pearson Correlation	,398	,693	,697	,592	,699	,739	,697	,592	,099	,757	1	,064	,830	,608	,561	,558	,558	,308	,373	,800
	Sig. (2-tailed)	,029	,000	,000	,001	,000	,000	,000	,001	,604	,000	,737	,000	,000	,001	,001	,001	,098	,042	,000	
	Sum of Squares and Cross-products	4,333	4,333	4,400	3,600	5,067	4,800	4,400	3,600	,600	4,600	5,867	,267	4,867	4,333	4,067	4,133	3,133	1,467	2,533	70,400
	Covariance	,149	,149	,152	,124	,175	,166	,152	,124	,021	,159	,202	,009	,168	,149	,140	,143	,108	,051	,087	2,428
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_1	Pearson Correlation	,496	,300	,267	,069	,459	,303	,490	,069	,069	,069	,064	1	,064	,460	,459	-,145	,058	,315	,400	,387

Lampiran 5 a - Uji Validasi Data - Var Pelaksanaan Patient Safety

2	Sig. (2-tailed)	,005	,107	,153	,716	,011	,104	,006	,716	,716	,716	,737	,737	,011	,011	,443	,759	,090	,028	,035	
	Sum of Squares and	3,833	1,333	1,200	,300	2,367	1,400	2,200	,300	,300	,300	,267	2,967	,267	2,333	2,367	-,767	,233	1,067	1,933	24,200
	Cross-products																				
	Covariance	,132	,046	,041	,010	,082	,048	,076	,010	,010	,010	,009	,102	,009	,080	,082	-,026	,008	,037	,067	,834
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_1	Pearson Correlation	,582"	,533"	,697"	,757"	,561"	,585"	,697"	,592"	,263	,757"	,830"	,064	1	,748"	,699"	,423"	,558"	,518"	,373"	,834"
3	Sig. (2-tailed)	,001	,002	,000	,000	,001	,001	,000	,001	,160	,000	,000	,737	,000	,000	,020	,001	,003	,042	,000	
	Sum of Squares and	6,333	3,333	4,400	4,600	4,067	3,800	4,400	3,600	1,600	4,600	4,867	,267	5,867	5,333	5,067	3,133	3,133	2,467	2,533	73,400
	Cross-products																				
	Covariance	,218	,115	,152	,159	,140	,131	,152	,124	,055	,159	,168	,009	,202	,184	,175	,108	,108	,085	,087	2,531
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_1	Pearson Correlation	,580"	,614"	,651"	,812"	,718"	,760"	,782"	,406"	,406"	,541"	,608"	,460"	,748"	1	,945"	,407"	,391"	,576"	,565"	,888"
4	Sig. (2-tailed)	,001	,000	,000	,000	,000	,000	,000	,026	,026	,002	,000	,011	,000	,000	,026	,033	,001	,001	,000	
	Sum of Squares and	7,667	4,667	5,000	6,000	6,333	6,000	6,000	3,000	3,000	4,000	4,333	2,333	5,333	8,667	8,333	3,667	2,667	3,333	4,667	95,000
	Cross-products																				
	Covariance	,264	,161	,172	,207	,218	,207	,207	,103	,103	,138	,149	,080	,184	,299	,287	,126	,092	,115	,161	3,276
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_1	Pearson Correlation	,657"	,560"	,743"	,758"	,777"	,821"	,743"	,492"	,492"	,625"	,561"	,459"	,699"	,945"	1	,375"	,495"	,555"	,445"	,908"
5	Sig. (2-tailed)	,000	,001	,000	,000	,000	,000	,000	,006	,006	,000	,001	,011	,000	,000	,041	,005	,001	,014	,000	
	Sum of Squares and	8,833	4,333	5,800	5,700	6,967	6,600	5,800	3,700	3,700	4,700	4,067	2,367	5,067	8,333	8,967	3,433	3,433	3,267	3,733	98,800
	Cross-products																				
	Covariance	,305	,149	,200	,197	,240	,228	,200	,128	,128	,162	,140	,082	,175	,287	,309	,118	,118	,113	,129	3,407
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_1	Pearson Correlation	-,061	,337	,326	,508"	,484"	,511"	-,200	,117	-,013	,638"	,558"	-,145	,423"	,407"	,375"	1	,193	,255	,287	,473"

Lampiran 5 a - Uji Validasi Data - Var Pelaksanaan Patient Safety

6	Sig. (2-tailed)	,750	,068	,079	,004	,007	,004	,288	,538	,946	,000	,001	,443	,020	,026	,041	,307	,174	,124	,008	
	Sum of Squares and Cross-products	-.833	2,667	2,600	3,900	4,433	4,200	1,600	,900	-.100	4,900	4,133	-.767	3,133	3,667	3,433	9,367	1,367	1,533	2,467	52,600
	Covariance	-.029	,092	,090	,134	,153	,145	,055	,031	-.003	,169	,143	-.026	,108	,126	,118	,323	,047	,053	,085	1,814
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_1	Pearson Correlation	,593"	,446"	,596"	,499"	,495"	,515"	,265	,327	,499"	,671"	,558"	,058	,558"	,391"	,495"	,193	1	,556"	,226	,660"
7	Sig. (2-tailed)	,001	,014	,001	,005	,005	,004	,157	,078	,005	,000	,001	,759	,001	,033	,005	,307	,001	,230	,000	
	Sum of Squares and Cross-products	6,167	2,667	3,600	2,900	3,433	3,200	1,600	1,900	2,900	3,900	3,133	,233	3,133	2,667	3,433	1,367	5,367	2,533	1,467	55,600
	Covariance	,213	,092	,124	,100	,118	,110	,055	,066	,100	,134	,108	,008	,108	,092	,118	,047	,185	,087	,051	1,917
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_1	Pearson Correlation	,604"	,263	,507"	,486"	,215	,227	,507"	,081	,284	,486"	,308	,315	,518"	,576"	,555"	,255	,556"	1	,749"	,624"
8	Sig. (2-tailed)	,000	,161	,004	,006	,254	,227	,004	,670	,129	,006	,098	,090	,003	,001	,001	,174	,001	,000	,000	
	Sum of Squares and Cross-products	5,333	1,333	2,600	2,400	1,267	1,200	2,600	,400	1,400	2,400	1,467	1,067	2,467	3,333	3,267	1,533	2,533	3,867	4,133	44,600
	Covariance	,184	,046	,090	,083	,044	,041	,090	,014	,048	,083	,051	,037	,085	,115	,113	,053	,087	,133	,143	1,538
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
NO_1	Pearson Correlation	,371'	,230	,465"	,369'	,206	,239	,602"	-.057	-.057	,227	,373'	,400'	,373'	,565"	,445'	,287	,226	,749"	1	,514"
9	Sig. (2-tailed)	,044	,221	,010	,045	,274	,203	,000	,766	,766	,227	,042	,028	,042	,001	,014	,124	,230	,000	,004	
	Sum of Squares and Cross-products	4,667	1,667	3,400	2,600	1,733	1,800	4,400	-.400	-.400	1,600	2,533	1,933	2,533	4,667	3,733	2,467	1,467	4,133	7,867	52,400
	Covariance	,161	,057	,117	,090	,060	,062	,152	-.014	-.014	,055	,087	,067	,087	,161	,129	,085	,051	,143	,271	1,807
	N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
SKOR	Pearson Correlation	,705"	,725"	,831"	,791"	,834"	,857"	,810"	,616"	,463'	,770"	,800"	,387'	,834"	,888"	,908"	,473"	,660"	,624"	,514"	1

Lampiran 5 a - Uji Validasi Data - Var Pelaksanaan Patient Safety

Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000	,000	,010	,000	,000	,035	,000	,000	,000	,008	,000	,000	,004	
Sum of Squares and	115,00																			1320,80
Cross-products	0																			0
Covariance	3,966	2,345	2,717	2,490	3,131	2,883	2,648	1,938	1,455	2,421	2,428	,834	2,531	3,276	3,407	1,814	1,917	1,538	1,807	45,545
N	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).

LAMPIRAN 5 B . UJI RELIABILITAS DATA

Universitas
Esa Unggul

Universitas
Esa Unggul

Universitas
Esa Unggul

Reliability**Scale: ALL VARIABLES****Case Processing Summary**

		N	%
Cases	Valid	30	100,0
	Excluded ^a	0	,0
	Total	30	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,898	,912	21

Item Statistics

	Mean	Std. Deviation	N
No_1	3,43	,626	30
No_2	3,83	,461	30
No_3	4,23	,504	30
NO_4	3,90	,759	30
NO_5	4,07	,521	30
NO_6	3,67	,661	30
NO_7	4,07	,254	30
NO_8	4,07	,450	30
NO_9	4,37	,490	30
NO_10	3,57	,728	30
NO_11	4,27	,640	30
NO_12	4,23	,430	30
NO_13	4,13	,507	30
NO_14	4,23	,568	30
NO_15	4,23	,504	30
NO_16	4,07	,521	30
NO_17	4,30	,466	30
NO_18	3,97	,556	30
NO_19	3,17	,874	30
NO_20	4,23	,568	30
NO_21	4,20	,407	30

Lampiran 5b. Uji Reliabilitas Data - Var Motivasi

Inter-Item Correlation Matrix

	No_1	No_2	No_3	NO_4	NO_5	NO_6	NO_7	NO_8	NO_9	NO_10	NO_11	NO_12	NO_13	NO_14	NO_15	NO_16	NO_17	NO_18	NO_19	NO_20	NO_21
No_1	1,000	,498	,215	-,051	-,092	,194	,029	,139	,026	,199	,304	-,004	,137	,288	,324	,331	,130	,142	,430	,384	-,081
No_2	,498	1,000	,321	,345	,335	,038	,098	,222	,280	,188	,623	,203	,246	,548	,321	,191	,241	,650	,242	,285	,184
No_3	,215	,321	1,000	,243	,201	,138	,144	,233	,619	,379	,656	,694	,818	,887	,729	,596	,572	,152	,143	,766	,269
NO_4	-,051	,345	,243	1,000	,715	-,069	,215	,020	,009	,044	,270	,285	,484	,376	-,027	,279	-,010	,646	,390	-,024	,067
NO_5	-,092	,335	,201	,715	1,000	,067	,226	,422	,306	-,012	,359	,236	,226	,412	,070	,110	,199	,603	,202	,062	,260
NO_6	,194	,038	,138	-,069	,067	1,000	,548	,193	,390	,550	,054	,040	,034	,122	,242	,167	,224	,156	,159	,122	,256
NO_7	,029	,098	,144	,215	,226	,548	1,000	,262	,351	,349	,099	,169	,196	,128	,413	,487	,408	,505	,104	,367	,535
NO_8	,139	,222	,233	,020	,422	,193	,262	1,000	,355	-,119	,176	,095	,111	,207	,537	-,020	,395	,009	-,117	,477	,678
NO_9	,026	,280	,619	,009	,306	,390	,351	,355	1,000	,267	,667	,725	,490	,673	,758	,306	,860	,299	,013	,549	,484
NO_10	,199	,188	,379	,044	-,012	,550	,349	-,119	,267	1,000	,183	,224	,255	,336	,191	,352	,193	,304	,334	,253	-,047
NO_11	,304	,623	,656	,270	,359	,054	,099	,176	,667	,183	1,000	,643	,418	,866	,549	,255	,648	,511	,041	,582	,318
NO_12	-,004	,203	,694	,285	,236	,040	,169	,095	,725	,224	,643	1,000	,800	,757	,694	,544	,843	,322	,168	,616	,315
NO_13	,137	,246	,818	,484	,226	,034	,196	,111	,490	,255	,418	,800	1,000	,725	,683	,748	,554	,261	,415	,606	,200
NO_14	,288	,548	,887	,376	,412	,122	,128	,207	,673	,336	,866	,757	,725	1,000	,646	,528	,638	,462	,197	,680	,239
NO_15	,324	,321	,729	-,027	,070	,242	,413	,537	,758	,191	,549	,694	,683	,646	1,000	,596	,866	,152	,143	,887	,605

Lampiran 5b. Uji Reliabilitas Data - Var Motivasi

NO_1 6	,331	,191	,596	,279	,110	,167	,487	-.020	,306	,352	,255	,544	,748	,528	,596	1,000	,483	,365	,505	,645	,098
NO_1 7	,130	,241	,572	-.010	,199	,224	,408	,395	,860	,193	,648	,843	,554	,638	,866	,483	1,000	,306	,042	,768	,582
NO_1 8	,142	,650	,152	,646	,603	,156	,505	,009	,299	,304	,511	,322	,261	,462	,152	,365	,306	1,000	,296	,135	,183
NO_1 9	,430	,242	,143	,390	,202	,159	,104	-.117	,013	,334	,041	,168	,415	,197	,143	,505	,042	,296	1,000	,058	-.194
NO_2 0	,384	,285	,766	-.024	,062	,122	,367	,477	,549	,253	,582	,616	,606	,680	,887	,645	,768	,135	,058	1,000	,537
NO_2 1	-.081	,184	,269	,067	,260	,256	,535	,678	,484	-.047	,318	,315	,200	,239	,605	,098	,582	,183	-.194	,537	1,000

Inter-Item Covariance Matrix

	No_1	No_2	No_3	NO_4	NO_5	NO_6	NO_7	NO_8	NO_9	NO_10	NO_11	NO_12	NO_13	NO_14	NO_15	NO_16	NO_17	NO_18	NO_19	NO_20	NO_21
No_1	,392	,144	,068	-.024	-.030	,080	,005	,039	,008	,091	,122	-.001	,044	,102	,102	,108	,038	,049	,236	,137	-.021
No_2	,144	,213	,075	,121	,080	,011	,011	,046	,063	,063	,184	,040	,057	,144	,075	,046	,052	,167	,098	,075	,034
No_3	,068	,075	,254	,093	,053	,046	,018	,053	,153	,139	,211	,151	,209	,254	,185	,156	,134	,043	,063	,220	,055
NO_4	-.024	,121	,093	,576	,283	-.034	,041	,007	,003	,024	,131	,093	,186	,162	-.010	,110	-.003	,272	,259	-.010	,021
NO_5	-.030	,080	,053	,283	,271	,023	,030	,099	,078	-.005	,120	,053	,060	,122	,018	,030	,048	,175	,092	,018	,055
NO_6	,080	,011	,046	-.034	,023	,437	,092	,057	,126	,264	-.023	,011	,011	,046	,080	,057	,069	,057	,092	,046	,069
NO_7	,005	,011	,018	,041	,030	,092	,064	,030	,044	,064	,016	,018	,025	,018	,053	,064	,048	,071	,023	,053	,055
NO_8	,039	,046	,053	,007	,099	,057	,030	,202	,078	-.039	,051	,018	,025	,053	,122	-.005	,083	,002	-.046	,122	,124

Lampiran 5b. Uji Reliabilitas Data - Var Motivasi

NO_9	,008	,063	,153	,003	,078	,126	,044	,078	,240	,095	,209	,153	,122	,187	,187	,078	,197	,082	,006	,153	,097
NO_10	,091	,063	,139	,024	-,005	,264	,064	-,039	,095	,530	,085	,070	,094	,139	,070	,133	,066	,123	,213	,105	-,014
NO_11	,122	,184	,211	,131	,120	,023	,016	,051	,209	,085	,409	,177	,136	,315	,177	,085	,193	,182	,023	,211	,083
NO_12	-,001	,040	,151	,093	,053	,011	,018	,018	,153	,070	,177	,185	,175	,185	,151	,122	,169	,077	,063	,151	,055
NO_13	,044	,057	,209	,186	,060	,011	,025	,025	,122	,094	,136	,175	,257	,209	,175	,198	,131	,074	,184	,175	,041
NO_14	,102	,144	,254	,162	,122	,046	,018	,053	,187	,139	,315	,185	,209	,323	,185	,156	,169	,146	,098	,220	,055
NO_15	,102	,075	,185	-,010	,018	,080	,053	,122	,187	,070	,177	,151	,175	,185	,254	,156	,203	,043	,063	,254	,124
NO_16	,108	,046	,156	,110	,030	,057	,064	-,005	,078	,133	,085	,122	,198	,156	,156	,271	,117	,106	,230	,191	,021
NO_17	,038	,052	,134	-,003	,048	,069	,048	,083	,197	,066	,193	,169	,131	,169	,203	,117	,217	,079	,017	,203	,110
NO_18	,049	,167	,043	,272	,175	,057	,071	,002	,082	,123	,182	,077	,074	,146	,043	,106	,079	,309	,144	,043	,041
NO_19	,236	,098	,063	,259	,092	,092	,023	-,046	,006	,213	,023	,063	,184	,098	,063	,230	,017	,144	,764	,029	-,069
NO_20	,137	,075	,220	-,010	,018	,046	,053	,122	,153	,105	,211	,151	,175	,220	,254	,191	,203	,043	,029	,323	,124
NO_21	-,021	,034	,055	,021	,055	,069	,055	,124	,097	-,014	,083	,055	,041	,055	,124	,021	,110	,041	-,069	,124	,166

Summary Item Statistics

	Mean	Minimum	Maximum	Range	Maximum / Minimum	Variance	N of Items
Item Means	4,011	3,167	4,367	1,200	1,379	,100	21

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
84,23	45,909	6,776	21

Reliability**Scale: ALL VARIABLES****Case Processing Summary**

		N	%
Cases	Valid	30	100,0
	Excluded ^a	0	,0
	Total	30	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,943	,945	19

Item Statistics

	Mean	Std. Deviation	N
NO_1	3,83	,834	30
NO_2	4,33	,479	30
NO_3	4,20	,484	30
NO_4	4,30	,466	30
NO_5	4,37	,556	30
NO_6	4,40	,498	30
NO_7	4,20	,484	30
NO_8	4,30	,466	30
NO_9	4,30	,466	30
NO_10	4,30	,466	30
NO_11	4,27	,450	30
NO_12	3,97	,320	30
NO_13	4,27	,450	30
NO_14	4,33	,547	30
NO_15	4,37	,556	30
NO_16	4,23	,568	30
NO_17	4,23	,430	30
NO_18	4,07	,365	30
NO_19	3,93	,521	30

Inter-Item Correlation Matrix

	NO_1	NO_2	NO_3	NO_4	NO_5	NO_6	NO_7	NO_8	NO_9	NO_10	NO_11	NO_12	NO_13	NO_14	NO_15	NO_16	NO_17	NO_18	NO_19
NO_1	1,000	,402	,683	,399	,434	,415	,598	,399	,311	,488	,398	,496	,582	,580	,657	-,061	,593	,604	,371
NO_2	,402	1,000	,594	,617	,690	,722	,594	,463	,309	,463	,693	,300	,533	,614	,560	,337	,446	,263	,230
NO_3	,683	,594	1,000	,642	,615	,657	,706	,489	,183	,642	,697	,267	,697	,651	,743	,326	,596	,507	,465
NO_4	,399	,617	,642	1,000	,625	,653	,489	,365	,524	,524	,592	,069	,757	,812	,758	,508	,499	,486	,369
NO_5	,434	,690	,615	,625	1,000	,946	,615	,625	,492	,625	,699	,459	,561	,718	,777	,484	,495	,215	,206
NO_6	,415	,722	,657	,653	,946	1,000	,657	,653	,505	,653	,739	,303	,585	,760	,821	,511	,515	,227	,239
NO_7	,598	,594	,706	,489	,615	,657	1,000	,642	,183	,489	,697	,490	,697	,782	,743	,200	,265	,507	,602
NO_8	,399	,463	,489	,365	,625	,653	,642	1,000	,524	,524	,592	,069	,592	,406	,492	,117	,327	,081	-,057
NO_9	,311	,309	,183	,524	,492	,505	,183	,524	1,000	,206	,099	,069	,263	,406	,492	-,013	,499	,284	-,057
NO_10	,488	,463	,642	,524	,625	,653	,489	,524	,206	1,000	,757	,069	,757	,541	,625	,638	,671	,486	,227
NO_11	,398	,693	,697	,592	,699	,739	,697	,592	,099	,757	1,000	,064	,830	,608	,561	,558	,558	,308	,373
NO_12	,496	,300	,267	,069	,459	,303	,490	,069	,069	,069	,064	1,000	,064	,460	,459	-,145	,058	,315	,400
NO_13	,582	,533	,697	,757	,561	,585	,697	,592	,263	,757	,830	,064	1,000	,748	,699	,423	,558	,518	,373
NO_14	,580	,614	,651	,812	,718	,760	,782	,406	,406	,541	,608	,460	,748	1,000	,945	,407	,391	,576	,565
NO_15	,657	,560	,743	,758	,777	,821	,743	,492	,492	,625	,561	,459	,699	,945	1,000	,375	,495	,555	,445
NO_16	-,061	,337	,326	,508	,484	,511	,200	,117	-,013	,638	,558	-,145	,423	,407	,375	1,000	,193	,255	,287

NO_1 7	,593	,446	,596	,499	,495	,515	,265	,327	,499	,671	,558	,058	,558	,391	,495	,193	1,000	,556	,226
NO_1 8	,604	,263	,507	,486	,215	,227	,507	,081	,284	,486	,308	,315	,518	,576	,555	,255	,556	1,000	,749
NO_1 9	,371	,230	,465	,369	,206	,239	,602	-,057	-,057	,227	,373	,400	,373	,565	,445	,287	,226	,749	1,000

Inter-Item Covariance Matrix

	NO_1	NO_2	NO_3	NO_4	NO_5	NO_6	NO_7	NO_8	NO_9	NO_10	NO_11	NO_12	NO_13	NO_14	NO_15	NO_16	NO_17	NO_18	NO_19
NO_1	,695	,161	,276	,155	,201	,172	,241	,155	,121	,190	,149	,132	,218	,264	,305	-,029	,213	,184	,161
NO_2	,161	,230	,138	,138	,184	,172	,138	,103	,069	,103	,149	,046	,115	,161	,149	,092	,092	,046	,057
NO_3	,276	,138	,234	,145	,166	,159	,166	,110	,041	,145	,152	,041	,152	,172	,200	,090	,124	,090	,117
NO_4	,155	,138	,145	,217	,162	,152	,110	,079	,114	,114	,124	,010	,159	,207	,197	,134	,100	,083	,090
NO_5	,201	,184	,166	,162	,309	,262	,166	,162	,128	,162	,175	,082	,140	,218	,240	,153	,118	,044	,060
NO_6	,172	,172	,159	,152	,262	,248	,159	,152	,117	,152	,166	,048	,131	,207	,228	,145	,110	,041	,062
NO_7	,241	,138	,166	,110	,166	,159	,234	,145	,041	,110	,152	,076	,152	,207	,200	,055	,055	,090	,152
NO_8	,155	,103	,110	,079	,162	,152	,145	,217	,114	,114	,124	,010	,124	,103	,128	,031	,066	,014	-,014
NO_9	,121	,069	,041	,114	,128	,117	,041	,114	,217	,045	,021	,010	,055	,103	,128	-,003	,100	,048	-,014
NO_1 0	,190	,103	,145	,114	,162	,152	,110	,114	,045	,217	,159	,010	,159	,138	,162	,169	,134	,083	,055
NO_1 1	,149	,149	,152	,124	,175	,166	,152	,124	,021	,159	,202	,009	,168	,149	,140	,143	,108	,051	,087

NO_1 2	,132	,046	,041	,010	,082	,048	,076	,010	,010	,010	,009	,102	,009	,080	,082	-,026	,008	,037	,067
NO_1 3	,218	,115	,152	,159	,140	,131	,152	,124	,055	,159	,168	,009	,202	,184	,175	,108	,108	,085	,087
NO_1 4	,264	,161	,172	,207	,218	,207	,207	,103	,103	,138	,149	,080	,184	,299	,287	,126	,092	,115	,161
NO_1 5	,305	,149	,200	,197	,240	,228	,200	,128	,128	,162	,140	,082	,175	,287	,309	,118	,118	,113	,129
NO_1 6	-,029	,092	,090	,134	,153	,145	,055	,031	-,003	,169	,143	-,026	,108	,126	,118	,323	,047	,053	,085
NO_1 7	,213	,092	,124	,100	,118	,110	,055	,066	,100	,134	,108	,008	,108	,092	,118	,047	,185	,087	,051
NO_1 8	,184	,046	,090	,083	,044	,041	,090	,014	,048	,083	,051	,037	,085	,115	,113	,053	,087	,133	,143
NO_1 9	,161	,057	,117	,090	,060	,062	,152	-,014	-,014	,055	,087	,067	,087	,161	,129	,085	,051	,143	,271

Summary Item Statistics

	Mean	Minimum	Maximum	Range	Maximum / Minimum	Variance	N of Items
Item Means	4,221	3,833	4,400	,567	1,148	,025	19
Item Variances	,255	,102	,695	,593	6,798	,015	19

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
80,20	45,545	6,749	19

LAMPIRAN 5 C. UJI NORMALITAS DATA

Universitas
Esa Unggul

Universitas
Esa Unggul

Universitas
Esa Unggul

Universitas
Esa U

Universitas
Esa U

Universitas
Esa U

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	MOTIVASI KERJA , KARAKTER USIA, PENGETAHUA N PS, KARAKTER MASA KERJA ^b		Enter

a. Dependent Variable: PENERAPAN PS

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
					R Square Change	F Change	df1	df2	Sig. F Change
1	,823 ^a	,678	,626	4,125	,678	13,152	4	25	,000

a. Predictors: (Constant), MOTIVASI KERJA , KARAKTER USIA, PENGETAHUAN PS, KARAKTER MASA KERJA

b. Dependent Variable: PENERAPAN PS

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	895,335	4	223,834	13,152	,000 ^b
	Residual	425,465	25	17,019		
	Total	1320,800	29			

a. Dependent Variable: PENERAPAN PS

b. Predictors: (Constant), MOTIVASI KERJA , KARAKTER USIA, PENGETAHUAN PS, KARAKTER MASA KERJA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	95,0% Confidence Interval for B	
		B	Std. Error	Beta			Lower Bound	Upper Bound
1	(Constant)	11,589	23,744		,488	,630	-37,313	60,491
	KARAKTER USIA	,444	,127	,456	3,504	,002	,183	,704
	KARAKTER MASA KERJA	-,205	,533	-,053	-,384	,704	-1,303	,893
	PENGETAHUAN PS	,119	,872	,017	,136	,893	-1,676	1,914
	MOTIVASI KERJA	,637	,131	,640	4,863	,000	,367	,907


a. Dependent Variable: PENERAPAN PS

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	69,91	90,94	80,20	5,556	30
Residual	-5,841	12,513	,000	3,830	30
Std. Predicted Value	-1,852	1,932	,000	1,000	30
Std. Residual	-1,416	3,033	,000	,928	30

a. Dependent Variable: PENERAPAN PS

Charts



```

NPAR TESTS
  /K-S (NORMAL) =RES_1
  /MISSING ANALYSIS.
    
```

NPar Tests

		Notes
Output Created		11-FEB-2018 13:37:10
Comments		
Input	Data	F:\MARS YENNY\SPSS\SPSS 10 FEB\DATA DENGAN NORMALITAS OK.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.

Syntax	NPAR TESTS		
	/K-S(NORMAL)=RES_1		
	/MISSING ANALYSIS.		
Resources	Processor Time		00:00:00,03
	Elapsed Time		00:00:00,08
	Number of Cases Allowed ^a		196608

a. Based on availability of workspace memory.

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		30
Normal Parameters ^{a,b}	Mean	,0000000
	Std. Deviation	3,83030303
Most Extreme Differences	Absolute	,135
	Positive	,135
	Negative	-,072
Test Statistic		,135
Asymp. Sig. (2-tailed)		,175 ^c

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

LAMPIRAN 5 D. UJI LINEARITAS DATA

Universitas
Esa Unggul

Universitas
Esa Unggul

Universitas
Esa Unggul

Means

		Notes
Output Created		11-FEB-2018 13:52:23
Comments		
Input	Data	F:\MARS YENNY\SPSS\SPSS 10 FEB\DATA DENGAN NORMALITAS OK.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	30
	File	
Missing Value Handling	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.
	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
Syntax		MEANS TABLES=VARIABEL_Y BY VARIABEL_X1A VARIABEK_X1B VARIABEL_X2 VARIABEL_X3 /CELLS=MEAN COUNT STDDEV /STATISTICS LINEARITY.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,04

Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
PENERAPAN PS * KARAKTER USIA	30	100,0%	0	0,0%	30	100,0%
PENERAPAN PS * KARAKTER MASA KERJA	30	100,0%	0	0,0%	30	100,0%
PENERAPAN PS * PENGETAHUAN PS	30	100,0%	0	0,0%	30	100,0%
PENERAPAN PS * MOTIVASI KERJA	30	100,0%	0	0,0%	30	100,0%

PENERAPAN PS * KARAKTER USIA

Report

PENERAPAN PS

KARAKTER USIA	Mean	N	Std. Deviation
22	75,00	2	,000
23	75,40	5	1,342
25	87,00	2	2,828
26	76,60	5	7,635
27	82,50	2	9,192
28	75,50	2	,707
29	86,00	1	.
30	76,00	1	.
32	81,67	3	4,933
37	78,50	2	4,950
40	83,00	1	.
42	90,00	3	6,928
45	89,00	1	.
Total	80,20	30	6,749

ANOVA Table

			Sum of Squares	df	Mean Square	F	Sig.
PENERAPAN PS * KARAKTER USIA	Between Groups	(Combined)	818,233	12	68,186	2,306	,056
		Linearity	406,187	1	406,187	13,740	,002
		Deviation from Linearity	412,046	11	37,459	1,267	,320
	Within Groups		502,567	17	29,563		
Total		1320,800	29				

Measures of Association

	R	R Squared	Eta	Eta Squared
PENERAPAN PS * KARAKTER USIA	,555	,308	,787	,619

PENERAPAN PS * KARAKTER MASA KERJA**Report****PENERAPAN PS**

KARAKTER MASA KERJA	Mean	N	Std. Deviation
1	76,90	10	5,934
2	80,00	7	5,831
3	75,00	1	.
4	85,00	2	12,728
5	83,20	10	6,374
Total	80,20	30	6,749

ANOVA Table

			Sum of Squares	df	Mean Square	F	Sig.
PENERAPAN PS * KARAKTER MASA KERJA	Between Groups	(Combined)	272,300	4	68,075	1,623	,200
		Linearity	212,881	1	212,881	5,076	,033
		Deviation from Linearity	59,419	3	19,806	,472	,704
	Within Groups		1048,500	25	41,940		
Total			1320,800	29			

Measures of Association

	R	R Squared	Eta	Eta Squared
PENERAPAN PS * KARAKTER MASA KERJA	,401	,161	,454	,206

PENERAPAN PS * PENGETAHUAN PS**Report****PENERAPAN PS**

PENGETAHUAN PS	Mean	N	Std. Deviation
18	85,00	1	.
19	81,75	12	7,533
20	79,00	9	7,211
21	79,00	7	5,598
22	76,00	1	.
Total	80,20	30	6,749

ANOVA Table

			Sum of Squares	df	Mean Square	F	Sig.
PENERAPAN PS * PENGETAHUAN PS	Between Groups	(Combined)	92,550	4	23,137	,471	,757
		Linearity	77,389	1	77,389	1,575	,221
		Deviation from Linearity	15,161	3	5,054	,103	,958
	Within Groups		1228,250	25	49,130		
Total			1320,800	29			

Measures of Association

	R	R Squared	Eta	Eta Squared
PENERAPAN PS * PENGETAHUAN PS	-,242	,059	,265	,070

PENERAPAN PS * MOTIVASI KERJA

Universitas
Esa Unggul
Report

PENERAPAN PS

MOTIVASI KERJA	Mean	N	Std. Deviation
70	76,50	2	12,021
78	75,00	1	.
79	73,00	1	.
80	76,43	7	3,359
82	82,50	2	9,192
83	76,00	2	,000
84	76,00	5	,000
87	82,50	2	,707
89	82,00	1	.
90	86,00	1	.
93	94,00	2	,000
94	89,00	2	,000
95	85,00	1	.
98	89,00	1	.
Total	80,20	30	6,749

ANOVA Table

		Sum of Squares	df	Mean Square	F	Sig.
PENERAPAN PS * MOTIVASI KERJA	Between Groups	1023,586	13	78,737	4,239	,004
	Linearity	654,672	1	654,672	35,243	,000
	Deviation from Linearity	368,913	12	30,743	1,655	,171
	Within Groups	297,214	16	18,576		
Total		1320,800	29			

Measures of Association

	R	R Squared	Eta	Eta Squared
PENERAPAN PS * MOTIVASI KERJA	,704	,496	,880	,775