

Lampiran 6. Tabel *Casewise Statistics*

	Case Number	Actual Group	Highest Group	Second Highest Group	Discriminant Scores Function 1
			Predicted Group	Group	
Original	1	1	1	0	-1,010
	2	0	0	1	,669
	3	0	1	0	-1,184
	4	0	0	1	2,341
	5	0	0	1	,930
	6	0	0	1	2,111
	7	0	0	1	,669
	8	0	1	0	-,978
	9	0	0	1	1,790
	10	0	0	1	-,149
	11	0	0	1	,525
	12	0	0	1	,099
	13	0	0	1	1,034
	14	0	1	0	-1,166
	15	0	0	1	,682
	16	0	0	1	1,034
	17	0	0	1	3,542
	18	0	0	1	3,046
	19	0	0	1	-,005
	20	0	0	1	3,542
	21	0	0	1	1,296
	22	1	1	0	-3,330
	23	0	0	1	-,240
	24	1	0	1	,309
	25	0	0	1	-,075
	26	0	0	1	1,937
	27	0	0	1	,277
	28	0	0	1	1,282
	29	0	0	1	-,043
	30	0	0	1	1,282
	31	0	0	1	-,718
	32	1	1	0	-1,313
	33	0	0	1	1,034
	34	0	0	1	1,034
	35	1	1	0	-3,426
	36	0	0	1	1,281
	37	0	0	1	,420
	38	0	0	1	,791
	39	0	0	1	1,052
	40	0	0	1	,047
	41	0	0	1	,121

Lampiran 6. (Lanjutan)

Case Number	Actual Group	Highest Group	Second Highest Group	Discriminant Scores Function 1
		Predicted Group	Group	
42	0	0	1	-,462
43	0	1	0	-,814
44	0	0	1	-,656
45	0	0	1	-,656
46	1	1	0	-2,174
47	0	0	1	1,324
48	0	0	1	-,396
49	0	0	1	-,336
50	0	0	1	3,542
51	0	0	1	3,542
52	0	0	1	,930
53	1	1	0	-,896
54	0	0	1	,081
55	1	1	0	-2,534
56	0	0	1	,407
57	0	0	1	,525
58	0	0	1	,113
59	1	1	0	-1,839
60	0	0	1	1,530
61	0	0	1	,465
62	1	1	0	-2,656
63	0	0	1	-,644
64	0	0	1	-,470
65	0	0	1	,878
66	0	0	1	,713
67	0	0	1	,186
68	1	1	0	-2,043
69	0	1	0	-,978
70	1	1	0	-2,408
71	1	1	0	-2,625
72	0	0	1	1,386
73	0	0	1	1,034
74	0	0	1	,172
75	1	1	0	-1,690
76	1	1	0	-1,809
77	0	0	1	1,034
78	0	0	1	-,043
79	1	1	0	-1,721
80	1	1	0	-,996
81	0	0	1	,451
82	0	0	1	1,034
83	0	0	1	-,274
84	0	0	1	2,125
85	1	1	0	-1,777
86	1	1	0	-2,904

Lampiran 6. (Lanjutan)

Case Number	Actual Group	Highest Group	Second Highest Group	Discriminant Scores Function 1
		Predicted Group	Group	
87	0	1	0	-1,056
88	1	1	0	-2,844
89	0	0	1	,203
90	0	0	1	1,528
91	0	0	1	1,616
92	0	0	1	-,117
93	0	0	1	2,373
94	0	0	1	-,365
95	1	1	0	-2,904
96	0	0	1	-,365
97	0	0	1	-,261
98	0	1	0	-1,286
99	0	0	1	-,470
100	0	0	1	1,895
101	1	1	0	-2,551
102	0	0	1	,217
103	0	0	1	,143
104	0	0	1	,818
105	1	1	0	-1,596
106	0	0	1	,960
107	0	0	1	,818
108	0	0	1	2,157
109	0	0	1	1,790
110	0	0	1	1,282
111	0	0	1	,451
112	0	0	1	1,034
113	0	0	1	1,034
114	0	0	1	,682
115	0	0	1	1,282
116	0	0	1	,818
117	0	0	1	,800
118	0	0	1	-,383
119	0	0	1	1,399
120	0	0	1	1,314
121	0	0	1	1,629
122	1	1	0	-2,013
123	0	0	1	1,822
124	1	1	0	-2,087
125	0	1	0	-1,487
126	0	1	0	-,978
127	0	1	0	-1,505
128	0	0	1	-,644
129	0	1	0	-1,579
130	0	1	0	-1,010
131	0	1	0	-1,244

Lampiran 6. (Lanjutan)

Case Number	Actual Group	Highest Group	Second Highest Group	Discriminant Scores Function 1
		Predicted Group	Group	
132	1	1	0	-2,844
133	1	1	0	-2,687
134	0	0	1	-,291
135	0	0	1	1,034
136	0	0	1	1,969
137	0	0	1	,187
138	1	1	0	-1,690
139	0	0	1	1,721
140	1	1	0	-3,196
141	0	0	1	,664
142	0	0	1	,694
143	0	0	1	-,291
144	0	0	1	1,557
145	1	1	0	-2,844
146	0	0	1	,800
147	0	0	1	1,066
148	1	1	0	-2,687
149	0	0	1	1,864
150	0	0	1	,800
151	0	0	1	1,140
152	1	0	1	-,534
153	0	0	1	,320
154	1	1	0	-1,795
155	0	1	0	-1,547
156	0	0	1	,794
157	0	0	1	2,185
158	0	1	0	-,978
159	0	0	1	-,410
160	0	0	1	2,942
161	0	0	1	-,644
162	0	0	1	-,392
163	0	0	1	-,730
164	0	0	1	-,148
165	0	0	1	,930
166	0	0	1	,191
167	1	0	1	-,291
168	0	0	1	-,031
169	0	0	1	,205
170	0	0	1	,131
171	1	1	0	-2,687
172	0	0	1	,434
173	0	0	1	-,410
174	0	0	1	1,034
175	0	0	1	1,282
176	0	0	1	,696

Lampiran 6. (Lanjutan)

Case Number	Actual Group	Highest Group	Second Highest Group	Discriminant Scores Function 1
		Predicted Group	Group	
177	0	0	1	,465
178	0	0	1	,696
179	0	0	1	,956
180	0	0	1	,113
181	0	0	1	-,135
182	0	0	1	-,396
183	0	0	1	1,557
184	1	1	0	-2,317
185	0	0	1	-,644
186	0	0	1	,696
187	0	0	1	,187
188	0	0	1	-,291
189	0	0	1	-,396
190	0	0	1	,113
191	1	1	0	-2,844
192	1	1	0	-2,179
193	0	0	1	,205
194	0	0	1	,713
195	0	0	1	,113
196	1	1	0	-2,087
197	0	0	1	,173
198	1	1	0	-2,087
199	0	0	1	-,043
200	0	0	1	,309
201	0	0	1	-,135
202	0	0	1	1,373
203	0	0	1	1,296
204	0	0	1	,113
205	0	0	1	-,135
206	0	0	1	-,043
207	0	0	1	,131
208	0	0	1	,525
209	1	1	0	-2,918
210	0	0	1	-,117

For the original data, squared Mahalanobis distance is based on canonical functions. For the cross-validated data, squared Mahalanobis distance is based on observations.

\*\* Misclassified case

a Cross validation is done only for those cases in the analysis. In cross validation, each case is classified by the functions derived from all cases other than that case.

Sumber : Diolah dari kuisioner, 2002.