

DAFTAR PUSTAKA

- American Psychological Association. (2002). Criteria for Evaluating Treatment Guidelines. *American Psychologist*. <https://doi.org/10.1037/0003-066X.57.12.1052>
- Anggraini, Y. D. (2016). *Kualitas Hidup Pasien Gagal Ginjal Kronis yang Menjalani Hemodialisis di RSUD Blambangan Banyuwangi*. UNEJ Institutional Repository.
- Badan Pusat Statistik. (2018). *Index Pembangunan Manusia*. Jakarta.
- Bale, C., Douglas, A., Jegatheesan, D., Pham, L., Huynh, S., Mulay, A., & Ranganathan, D. (2016). Psychosocial Factors in End-Stage Kidney Disease Patients at a Tertiary Hospital in Australia. *International Journal of Nephrology*. <https://doi.org/10.1155/2016/2051586>
- Brannon, L., & Feist, J. (2000). Health psychology: An introduction to behavior and health (4th ed.). *Health Psychology: An Introduction to Behavior and Health* (4th Ed.).
- Chandra, D. D. G. F. (2014). No TitleKepatuhan Pengobatan. *Kompas*.
- Chaplin, J. P. (2011). *Kamus lengkap psikologi*. RajaGrafindo Persada. <https://doi.org/10.1007/s10726-013-9375-1.6>.
- Chironda, G., & Bhengu, B. (2017). Contributing Factors to Non-Adherence among Chronic Kidney Disease (CKD) Patients: A Systematic Review of Literature. *Medical & Clinical Reviews*. <https://doi.org/10.21767/2471-299x.1000038>
- CNN Indonesia. (2017). WHO Umumkan Tingkat Depresi Dunia Naik 18 Persen. *Cnnindonesia.Com*, 2017. Retrieved from <https://www.cnnindonesia.com/gaya-hidup/20170331090149-255-203950/who-umumkan-tingkat-depresi-dunia-naik-18-persen>
- Cukor, D., Ver Halen, N., Asher, D. R., Coplan, J. D., Weedon, J., Wyka, K. E., ... Kimmel, P. L. (2014). Psychosocial Intervention Improves Depression, Quality of Life, and Fluid Adherence in Hemodialysis. *Journal of the American Society of Nephrology*. <https://doi.org/10.1681/ASN.2012111134>
- Dwarswaard, J., Bakker, E. J. M., van Staa, A., & Boeije, H. R. (2016). Self-management support from the perspective of patients with a chronic

condition: A thematic synthesis of qualitative studies. *Health Expectations*. <https://doi.org/10.1111/hex.12346>

Finnegan-John, J., & Thomas, V. J. (2012). The Psychosocial Experience of Patients with End-Stage Renal Disease and Its Impact on Quality of Life: Findings from a Needs Assessment to Shape a Service. *International Scholarly Research Notices*. <https://doi.org/10.5402/2013/308986>

Gerogianni, S. K., & Babatsikou, F. P. (2014a). Psychological Aspects in Chronic Renal Fail. *Health Science Journal*.

Gerogianni, S. K., & Babatsikou, F. P. (2014b). Psychological aspects in chronic renal failure. *Health Science Journal*.

Girgus, J. S., & Nolen-Hoeksema, S. (2006). Cognition and depression. In *Women and Depression: A Handbook for the Social, Behavioral, and Biomedical Sciences*. <https://doi.org/10.1017/CBO9780511841262.009>

Gordon-Larsen, P., Nelson, M. C., Page, P., & Popkin, B. M. (2006). Inequality in the built environment underlies key health disparities in physical activity and obesity. *Pediatrics*. <https://doi.org/10.1542/peds.2005-0058>

Harilal. (n.d.). *Experiences of patients on haemodialysis and continuous ambulatory peritoneal dialysis in end stage renal disease : An exploratory study at a tertiary hospital in Bharita Harilall.*

Hill, N. R., Fatoba, S. T., Oke, J. L., Hirst, J. A., O'Callaghan, C. A., Lasserson, D. S., & Hobbs, F. D. R. (2016). Global prevalence of chronic kidney disease - A systematic review and meta-analysis. *PLoS ONE*. <https://doi.org/10.1371/journal.pone.0158765>

John, Ansy; Alpert, Patricia T.; Kawi, Jennifer; Tandy, R. (2013). The Relationship Between Self-Efficacy and Fluid and Dietary Compliance in Hemodialysis Patients. *Clinical Scholars Review*, 6(2), 98–104. <https://doi.org/https://doi.org/10.1891/1939-2095.6.2.98>

Kemkes. (2018). Cegah dan kendalikan penyakit ginjal dengan cerdik dan patuh, 3–5.

Kepatuhan Pengobatan. (2014).

Korevaar, J. C., Merkus, M. P., Jansen, M. a M., Dekker, F. W., Boeschoten,

- E. W., & Krediet, R. T. (2002). Validation of the KDQOL-SF[sup TM] : A dialysis-targeted health measure. *Quality of Life Research*.
- Kusuma, H. (2011). Hubungan antara depresi dan dukungan keluarga dengan kualitas hidup pasien HIV/AIDS yang menjalani perawatan, 12.
- Mailani, F. (2015). Kualitas Hidup Pasien Penyakit Ginjal Kronik Yang Menjalani Hemodialisis: Systematic Review. *Ners Jurnal Keperawatan*, 11(1), 1–8.
- Mandagi, A. M. (2010). *Faktor yang Berhubungan dengan Status Kualitas Hidup Penderita Diabetes*.
- Mapes, D. L., Lopes, A. A., Satayathum, S., McCullough, K. P., Goodkin, D. A., Locatelli, F., ... Port, F. K. (2003). Health-related quality of life as a predictor of mortality and hospitalization: The dialysis outcomes and practice patterns study (DOPPS). *Kidney International*, 64(1), 339–349. <https://doi.org/10.1046/j.1523-1755.2003.00072.x>
- Margetts, B. . (2004). Public Health Nutrition. In *Public health nutrition*.
- McKercher, C. M., Venn, A. J., Blizzard, L., Nelson, M. R., Palmer, A. J., Ashby, M. A., ... Jose, M. D. (2013). Psychosocial factors in adults with chronic kidney disease: Characteristics of pilot participants in the Tasmanian Chronic Kidney Disease study. *BMC Nephrology*. <https://doi.org/10.1186/1471-2369-14-83>
- Nuraeni, A., Mirwanti, R., Anna, A., Prawesti, A., & Emaliyawati, E. (2016). Faktor yang Memengaruhi Kualitas Hidup Pasien dengan Penyakit Jantung Koroner Factors Influenced the Quality of Life among Patients Diagnosed with Coronary Heart Disease. *Jurnal Keperawatan Padjadjaran*, 4(2), 107–116. Retrieved from <http://jkp.fkep.unpad.ac.id/index.php/jkp/article/view/231/123>
- Nursalam. (2015). *ILMU KEPERAWATAN Pendekatan Praktis*.
- Pagels, A. A., Söderkvist, B. K., Medin, C., Hylander, B., & Heiwe, S. (2012). Health-related quality of life in different stages of chronic kidney disease and at initiation of dialysis treatment. *Health and Quality of Life Outcomes*. <https://doi.org/10.1186/1477-7525-10-71>
- Peng Tiam, A. (n.d.). No Title. *News*, 2017.
- Permenkes No 69 Tahun. (2014). Permenkes No 69 Tahun 2014 Tentang

kewajiban Rumah Sakit dan Kewajiban Pasien. *Peraturan Menteri Kesehatan*. <https://doi.org/10.1017/CBO9781107415324.004>

Primardi, A., & Hadjam, M. N. R. (2010). Optimisme, harapan, dukungan sosial keluarga, dan kualitas hidup orang dengan Epilepsi [Optimism, hope, family social support, and quality of life among people living with Epilepsy]. *Jurnal Ilmiah Psikologi*.

Renwick, Brown, N. (1996). No TitleQuality of life in health promotion and rehabilitation. *American Psychological Association*.

Ricardo, A. C., Hacker, E., Lora, C. M., Ackerson, L., De Salvo, K. B., Go, A., ... Lash, J. P. (2013). Validation of the Kidney Disease Quality of Life Short Form 36 (KDQOL-36TM) US Spanish and English versions in a cohort of Hispanics with chronic kidney disease. *Ethnicity and Disease*.

Rochaety, Ety, Tresnati, Ratih, Latief, A. (2007). *Metodologi Penelitian Bisnis dengan Aplikasi SPSS*. Jakarta: Mitra Wacana Media.

Rosland, A. M., Heisler, M., & Piette, J. D. (2012). The impact of family behaviors and communication patterns on chronic illness outcomes: A systematic review. *Journal of Behavioral Medicine*. <https://doi.org/10.1007/s10865-011-9354-4>

Ruggeri, M., Warner, R., Bisoffi, G., & Fontecedro, L. (2001). Subjective and objective dimensions of quality of life in psychiatric patients: A factor analytical approach. The South Verona outcome project 4. *British Journal of Psychiatry*. <https://doi.org/10.1192/bjp.178.3.268>

Sansoni, J. (2016). Health Outcomes: An Overview from an Australian Perspective, (August), 58. Retrieved from <https://ahsri.uow.edu.au/content/groups/public/@web/@chsd/documents/doc/uow217836.pdf>

Sav, A., Salehi, A., Mair, F. S., & McMillan, S. S. (2017). Measuring the burden of treatment for chronic disease: Implications of a scoping review of the literature. *BMC Medical Research Methodology*. <https://doi.org/10.1186/s12874-017-0411-8>

Sharp, R. (2015). The hamilton rating scale for depression. *Occupational Medicine*. <https://doi.org/10.1093/occmed/kqv043>

Silitonga, R. (2007). Faktor-Faktor yang Berhubungan dengan Kualitas Hidup Penderita Penyakit Parkinson di Poliklinik Saraf RS dr Kariadi. *Universitas*

Diponegoro Semarang, 75.

- Sorat, W. (2018). The association of self-efficacy and self-management behavior in adult patients with chronic kidney disease: an integrative review. *Journal of Kidney Treatment and Diagnosis*, 1(1), 33–40.
- Sugiyono. (2013). *Metode Penelitian Kuantitatif, Kualitatif dan R&D*. Bandung: CV Alfabeta.
- Suryani. (2013). Mengenal Gejala dan Penyebab Gangguan Jiwa. In *Seminar Nasional: Stigma terhadap Orang Gangguan Jiwa*.
- Sutikno, E. (2011). Hubungan Fungsi Keluarga dengan Kualitas Hidup Lansia di Kelurahan Wirobrajan Yogyakarta. *Universitas Sebelas Maret Surakarta*, 1–12.
- Thong, M. S. Y., Kaptein, A. A., Krediet, R. T., Boeschoten, E. W., & Dekker, F. W. (2007). Social support predicts survival in dialysis patients. *Nephrology Dialysis Transplantation*. <https://doi.org/10.1093/ndt/gfl700>
- Walters, B. A. J., Hays, R. D., Spritzer, K. L., Fridman, M., & Carter, W. B. (2002). Health-related quality of life, depressive symptoms, anemia, and malnutrition at hemodialysis initiation. *American Journal of Kidney Diseases*, 40(6), 1185–1194. <https://doi.org/10.1053/AJKD.2002.36879>
- Wang, L.-J., & Che, C.-K. (2012). The Psychological Impact of Hemodialysis on Patients with Chronic Renal Failure. In *Renal Failure - The Facts*. <https://doi.org/10.5772/36832>
- Wang, S.-Y., Zang, X.-Y., Fu, S.-H., Bai, J., Liu, J.-D., Tian, L., ... Zhao, Y. (2016). Factors related to fatigue in Chinese patients with end-stage renal disease receiving maintenance hemodialysis: a multi-center cross-sectional study. *Renal Failure*. <https://doi.org/10.3109/0886022X.2016.1138819>
- Weisbord, S. D., Mor, M. K., Sevick, M. A., Shields, A. M., Rollman, B. L., Palevsky, P. M., ... Fine, M. J. (2014). Associations of depressive symptoms and pain with dialysis adherence, health resource utilization, and mortality in patients receiving chronic hemodialysis. *Clinical Journal of the American Society of Nephrology : CJASN*. <https://doi.org/10.2215/CJN.00220114>
- WHO. (1998). WHOQOL: measuring quality of life. *Psychol Med*, 28(3), 551–558. <https://doi.org/10.5.12>

WHO | WHOQOL: Measuring Quality of Life. (2014). *WHO*. Retrieved from <http://www.who.int/healthinfo/survey/whoqolqualityoflife/en/#.W2nDTXVb> QWw.mendeley

Widiany, F. L. (2018). Faktor-faktor yang mempengaruhi kepatuhan diet pasien hemodialisis. *Jurnal Gizi Klinik Indonesia*. <https://doi.org/10.22146/ijcn.22015>

Wijaya, A. (2015). Kualitas Hidup Pasien Penyakit Ginjal Kronik Yang Menjalani Hemodialisis: Systematic Review. *Ners Jurnal Keperawatan*, 11(1), 1–8.

Winata, L. C. W. P., Putranto, W., & Fanani, M. (2017). Association between Hemodialysis Adequacy, Family Support, and Quality of Life in Chronic Renal Failure Patients. *Indonesian Journal of Medicine*, 2(1), 63–72. Retrieved from <http://www.theijmed.com/index.php?journal=theijmed&page=article&op=view&path%5B%5D=42>