

DAFTAR PUSTAKA

- Adhikary, A., Lin, X., & Wang, Y.-P. E. (2016). Performance Evaluation of NB-IoT Coverage. *2016 IEEE 84th Vehicular Technology Conference (VTC-Fall)*, 1–5. <https://doi.org/10.1109/VTCFall.2016.7881160>
- Ali, M. S., Jewel, M. K. H., & Lin, F. (2018). An Efficient Channel Estimation Technique in NB-IoT Systems. *2018 IEEE International Conference on Integrated Circuits, Technologies and Applications (ICTA)*, 22–23. <https://doi.org/10.1109/ICTA.2018.8706025>
- Atashpaz-Gargari, E., & Lucas, C. (2007). Imperialist competitive algorithm: An algorithm for optimization inspired by imperialistic competition. *2007 IEEE Congress on Evolutionary Computation*, 4661–4667. <https://doi.org/10.1109/CEC.2007.4425083>
- Bello, H., Jian, X., Wei, Y., & Chen, M. (2019). Energy-Delay Evaluation and Optimization for NB-IoT PSM With Periodic Uplink Reporting. *IEEE Access*, 7, 3074–3081. <https://doi.org/10.1109/ACCESS.2018.2888566>
- Biyanto, T. R., Matradji, Irawan, S., Febrianto, H. Y., Afdanny, N., Rahman, A. H., Gunawan, K. S., Pratama, J. A. D., & Bethiana, T. N. (2017). Killer Whale Algorithm: An Algorithm Inspired by the Life of Killer Whale. *Procedia Computer Science*, 124, 151–157. <https://doi.org/https://doi.org/10.1016/j.procs.2017.12.141>
- Bozed, K. A., Elbeskri, A. M., Zreg, J. R. A., & Zerek, A. R. (2021). Investigation the Performance Effect of QOS in MPLS-TE Network. *2021 IEEE 2nd International Conference on Signal, Control and Communication (SCC)*, 361–367. <https://doi.org/10.1109/SCC53769.2021.9796044>
- Chakrapani, A. (2020). NB-IoT Uplink Receiver Design and Performance Study. *IEEE Internet of Things Journal*, 7(3), 2469–2482. <https://doi.org/10.1109/JIOT.2019.2957641>
- Chen, H.-C., Widodo, A. M., Lin, J. C.-W., & Weng, C.-E. (2022). Reconfigurable Intelligent Surface-Aided Cooperative NOMA with p-CSI Fading Channel toward 6G-Based IoT System. *Sensors (Basel, Switzerland)*, 22(19). <https://doi.org/10.3390/s22197664>
- Chen, H.-C., Widodo, A. M., Lin, J. C.-W., Weng, C.-E., & Do, D.-T. (2023). Outage behavior of the downlink reconfigurable intelligent surfaces-aided cooperative non-orthogonal multiple access network over Nakagami-m fading channels. *Wireless Networks*. <https://doi.org/10.1007/s11276-022-03074-x>

- Chen, J., Hu, K., Wang, Q., Sun, Y., Shi, Z., & He, S. (2017). Narrowband Internet of Things: Implementations and Applications. *IEEE Internet of Things Journal*, 4(6), 2309–2314.
<https://doi.org/10.1109/JIOT.2017.2764475>
- Chung, Y.-L. (2017). An Energy-Efficient Coverage Algorithm for Macrocell—Small Cell Network Systems. In *Energies* (Vol. 10, Issue 9).
<https://doi.org/10.3390/en10091319>
- Dubey, R., & Louis, S. J. (2023). Genetic Algorithms Optimized Adaptive Wireless Network Deployment. In *Applied Sciences* (Vol. 13, Issue 8).
<https://doi.org/10.3390/app13084858>
- Efthimeros, G., Diamantis, Z., Photeinos, D., & Tsahalis, D. (2000). *Objective Functions for Optimization in the Process Industry Problems*.
- He, Y., Yu, F. R., Zhao, N., Leung, V. C. M., & Yin, H. (2017). Software-Defined Networks with Mobile Edge Computing and Caching for Smart Cities: A Big Data Deep Reinforcement Learning Approach. *IEEE Communications Magazine*, 55(12), 31–37. <https://doi.org/10.1109/MCOM.2017.1700246>
- Hoymann, C., Astely, D., Stattin, M., Wikstrom, G., Cheng, J.-F., Hoglund, A., Frenne, M., Blasco, R., Huschke, J., & Gunnarsson, F. (2016). LTE release 14 outlook. *IEEE Communications Magazine*, 54(6), 44–49.
<https://doi.org/10.1109/MCOM.2016.7497765>
- Hu, Y.-F., Ding, Y.-S., Ren, L.-H., Hao, K.-R., & Han, H. (2015). An endocrine cooperative particle swarm optimization algorithm for routing recovery problem of wireless sensor networks with multiple mobile sinks. *Information Sciences*, 300, 100–113.
<https://doi.org/https://doi.org/10.1016/j.ins.2014.11.052>
- Huang, C.-W., Tseng, S.-C., Lin, P., & Kawamoto, Y. (2019). Radio Resource Scheduling for Narrowband Internet of Things Systems: A Performance Study. *IEEE Network*, 33(3), 108–115.
<https://doi.org/10.1109/MNET.2018.1700386>
- Johnson, J. M., & Rahmat-Samii, Y. (1995). Genetic algorithm optimization of wireless communication networks. *IEEE Antennas and Propagation Society International Symposium. 1995 Digest*, 4, 1964–1967 vol.4.
<https://doi.org/10.1109/APS.1995.530977>
- Kirkpatrick, S. (1984). Optimization by simulated annealing: Quantitative studies. *Journal of Statistical Physics*, 34(5), 975–986.
<https://doi.org/10.1007/BF01009452>
- Lauridsen, M., Nguyen, H., Vejlgaard, B., Kovacs, I. Z., Mogensen, P., & Sorensen, M. (2017). Coverage Comparison of GPRS, NB-IoT, LoRa, and

- SigFox in a 7800 km² Area. *2017 IEEE 85th Vehicular Technology Conference (VTC Spring)*, 1–5.
<https://doi.org/10.1109/VTCSpring.2017.8108182>
- Lee, S.-H., Cheng, C.-H., Lin, C.-C., & Huang, Y.-F. (2023). PSO-Based Target Localization and Tracking in Wireless Sensor Networks. In *Electronics* (Vol. 12, Issue 4). <https://doi.org/10.3390/electronics12040905>
- Li, Y., Cheng, X., Cao, Y., Wang, D., & Yang, L. (2018). Smart Choice for the Smart Grid: Narrowband Internet of Things (NB-IoT). *IEEE Internet of Things Journal*, 5(3), 1505–1515.
<https://doi.org/10.1109/JIOT.2017.2781251>
- Liu, J., Kato, N., Ma, J., & Kadowaki, N. (2015). Device-to-Device Communication in LTE-Advanced Networks: A Survey. *IEEE Communications Surveys & Tutorials*, 17(4), 1923–1940.
<https://doi.org/10.1109/COMST.2014.2375934>
- Miao, Y., Li, W., Tian, D., Hossain, M. S., & Alhamid, M. F. (2018). Narrowband Internet of Things: Simulation and Modeling. *IEEE Internet of Things Journal*, 5(4), 2304–2314. <https://doi.org/10.1109/JIOT.2017.2739181>
- Mollah, M. B., Zeadally, S., & Azad, M. A. K. (2020). Emerging Wireless Technologies for Internet of Things Applications: Opportunities and Challenges. In *Encyclopedia of Wireless Networks* (pp. 390–400).
https://doi.org/10.1007/978-3-319-78262-1_328
- Pennacchioni, M., Benedette, M.-G. Di, Pecorella, T., Carlini, C., & Obino, P. (2017). NB-IoT system deployment for smart metering: Evaluation of coverage and capacity performances. *2017 AEIT International Annual Conference*, 1–6. <https://doi.org/10.23919/AEIT.2017.8240561>
- Poddar, N., Khan, S. Z., Mass, J., & Srirama, S. N. (2020). Coverage Analysis of NB-IoT and Sigfox: Two Estonian University Campuses as a Case Study. *2020 International Wireless Communications and Mobile Computing (IWCMC)*, 1491–1497. <https://doi.org/10.1109/IWCMC48107.2020.9148570>
- Prajanti, A. D., Wahyuaji, B., Rukmana, F. B., Harwahyu, R., & Sari, R. F. (2018). Performance Analysis of LoRa WANTechnology for Optimum Deployment of Jakarta Smart City. *2018 2nd International Conference on Informatics and Computational Sciences (ICICoS)*, 1–6.
<https://doi.org/10.1109/ICICoS.2018.8621803>
- Rault, T., Bouabdallah, A., & Challal, Y. (2014). Energy efficiency in wireless sensor networks: A top-down survey. *Computer Networks*, 67, 104–122.
<https://doi.org/https://doi.org/10.1016/j.comnet.2014.03.027>

- Ravi, S., Zand, P., Soussi, M. El, & Nabi, M. (2019). Evaluation, Modeling and Optimization of Coverage Enhancement Methods of NB-IoT. *2019 IEEE 30th Annual International Symposium on Personal, Indoor and Mobile Radio Communications (PIMRC)*, 1–7. <https://doi.org/10.1109/PIMRC.2019.8904109>
- Raza, U., Kulkarni, P., & Sooriyabandara, M. (2017). Low Power Wide Area Networks: An Overview. *IEEE Communications Surveys & Tutorials*, 19(2), 855–873. <https://doi.org/10.1109/COMST.2017.2652320>
- Singh, M., & Baranwal, G. (2018). Quality of Service (QoS) in Internet of Things. *2018 3rd International Conference On Internet of Things: Smart Innovation and Usages (IoT-SIU)*, 1–6. <https://doi.org/10.1109/IoT-SIU.2018.8519862>
- Song, W., & Zhuang, W. (2009). *Network Selection for Heterogeneous Wireless Access Networks BT - Heterogeneous Wireless Access Networks: Architectures and Protocols* (E. Hossain (ed.); pp. 1–35). Springer US. https://doi.org/10.1007/978-0-387-09777-0_8
- Sun, Y., Tong, F., Zhang, Z., & He, S. (2018). Throughput Modeling and Analysis of Random Access in Narrowband Internet of Things. *IEEE Internet of Things Journal*, 5(3), 1485–1493. <https://doi.org/10.1109/JIOT.2017.2782318>
- Tan, T. H., Chen, M., André, É., Sun, J., Liu, Y., & Dong, J. S. (2014). Automated Runtime Recovery for QoS-Based Service Composition. *Proceedings of the 23rd International Conference on World Wide Web*, 563–574. <https://doi.org/10.1145/2566486.2568048>
- Vejlgaard, B., Lauridsen, M., Nguyen, H., Kovacs, I. Z., Mogensen, P., & Sorensen, M. (2017). Coverage and Capacity Analysis of Sigfox, LoRa, GPRS, and NB-IoT. *2017 IEEE 85th Vehicular Technology Conference (VTC Spring)*, 1–5. <https://doi.org/10.1109/VTCSpring.2017.8108666>
- Wang, L., Wang, W., Hu, X., & Xie, T. (2020). Optimization of Large-scaled Random Access Congestion Control Oriented to Narrow Band Internet of Things. *Journal of Physics: Conference Series*, 1570(1), 12089. <https://doi.org/10.1088/1742-6596/1570/1/012089>
- Wang, X., Chen, X., Li, Z., & Chen, Y. (2018). Access Delay Analysis and Optimization of NB-IoT Based on Stochastic Network Calculus. *2018 IEEE International Conference on Smart Internet of Things (SmartIoT)*, 23–28. <https://doi.org/10.1109/SmartIoT.2018.00014>
- Wang, Y., & Tian, Z. (2018). *Big Data in 5G BT - Encyclopedia of Wireless Networks* (X. (Sherman) Shen, X. Lin, & K. Zhang (eds.); pp. 1–11). Springer International Publishing. https://doi.org/10.1007/978-3-319-32903-1_58-1

- Yin, H., Akmandor, A. O., Mosenia, A., & Jha, N. K. (2018). Smart Healthcare. *Foundations and Trends® in Electronic Design Automation*, 12(4), 401–466. <https://doi.org/10.1561/1000000054>
- Zayas, A. D., & Merino, P. (2017). The 3GPP NB-IoT system architecture for the Internet of Things. *2017 IEEE International Conference on Communications Workshops (ICC Workshops)*, 277–282. <https://doi.org/10.1109/ICCW.2017.7962670>
- Zi, R., Ge, X., Thompson, J., Wang, C.-X., Wang, H., & Han, T. (2016). Energy Efficiency Optimization of 5G Radio Frequency Chain Systems. *IEEE Journal on Selected Areas in Communications*, 34(4), 758–771. <https://doi.org/10.1109/JSAC.2016.2544579>