

9 REFERENCES

1. Pain terms: a list with definitions and notes on usage. Recommended by the IASP Subcommittee on Taxonomy. *Pain* 1979;6:249.
2. Ackles KN, Porlier JA, Holness DE, et al. Protection against the physiological effects of positive pressure breathing. *Aviat Space Environ Med* 1978;49:753-8.
3. Albano JJ, Stanford JB. Prevention of minor neck injuries in F-16 pilots. *Aviat Space Environ Med* 1998;69:1193-9.
4. Alricsson M, Harms-Ringdahl K, Larsson B, et al. Neck muscle strength and endurance in fighter pilots: effects of a supervised training program. *Aviat Space Environ Med* 2004;75:23-8.
5. Alricsson M, Harms-Ringdahl K, Schuldt K, et al. Mobility, muscular strength and endurance in the cervical spine in Swedish Air Force pilots. *Aviat Space Environ Med* 2001;72:336-42.
6. Andersen HT. Neck injury sustained during exposure to high-G forces in the F16B. *Aviat Space Environ Med* 1988;59:356-8.
7. Ariens GA, Bongers PM, Douwes M, et al. Are neck flexion, neck rotation, and sitting at work risk factors for neck pain? Results of a prospective cohort study. *Occup Environ Med* 2001;58:200-7.
8. Ariens GA, van Mechelen W, Bongers PM, et al. Physical risk factors for neck pain. *Scand J Work Environ Health* 2000;26:7-19.
9. Association AM. What is Aerospace Medicine?, 2007. (<http://www.asma.org/aboutasma/careers.php>)
10. Aydog ST, Turbedar E, Demirel AH, et al. Cervical and lumbar spinal changes diagnosed in four-view radiographs of 732 military pilots. *Aviat Space Environ Med* 2004;75:154-7.
11. Balldin UI, Werchan PM, French J, et al. Endurance and performance during multiple intense high +Gz exposures with effective anti-G protection. *Aviat Space Environ Med* 2003;74:303-8.
12. Basmajian JV, De Luca CJ. *Muscles alive*. 5 ed. Baltimore, USA: Williams & Wilkins, 1985.
13. Beaton DE, Tarasuk V, Katz JN, et al. "Are you better?" A qualitative study of the meaning of recovery. *Arthritis Rheum* 2001;45:270-9.
14. Bergmark A. Stability of the lumbar spine. A study in mechanical engineering. *Acta Orthop Scand Suppl* 1989;230:1-54.
15. Bijur PE, Silver W, Gallagher EJ. Reliability of the visual analog scale for measurement of acute pain. *Acad Emerg Med* 2001;8:1153-7.
16. Borg GA. Psychophysical bases of perceived exertion. *Med Sci Sports Exerc* 1982;14:377-81.
17. Borghouts JA, Koes BW, Vondeling H, et al. Cost-of-illness of neck pain in The Netherlands in 1996. *Pain* 1999;80:629-36.
18. Bowden T. Back pain in helicopter aircrew: a literature review. *Aviat Space Environ Med* 1987;58:461-7.
19. Bridger RS, Groom MR, Jones H, et al. Task and postural factors are related to back pain in helicopter pilots. *Aviat Space Environ Med* 2002;73:805-11.
20. Buchanan TS, Rovai GP, Rymer WZ. Strategies for muscle activation during isometric torque generation at the human elbow. *J Neurophysiol* 1989;62:1201-12.
21. Buer N. Pain-Related Fear and Movement. Implications for Physiotherapy and Public Health. Neurotec Department, Division of Physiotherapy. Stockholm: Karolinska Institutet, 2003:1-32.
22. Buer N, Linton SJ. Fear-avoidance beliefs and catastrophizing: occurrence and risk factor in back pain and ADL in the general population. *Pain* 2002;99:485-91.
23. Bunkertorp L, Lindh M, Carlsson J, et al. The effectiveness of a supervised physical training model tailored to the individual needs of patients with whiplash-associated disorders--a randomized controlled trial. *Clin Rehabil* 2006;20:201-17.
24. Burnett AF, Naumann FL, Burton EJ. Flight-training effect on the cervical muscle isometric strength of trainee pilots. *Aviat Space Environ Med* 2004;75:611-5.
25. Burton R. *Cervical spinal injury from repeated exposures to sustained acceleration*. ed. Neuilly-sur-Seine, France: Canada communication Group Inc., 1999:1-10.
26. Chiu TT, Hui-Chan CW, Chein G. A randomized clinical trial of TENS and exercise for patients with chronic neck pain. *Clin Rehabil* 2005;19:850-60.
27. Chiu TT, Lam TH, Hedley AJ. A randomized controlled trial on the efficacy of exercise for patients with chronic neck pain. *Spine* 2005;30:E1-7.
28. Chiu TT, Law EY, Chiu TH. Performance of the craniocervical flexion test in subjects with and without chronic neck pain. *J Orthop Sports Phys Ther* 2005;35:567-71.

29. Coakwell MR, Bloswick DS, Moser R, Jr. High-risk head and neck movements at high G and interventions to reduce associated neck injury. *Aviat Space Environ Med* 2004;75:68-80.
30. Conley MS, Meyer RA, Bloomberg JJ, et al. Noninvasive analysis of human neck muscle function. *Spine* 1995;20:2505-12.
31. Convertino VA, Ratliff DA, Doerr DF, et al. Effects of repeated Valsalva maneuver straining on cardiac and vasoconstrictive baroreflex responses. *Aviat Space Environ Med* 2003;74:212-9.
32. Croft PR, Lewis M, Papageorgiou AC, et al. Risk factors for neck pain: a longitudinal study in the general population. *Pain* 2001;93:317-25.
33. Crombez G, Vlaeyen JW, Heuts PH, et al. Pain-related fear is more disabling than pain itself: evidence on the role of pain-related fear in chronic back pain disability. *Pain* 1999;80:329-39.
34. de Oliveira CG, Nadal J. Back muscle EMG of helicopter pilots in flight: effects of fatigue, vibration, and posture. *Aviat Space Environ Med* 2004;75:317-22.
35. de Oliveira CG, Simpson DM, Nadal J. Lumbar back muscle activity of helicopter pilots and whole-body vibration. *J Biomech* 2001;34:1309-15.
36. Dvorak J, Antinnes JA, Panjabi M, et al. Age and gender related normal motion of the cervical spine. *Spine* 1992;17:S393-8.
37. Elert J, Kendall SA, Larsson B, et al. Chronic pain and difficulty in relaxing postural muscles in patients with fibromyalgia and chronic whiplash associated disorders. *J Rheumatol* 2001;28:1361-8.
38. Elfving B, Dederig A, Nemeth G. Lumbar muscle fatigue and recovery in patients with long-term low-back trouble--electromyography and health-related factors. *Clin Biomech (Bristol, Avon)* 2003;18:619-30.
39. Ervilha UF, Farina D, Arendt-Nielsen L, et al. Experimental muscle pain changes motor control strategies in dynamic contractions. *Exp Brain Res* 2005;164:215-24.
40. Falla D, Bilenkij G, Jull G. Patients with chronic neck pain demonstrate altered patterns of muscle activation during performance of a functional upper limb task. *Spine* 2004;29:1436-40.
41. Falla D, Dall'Alba P, Rainoldi A, et al. Location of innervation zones of sternocleidomastoid and scalene muscles--a basis for clinical and research electromyography applications. *Clin Neurophysiol* 2002;113:57-63.
42. Falla D, Jull G, Dall'Alba P, et al. An electromyographic analysis of the deep cervical flexor muscles in performance of craniocervical flexion. *Phys Ther* 2003;83:899-906.
43. Falla D, Jull G, Hodges P, et al. An endurance-strength training regime is effective in reducing myoelectric manifestations of cervical flexor muscle fatigue in females with chronic neck pain. *Clin Neurophysiol* 2006;117:828-37.
44. Falla D, Jull G, Hodges PW. Feedforward activity of the cervical flexor muscles during voluntary arm movements is delayed in chronic neck pain. *Exp Brain Res* 2004;157:43-8.
45. Falla D, Jull G, O'Leary S, et al. Further evaluation of an EMG technique for assessment of the deep cervical flexor muscles. *J Electromyogr Kinesiol* 2006;16:621-8.
46. Falla D, Rainoldi A, Merletti R, et al. Myoelectric manifestations of sternocleidomastoid and anterior scalene muscle fatigue in chronic neck pain patients. *Clin Neurophysiol* 2003;114:488-95.
47. Falla DL, Campbell CD, Fagan AE, et al. Relationship between craniocervical flexion range of motion and pressure change during the craniocervical flexion test. *Man Ther* 2003;8:92-6.
48. Falla DL, Jull GA, Hodges PW. Patients with neck pain demonstrate reduced electromyographic activity of the deep cervical flexor muscles during performance of the craniocervical flexion test. *Spine* 2004;29:2108-14.
49. Farina D, Merletti R, Enoka RM. The extraction of neural strategies from the surface EMG. *J Appl Physiol* 2004;96:1486-95.
50. Fejer R, Kyvik KO, Hartvigsen J. The prevalence of neck pain in the world population: a systematic critical review of the literature. *Eur Spine J* 2006;15:834-48.
51. Fernandez-de-las-Penas C, Perez-de-Heredia M, Molero-Sanchez A, et al. Performance of the craniocervical flexion test, forward head posture, and headache clinical parameters in patients with chronic tension-type headache: a pilot study. *J Orthop Sports Phys Ther* 2007;37:33-9.
52. Froom P, Hanegbi R, Ribak J, et al. Low back pain in the AH-1 Cobra helicopter. *Aviat Space Environ Med* 1987;58:315-8.
53. George SZ, Fritz JM, Erhard RE. A comparison of fear-avoidance beliefs in patients with lumbar spine pain and cervical spine pain. *Spine* 2001;26:2139-45.
54. Gogia PP, Sabbahi MA. Electromyographic analysis of neck muscle fatigue in patients with osteoarthritis of the cervical spine. *Spine* 1994;19:502-6.

55. Green ND, Brown L. Head positioning and neck muscle activation during air combat. *Aviat Space Environ Med* 2004;75:676-80.
56. Greeves JP, Coyles VR, Myers SM, et al. Head Loading and Neck Pain in Helicopter Rear Aircrew. *Personal protection: bio-mechanical issues and associated physio-pathological risks*. Koblenz: NATO Research and Technology Organization. RTO-MP-AVT-097., 2004.
57. Grooten WJ, Wiktorin C, Norrman L, et al. Seeking care for neck/shoulder pain: a prospective study of work-related risk factors in a healthy population. *J Occup Environ Med* 2004;46:138-46.
58. Hagberg M, Wegman DH. Prevalence rates and odds ratios of shoulder-neck diseases in different occupational groups. *Br J Ind Med* 1987;44:602-10.
59. Hagen KB, Harms-Ringdahl K, Enger NO, et al. Relationship between subjective neck disorders and cervical spine mobility and motion-related pain in male machine operators. *Spine* 1997;22:1501-7.
60. Hamalainen O, Heinijoki H, Vanharanta H. Neck training and +Gz-related neck pain: a preliminary study. *Mil Med* 1998;163:707-8.
61. Hamalainen O, Toivakka-Hamalainen SK, Kuronen P. +Gz associated stenosis of the cervical spinal canal in fighter pilots. *Aviat Space Environ Med* 1999;70:330-4.
62. Hamalainen O, Vanharanta H. Effect of Gz forces and head movements on cervical erector spinae muscle strain. *Aviat Space Environ Med* 1992;63:709-16.
63. Hamalainen O, Vanharanta H, Bloigu R. +Gz-related neck pain: a follow-up study. *Aviat Space Environ Med* 1994;65:16-8.
64. Harms-Ringdahl K, Ekholm J. Intensity and character of pain and muscular activity levels elicited by maintained extreme flexion position of the lower-cervical-upper-thoracic spine. *Scand J Rehabil Med* 1986;18:117-26.
65. Harms-Ringdahl K, Ekholm J, Schuldt K, et al. Neck problems in the Air Force: cervical spine saggittal load and muscular strength. Biotech Sem, 1991:9-21.
66. Harms-Ringdahl K, Ekholm J, Schuldt K, et al. Load moments and myoelectric activity when the cervical spine is held in full flexion and extension. *Ergonomics* 1986;29:1539-52.
67. Harms-Ringdahl K, Linder J, Spångberg C, et al. Biomechanical considerations in the development of cervical spine pathologies. In Burton RR ed. *Cervical spinal injury from repeated exposures to sustained acceleration*. Neuilly-sur-Seine, France: Canada communication Group Inc., 1999:49-66.
68. Harms-Ringdahl K, Nachemson AL. Acute and Subacute Neck Pain: Nonsurgical Treatment. In Nachemson AL, Jonsson E eds. *Neck and Back Pain. The Scientific Evidence of Causes, Diagnosis, and Treatment*. Philadelphia, PA: Lippincott Williams & Wilkins, 2000:327-58.
69. Hermens HJ, Freriks B, Disselhorst-Klug C, et al. Development of recommendations for SEMG sensors and sensor placement procedures. *J Electromyogr Kinesiol* 2000;10:361-74.
70. Huskisson EC. Measurement of pain. *Lancet* 1974;2:1127-31.
71. Jensen I, Harms-Ringdahl K. Neck pain. *Best Pract Res Clin Rheumatol* 2007;21:93-108.
72. Jull G. Management of cervical headache. *Man Ther* 1997;2:182-90.
73. Jull G, Barrett C, Magee R, et al. Further clinical clarification of the muscle dysfunction in cervical headache. *Cephalalgia* 1999;19:179-85.
74. Jull G, Falla D, Treleaven J, et al. A therapeutic exercise approach for cervical disorders. In Boyling J, Jull G. ed. *Grieve's modern manual therapy: the vertebral column*. Edinburgh: Churchill Livingstone, 2004:451-70.
75. Jull G, Kristjansson E, Dall'Alba P. Impairment in the cervical flexors: a comparison of whiplash and insidious onset neck pain patients. *Man Ther* 2004;9:89-94.
76. Jull G, Trott P, Potter H, et al. A randomized controlled trial of exercise and manipulative therapy for cervicogenic headache. *Spine* 2002;27:1835-43; discussion 43.
77. Kallenberg LA, Schulte E, Disselhorst-Klug C, et al. Myoelectric manifestations of fatigue at low contraction levels in subjects with and without chronic pain. *J Electromyogr Kinesiol* 2006.
78. Kamibayashi LK, Richmond FJ. Morphometry of human neck muscles. *Spine* 1998;23:1314-23.
79. Kay TM, Gross A, Goldsmith C, et al. Exercises for mechanical neck disorders. *Cochrane Database Syst Rev* 2005:CD004250.
80. Keshner EA, Campbell D, Katz RT, et al. Neck muscle activation patterns in humans during isometric head stabilization. *Exp Brain Res* 1989;75:335-44.
81. Khomenko MN, Bukhtiiarov IV, Malashchuk LS. [Evaluation of +Gz tolerance following simulation of 8-hr flight]. *Aviakosm Ekolog Med* 2005;39:31-6.
82. Kietrys DM, Galper JS, Verno V. Effects of at-work exercises on computer operators. *Work* 2007;28:67-75.

83. Kikukawa A, Tachibana S, Yagura S. G-related musculoskeletal spine symptoms in Japan Air Self Defense Force F-15 pilots. *Aviat Space Environ Med* 1995;66:269-72.
84. Knudson R, McMillan D, Doucette D, et al. A comparative study of G-induced neck injury in pilots of the F/A-18, A-7, and A-4. *Aviat Space Environ Med* 1988;59:758-60.
85. Korhonen T, Ketola R, Toivonen R, et al. Work related and individual predictors for incident neck pain among office employees working with video display units. *Occup Environ Med* 2003;60:475-82.
86. Kuorinka I, Jonsson B, Kilbom A, et al. Standardised Nordic questionnaires for the analysis of musculoskeletal symptoms. *Appl Ergon* 1987;18:233-7.
87. Lantz CA, Chen J, Buch D. Clinical validity and stability of active and passive cervical range of motion with regard to total and unilateral uniplanar motion. *Spine* 1999;24:1082-9.
88. Lariviere C, Arsenault AB, Gravel D, et al. Evaluation of measurement strategies to increase the reliability of EMG indices to assess back muscle fatigue and recovery. *J Electromyogr Kinesiol* 2002;12:91-102.
89. Le Pera D, Graven-Nielsen T, Valeriani M, et al. Inhibition of motor system excitability at cortical and spinal level by tonic muscle pain. *Clin Neurophysiol* 2001;112:1633-41.
90. Leclerc A, Niedhammer I, Landre MF, et al. One-year predictive factors for various aspects of neck disorders. *Spine* 1999;24:1455-62.
91. Lindstrom I, Ohlund C, Eek C, et al. The effect of graded activity on patients with subacute low back pain: a randomized prospective clinical study with an operant-conditioning behavioral approach. *Phys Ther* 1992;72:279-90; discussion 91-3.
92. Linton SJ, Buer N, Vlayen J, et al. Are fear-avoidance beliefs related to the inception of an episode of back pain? A prospective study. *Psychol Health* 2000;14:1052-9.
93. Linton SJ, van Tulder MW. Preventive interventions for back and neck pain problems: what is the evidence? *Spine* 2001;26:778-87.
94. Linton SJ, van Tulder MW. Preventive Interventions for Back and Neck Pain. In NACHEMSON AL, JONSSON E eds. *Neck and Back Pain. The Scientific Evidence of Causes, Diagnosis, and Treatment*. Philadelphia, PA: Lippincott Williams & Wilkins, 2000:127-47.
95. Lopez-Lopez JA, Vallejo P, Rios-Tejada F, et al. Determination of lumbar muscular activity in helicopter pilots: a new approach. *Aviat Space Environ Med* 2001;72:38-43.
96. Luime JJ, Koes BW, Miedem HS, et al. High incidence and recurrence of shoulder and neck pain in nursing home employees was demonstrated during a 2-year follow-up. *J Clin Epidemiol* 2005;58:407-13.
97. Lund JP, Donga R, Widmer CG, et al. The pain-adaptation model: a discussion of the relationship between chronic musculoskeletal pain and motor activity. *Can J Physiol Pharmacol* 1991;69:683-94.
98. Lundberg M. Kinesiophobia. Various Aspects of Moving with Musculoskeletal Pain. Department of Orthopaedics, Institute of Clinical Sciences Göteborg: The Sahlgrenska Academy at Göteborg University, 2006:1-126.
99. Lundblad I, Elert J, Gerdle B. Worsening of neck and shoulder complaints in humans are correlated with frequency parameters of electromyogram recorded 1-year earlier. *Eur J Appl Physiol Occup Physiol* 1998;79:7-16.
100. Makela M, Heliövaara M, Sievers K, et al. Prevalence, determinants, and consequences of chronic neck pain in Finland. *Am J Epidemiol* 1991;134:1356-67.
101. Mayoux-Benhamou MA, Revel M, Vallee C. Selective electromyography of dorsal neck muscles in humans. *Exp Brain Res* 1997;113:353-60.
102. Mayoux-Benhamou MA, Revel M, Vallee C, et al. Longus colli has a postural function on cervical curvature. *Surg Radiol Anat* 1994;16:367-71.
103. Merletti R, Knäflitz M, De Luca CJ. Myoelectric manifestations of fatigue in voluntary and electrically elicited contractions. *J Appl Physiol* 1990;69:1810-20.
104. NACHEMSON AL. Introduction. In NACHEMSON AL, JONSSON E eds. *Neck and Back Pain. The Scientific Evidence of Causes, Diagnosis and Treatment*. Philadelphia, PA: Lippincott Williams & Wilkins, 2000:1-12.
105. Nederhand MJ, Hermens HJ, Ijzerman MJ, et al. The effect of fear of movement on muscle activation in posttraumatic neck pain disability. *Clin J Pain* 2006;22:519-25.
106. Nederhand MJ, Hermens HJ, MJ IJ, et al. Cervical muscle dysfunction in chronic whiplash-associated disorder grade 2: the relevance of the trauma. *Spine* 2002;27:1056-61.
107. Newman DG. +GZ-induced neck injuries in Royal Australian Air Force fighter pilots. *Aviat Space Environ Med* 1997;68:520-4.

108. Newman DG. Head positioning for high +Gz loads: an analysis of the techniques used by F/A-18 pilots. *Aviat Space Environ Med* 1997;68:732-5.
109. Newman DG, White SW, Callister R. Evidence of baroreflex adaptation to repetitive +Gz in fighter pilots. *Aviat Space Environ Med* 1998;69:446-51.
110. Nikander R, Malkia E, Parkkari J, et al. Dose-response relationship of specific training to reduce chronic neck pain and disability. *Med Sci Sports Exerc* 2006;38:2068-74.
111. Oksa J, Hamalainen O, Rissanen S, et al. Muscle strain during aerial combat maneuvering exercise. *Aviat Space Environ Med* 1996;67:1138-43.
112. Oksa J, Hamalainen O, Rissanen S, et al. Muscle fatigue caused by repeated aerial combat maneuvering exercises. *Aviat Space Environ Med* 1999;70:556-60.
113. Ostergren PO, Hanson BS, Balogh I, et al. Incidence of shoulder and neck pain in a working population: effect modification between mechanical and psychosocial exposures at work? Results from a one year follow up of the Malmo shoulder and neck study cohort. *J Epidemiol Community Health* 2005;59:721-8.
114. Panjabi MM, Cholewicki J, Nibu K, et al. Critical load of the human cervical spine: an in vitro experimental study. *Clin Biomech (Bristol, Avon)* 1998;13:11-7.
115. Panjabi MM, Crisco JJ, Vasavada A, et al. Mechanical properties of the human cervical spine as shown by three-dimensional load-displacement curves. *Spine* 2001;26:2692-700.
116. Peolsson A, Hedlund R, Ertzgaard S, et al. Intra- and inter-tester reliability and range of motion of the neck. *Physiotherapy Canada* 2000;52:233-42.
117. Peolsson A, Oberg B, Hedlund R. Intra- and inter-tester reliability and reference values for isometric neck strength. *Physiother Res Int* 2001;6:15-26.
118. Petren-Mallmin M, Linder J. MRI cervical spine findings in asymptomatic fighter pilots. *Aviat Space Environ Med* 1999;70:1183-8.
119. Phillips CA, Petrofsky JS. Quantitative electromyography: response of the neck muscles to conventional helmet loading. *Aviat Space Environ Med* 1983;54:452-7.
120. Physiotherapy TCSO. Curriculum framework for qualifying programmes in physiotherapy, 2002. (<http://www.csp.org.uk/physiotherapy/publications.cfm>)
121. Rau G, Schulte E, Disselhorst-Klug C. From cell to movement: to what answers does EMG really contribute? *J Electromyogr Kinesiol* 2004;14:611-7.
122. Richmond FJ, Thomson DB, Loeb GE. Electromyographic studies of neck muscles in the intact cat. I. Patterns of recruitment underlying posture and movement during natural behaviors. *Exp Brain Res* 1992;88:41-58.
123. Riksförbundet: Swedish Association of Registered Physiotherapist (LSR) (Legitimerade Sjukgymnaster Riksförbundet). Description of physiotherapy, and physiotherapy as a field of practice. *Sjukgymnasten*, 1998;1:32.
124. Roberts P. Theoretical models of physiotherapy. *Physiotherapy* 1994;80:361-6.
125. Savolainen A, Ahlberg J, Nummila H, et al. Active or passive treatment for neck-shoulder pain in occupational health care? A randomized controlled trial. *Occup Med (Lond)* 2004;54:422-4.
126. Schall DG. Non-ejection cervical spine injuries due to +Gz in high performance aircraft. *Aviat Space Environ Med* 1989;60:445-56.
127. Schulte E, Ciubotariu A, Arendt-Nielsen L, et al. Experimental muscle pain increases trapezius muscle activity during sustained isometric contractions of arm muscles. *Clin Neurophysiol* 2004;115:1767-78.
128. Seng KY, Lam PM, Lee VS. Acceleration effects on neck muscle strength: pilots vs. non-pilots. *Aviat Space Environ Med* 2003;74:164-8.
129. Smedley J, Inskip H, Trevelyan F, et al. Risk factors for incident neck and shoulder pain in hospital nurses. *Occup Environ Med* 2003;60:864-9.
130. Sommerich CM, Joines SM, Hermans V, et al. Use of surface electromyography to estimate neck muscle activity. *J Electromyogr Kinesiol* 2000;10:377-98.
131. Sovellius R, Oksa J, Rintala H, et al. Trampoline exercise vs. strength training to reduce neck strain in fighter pilots. *Aviat Space Environ Med* 2006;77:20-5.
132. Sterling M, Jull G, Vicenzino B, et al. Development of motor system dysfunction following whiplash injury. *Pain* 2003;103:65-73.
133. Sterner Y, Gerdle B. Acute and chronic whiplash disorders--a review. *J Rehabil Med* 2004;36:193-209; quiz 10.
134. Svensson E. Ordinal invariant measures for individual and group changes in ordered categorical data. *Stat Med* 1998;17:2923-36.

135. Taimela S, Takala EP, Asklof T, et al. Active treatment of chronic neck pain: a prospective randomized intervention. *Spine* 2000;25:1021-7.
136. The World Health Organization W. International Classification of Functioning, Disability and Health (ICF): WHO, 2001:Introduction.
137. Thomae MK, Porteous JE, Brock JR, et al. Back pain in Australian military helicopter pilots: a preliminary study. *Aviat Space Environ Med* 1998;69:468-73.
138. Thuresson M, Ang B, Linder J, et al. Intra-rater reliability of electromyographic recordings and subjective evaluation of neck muscle fatigue among helicopter pilots. *J Electromyogr Kinesiol* 2005;15:323-31.
139. Thuresson M, Ang B, Linder J, et al. Mechanical load and EMG activity in the neck induced by different head-worn equipment and neck postures. *Int J Industr Ergonom* 2005;35:13-8.
140. Thuresson M, Ang B, Linder J, et al. Neck muscle activity in helicopter pilots: effect of position and helmet-mounted equipment. *Aviat Space Environ Med* 2003;74:527-32.
141. Tornqvist EW, Kilbom A, Vingard E, et al. The influence on seeking care because of neck and shoulder disorders from work-related exposures. *Epidemiology* 2001;12:537-45.
142. Waddell G, Newton M, Henderson I, et al. A Fear-Avoidance Beliefs Questionnaire (FABQ) and the role of fear-avoidance beliefs in chronic low back pain and disability. *Pain* 1993;52:157-68.
143. van Eettekoven H, Lucas C. Efficacy of physiotherapy including a craniocervical training programme for tension-type headache; a randomized clinical trial. *Cephalalgia* 2006;26:983-91.
144. Vanderbeek RD. Period prevalence of acute neck injury in U.S. Air Force pilots exposed to high G forces. *Aviat Space Environ Med* 1988;59:1176-80.
145. Vasavada AN, Li S, Delp SL. Influence of muscle morphometry and moment arms on the moment-generating capacity of human neck muscles. *Spine* 1998;23:412-22.
146. Vasavada AN, Peterson BW, Delp SL. Three-dimensional spatial tuning of neck muscle activation in humans. *Exp Brain Res* 2002;147:437-48.
147. Vitti M, Fujiwara M, Basmanjian JM, et al. The integrated roles of longus colli and sternocleidomastoid muscles: an electromyographic study. *Anat Rec* 1973;177:471-84.
148. Vlaeyen JW, Kole-Snijders AM, Boeren RG, et al. Fear of movement/(re)injury in chronic low back pain and its relation to behavioral performance. *Pain* 1995;62:363-72.
149. Vlaeyen JW, Seelen HA, Peters M, et al. Fear of movement/(re)injury and muscular reactivity in chronic low back pain patients: an experimental investigation. *Pain* 1999;82:297-304.
150. Vollestad NK. Measurement of human muscle fatigue. *J Neurosci Methods* 1997;74:219-27.
151. Yilmaz U, Cetinguc M, Akin A. Visual symptoms and G-LOC in the operational environment and during centrifuge training of Turkish jet pilots. *Aviat Space Environ Med* 1999;70:709-12.
152. Ylinen JJ, Hakkinen AH, Takala EP, et al. Effects of neck muscle training in women with chronic neck pain: one-year follow-up study. *J Strength Cond Res* 2006;20:6-13.
153. Ylinen JJ, Takala EP, Nykanen MJ, et al. Effects of twelve-month strength training subsequent to twelve-month stretching exercise in treatment of chronic neck pain. *J Strength Cond Res* 2006;20:304-8.
154. Zito G, Jull G, Story I. Clinical tests of musculoskeletal dysfunction in the diagnosis of cervicogenic headache. *Man Ther* 2006;11:118-29.