7 REFERENCES

1. Aagaard P, Simonsen EB, Andersen JL, Magnusson SP, Halkjaer-Kristensen J, and Dyhre-Poulsen P. Neural inhibition during maximal eccentric and concentric quadriceps contraction: effects of resistance training [In Process Citation]. *J Appl Physiol* 89: 2249-2257, 2000.

2. Aagaard P, Simonsen EB, Trolle M, Bangsbo J, and Klausen K. Effects of different strength training regimes on moment and power generation during dynamic knee extensions. *Eur J Appl Physiol Occup Physiol* 69: 382-386, 1994.

3. Abbott BC, Bigland B, and Ritchie JM. The physiological cost of negative work. *J Physiol* 117: 380-390, 1952.

4. Adams GR, Duvoisin MR, and Dudley GA. Magnetic resonance imaging and electromyography as indexes of muscle function. *J Appl Physiol* 73: 1578-1583, 1992.

5. Akima H, Takahashi H, Kuno SY, and Katsuta S. Coactivation pattern in human quadriceps during isokinetic knee-extension by muscle functional MRI. *Eur J Appl Physiol* 91: 7-14, 2004.

6. Alkner BA, Berg HE, Kozlovskaya I, Sayenko D, and Tesch PA. Effects of strength training, using a gravity-independent exercise system, performed during 110 days of simulated space station confinement. *Eur J Appl Physiol* 90: 44-49, 2003.

7. Alkner BA and Tesch PA. Efficacy of a gravity-independent resistance exercise device as a countermeasure to muscle atrophy during 29-day bed rest. *Acta Physiol Scand* 181: 345-357, 2004.

8. Alkner BA and Tesch PA. Knee extensor and plantar flexor muscle size and function following 90 days of bed rest with or without resistance exercise. *Eur J Appl Physiol* 93: 294-305, 2004.

9. Andersen LL, Magnusson SP, Nielsen M, Haleem J, Poulsen K, and Aagaard P. Neuromuscular activation in conventional therapeutic exercises and heavy resistance exercises: implications for rehabilitation. *Phys Ther* 86: 683-697, 2006.

10. Arendt-Nielsen L and Mills KR. The relationship between mean power frequency of the EMG spectrum and muscle fibre conduction velocity. *Electroencephalogr Clin Neurophysiol* 60: 130-134, 1985.

11. Arendt-Nielsen L, Mills KR, and Forster A. Changes in muscle fiber conduction velocity, mean power frequency, and mean EMG voltage during prolonged submaximal contractions. *Muscle Nerve* 12: 493-497, 1989.

12. Askling C, Karlsson J, and Thorstensson A. Hamstring injury occurrence in elite soccer players after preseason strength training with eccentric overload. *Scand J Med Sci Sports* 13: 244-250, 2003.

13. Asmussen E. Positive and negative muscular work. *Acta Physiol Scand* 28: 364-382, 1953.

14. Augustsson J, Esko A, Thomee R, and Svantesson U. Weight training of the thigh muscles using closed vs. open kinetic chain exercises: a comparison of performance enhancement. *J Orthop Sports Phys Ther* 27: 3-8, 1998.

15. Berg HE, Tedner B, and Tesch PA. Changes in lower limb muscle cross-sectional area and tissue fluid volume after transition from standing to supine. *Acta Physiol Scand* 148: 379-385, 1993.

16. Berg HE and Tesch A. A gravity-independent ergometer to be used for resistance training in space. *Aviat Space Environ Med* 65: 752-756, 1994.

17. Berg HE and Tesch PA. Designing methods for musculoskeletal conditioning in weightlessness. *Physiologist* 35: S96-98, 1992.

18. **Bigland-Ritchie B, Čafarelli E, and Vollestad NK.** Fatigue of submaximal static contractions. *Acta Physiol Scand Suppl* 556: 137-148, 1986.

19. **Bigland-Ritchie B and Woods JJ.** Integrated electromyogram and oxygen uptake during positive and negative work. *J Physiol* 260: 267-277, 1976.

20. **Brandenburg JP and Docherty D.** The effects of accentuated eccentric loading on strength, muscle hypertrophy, and neural adaptations in trained individuals. *J Strength Cond Res* 16: 25-32, 2002.

21. Chesley A, MacDougall JD, Tarnopolsky MA, Atkinson SA, and Smith K. Changes in human muscle protein synthesis after resistance exercise. *J Appl Physiol* 73: 1383-1388, 1992.

22. Choi H and Williams WJ. Improved time-frequency representation of multicomponent signals using exponential kernels. *IEEE Trans Acoustics Speech and Signal Processing* 37: 862-871, 1989.

23. Clarkson PM and Hubal MJ. Exercise-induced muscle damage in humans. *Am J Phys Med Rehabil* 81: S52-69, 2002.

24. Cobb S and Forbes A. Electromyographic studies of muscular fatigue in man. *Am J Phys* 65: 234-251, 1923.

25. Colliander EB and Tesch PA. Effects of eccentric and concentric muscle actions in resistance training. *Acta Physiol Scand* 140: 31-39., 1990.

26. De Luca CJ, LeFever RS, McCue MP, and Xenakis AP. Behaviour of human motor units in different muscles during linearly varying contractions. *J Physiol* 329: 113-128, 1982.

27. Deschenes MR and Kraemer WJ. Performance and physiologic adaptations to resistance training. *Am J Phys Med Rehabil* 81: S3-16, 2002.

28. **DeVries HA.** Method for evaluation of muscle fatigue and endurance from electromyographic fatigue curves. *Am J Phys Med* 47: 125-135, 1968.

29. Dudley GA, Tesch PA, Harris RT, Golden CL, and Buchanan P. Influence of eccentric actions on the metabolic cost of resistance exercise. *Aviat Space Environ Med* 62: 678-682, 1991.

30. Dudley GA, Tesch PA, Miller BJ, and Buchanan P. Importance of eccentric actions in performance adaptations to resistance training. *Aviat Space Environ Med* 62: 543-550, 1991.

31. Eliasson J, Elfegoun T, Nilsson J, Kohnke R, Ekblom B, and Blomstrand E. Maximal lengthening contractions increase p70 S6 kinase phosphorylation in human skeletal muscle in the absence of nutritional supply. *Am J Physiol Endocrinol Metab* 291: E1197-1205, 2006.

32. Enocson AG, Berg HE, Vargas R, Jenner G, and Tesch PA. Signal intensity of MR-images of thigh muscles following acute open- and closed chain kinetic knee extensor exercise - index of muscle use. *Eur J Appl Physiol* 94: 357-363, 2005.

33. Enoka RM. Eccentric contractions require unique activation strategies by the nervous system. *J Appl Physiol* 81: 2339-2346, 1996.

34. Enoka RM. Neural adaptations with chronic physical activity. *J Biomech* 30: 447-455., 1997.

35. Escamilla RF, Fleisig GS, Zheng N, Barrentine SW, Wilk KE, and Andrews JR. Biomechanics of the knee during closed kinetic chain and open kinetic chain exercises. *Med Sci Sports Exerc* 30: 556-569, 1998.

36. Farina D, Pozzo M, Merlo E, Bottin A, and Merletti R. Assessment of average muscle fiber conduction velocity from surface EMG signals during fatiguing dynamic contractions. *IEEE Trans Biomed Eng* 51: 1383-1393, 2004.

37. Farina D, Zagari D, Gazzoni M, and Merletti R. Reproducibility of muscle-fiber conduction velocity estimates using multichannel surface EMG techniques. *Muscle Nerve* 29: 282-291, 2004.

38. **Farthing JP and Chilibeck PD.** The effects of eccentric and concentric training at different velocities on muscle hypertrophy. *Eur J Appl Physiol* 89: 578-586, 2003.

39. Fleckenstein JL, Canby RC, Parkey RW, and Peshock RM. Acute effects of exercise on MR imaging of skeletal muscle in normal volunteers. *AJR Am J Roentgenol* 151: 231-237, 1988.

40. Flitney FW and Hirst DG. Cross-bridge detachment and sarcomere 'give' during stretch of active frog's muscle. *J Physiol* 276: 449-465, 1978.

41. Friden J and Lieber RL. Structural and mechanical basis of exercise-induced muscle injury. *Med Sci Sports Exerc* 24: 521-530, 1992.

42. **Gandevia SC.** Spinal and supraspinal factors in human muscle fatigue. *Physiol Rev* 81: 1725-1789, 2001.

43. Gibala MJ, MacDougall JD, Tarnopolsky MA, Stauber WT, and Elorriaga A. Changes in human skeletal muscle ultrastructure and force production after acute resistance exercise. *J Appl Physiol* 78: 702-708., 1995.

44. Godard MP, Wygand JW, Carpinelli RN, Catalono S, and Otto RM. Effect of accentuated eccentric resistance training on concentric knee extensor strength. *J Strength Cond Res* 12: 26-29, 1998.

45. **Goldspink DF.** Exercise-related changes in protein turnover in mammalian striated muscle. *J Exp Biol* 160: 127-148, 1991.

46. **Goldspink G.** Changes in muscle mass and phenotype and the expression of autocrine and systemic growth factors by muscle in response to stretch and overload. *J Anat* 194 (Pt 3): 323-334, 1999.

47. Grabiner MD and Owings TM. EMG differences between concentric and eccentric maximum voluntary contractions are evident prior to movement onset. *Exp Brain Res* 145: 505-511, 2002.

48. Green HJ. Mechanisms of muscle fatigue in intense exercise. *J Sports Sci* 15: 247-256, 1997.

49. Hakkinen K and Komi PV. Changes in neuromuscular performance in voluntary and reflex contraction during strength training in man. *Int J Sports Med* 4: 282-288., 1983.

50. Hakkinen K and Komi PV. Effect of different combined concentric and eccentric muscle work regimens on maximal strength development. *J Hum Move Stud* 7: 33-44, 1981.

51. Hakkinen K and Komi PV. Effects of fatigue and recovery on electromyographic and isometric force- and relaxation-time characteristics of human skeletal muscle. *Eur J Appl Physiol Occup Physiol* 55: 588-596, 1986.

52. Hakkinen K and Komi PV. Electromyographic changes during strength training and detraining. *Med Sci Sports Exerc* 15: 455-460, 1983.

53. Hather BM, Tesch PA, Buchanan P, and Dudley GA. Influence of eccentric actions on skeletal muscle adaptations to resistance training. *Acta Physiol Scand* 143: 177-185, 1991.

54. Henneman E, Somjen G, and Carpenter DO. Functional Significance of Cell Size in Spinal Motoneurons. *J Neurophysiol* 28: 560-580, 1965.

55. **Higbie EJ, Cureton KJ, Warren GL, 3rd, and Prior BM.** Effects of concentric and eccentric training on muscle strength, cross- sectional area, and neural activation. *J Appl Physiol* 81: 2173-2181, 1996.

56. Hill AV. The heat of shortening and the dynamic constants of muscle. *Proc Roy Soc Lond (Biol)* 126: 136-195, 1938.

57. **Hill AV.** An instrument for recording the maximum work in muscular contraction. *J Physiol* 53: 88-90, 1920.

58. Hortobagyi T, Devita P, Money J, and Barrier J. Effects of standard and eccentric overload strength training in young women. *Med Sci Sports Exerc* 33: 1206-1212, 2001.

59. Hortobagyi T, Hill JP, Houmard JA, Fraser DD, Lambert NJ, and Israel RG. Adaptive responses to muscle lengthening and shortening in humans. *J Appl Physiol* 80: 765-772., 1996.

60. Hortobagyi T and Katch FI. Eccentric and concentric torque-velocity relationships during arm flexion and extension. Influence of strength level. *Eur J Appl Physiol Occup Physiol* 60: 395-401, 1990.

61. Housh DJ, Housh TJ, Johnson GO, and Chu WK. Hypertrophic response to unilateral concentric isokinetic resistance training. *J Appl Physiol* 73: 65-70., 1992.

62. Howell JN, Fuglevand AJ, Walsh ML, and Bigland-Ritchie B. Motor unit activity during isometric and concentric-eccentric contractions of the human first dorsal interosseus muscle. *J Neurophysiol* 74: 901-904, 1995.

63. Huxley AF and Simmons RM. Mechanical properties of the cross-bridges of frog striated muscle. *J Physiol* 218: 59P-60P, 1971.

64. Jones DA and Rutherford OM. Human muscle strength training: the effects of three different regimens and the nature of the resultant changes. *J Physiol* 391: 1-11., 1987.

65. **Katz B.** The relation between force and speed in muscular contraction. *Journal of Physiology* 96: 45-64, 1939.

66. **Kawakami Y, Abe T, and Fukunaga T.** Muscle-fiber pennation angles are greater in hypertrophied than in normal muscles. *J Appl Physiol* 74: 2740-2744, 1993.

67. Komi PV and Buskirk ER. Effect of eccentric and concentric muscle conditioning on tension and electrical activity of human muscle. *Ergonomics* 15: 417-434., 1972.

68. Komi PV, Kaneko M, and Aura O. EMG activity of the leg extensor muscles with special reference to mechanical efficiency in concentric and eccentric exercise. *Int J Sports Med* 8 Suppl 1: 22-29, 1987.

69. Komi PV, Linnamo V, Silventoinen P, and Sillanpaa M. Force and EMG power spectrum during eccentric and concentric actions. *Med Sci Sports Exerc* 32: 1757-1762., 2000.

70. Komi PV and Tesch P. EMG frequency spectrum, muscle structure, and fatigue during dynamic contractions in man. *Eur J Appl Physiol Occup Physiol* 42: 41-50, 1979.

71. Kraemer WJ, Adams K, Cafarelli E, Dudley GA, Dooly C, Feigenbaum MS, Fleck SJ, Franklin B, Fry AC, Hoffman JR, Newton RU, Potteiger J, Stone MH, Ratamess NA, and Triplett-McBride T. American College of Sports Medicine position stand. Progression models in resistance training for healthy adults. *Med Sci Sports Exerc* 34: 364-380., 2002.

72. Linnamo V, Moritani T, Nicol C, and Komi PV. Motor unit activation patterns during isometric, concentric and eccentric actions at different force levels. *J Electromyogr Kinesiol* 13: 93-101, 2003.

73. Luthi JM, Howald H, Claassen H, Rosler K, Vock P, and Hoppeler H. Structural changes in skeletal muscle tissue with heavy-resistance exercise. *Int J Sports Med* 7: 123-127., 1986.

74. MacDougall JD, Elder GC, Sale DG, Moroz JR, and Sutton JR. Effects of strength training and immobilization on human muscle fibres. *Eur J Appl Physiol Occup Physiol* 43: 25-34, 1980.

75. Masuda K, Masuda T, Sadoyama T, Inaki M, and Katsuta S. Changes in surface EMG parameters during static and dynamic fatiguing contractions. *J Electromyogr Kinesiol* 9: 39-46, 1999.

76. McHugh MP, Tyler TF, Greenberg SC, and Gleim GW. Differences in activation patterns between eccentric and concentric quadriceps contractions. *J Sports Sci* 20: 83-91, 2002.

77. Meyer RA and Prior BM. Functional magnetic resonance imaging of muscle. *Exerc Sport Sci Rev* 28: 89-92, 2000.

78. **Mills KR and Edwards RH.** Muscle fatigue in myophosphorylase deficiency: power spectral analysis of the electromyogram. *Electroencephalogr Clin Neurophysiol* 57: 330-335, 1984.

79. Moore DR, Phillips SM, Babraj JA, Smith K, and Rennie MJ. Myofibrillar and collagen protein synthesis in human skeletal muscle in young men after maximal shortening and lengthening contractions. *Am J Physiol Endocrinol Metab* 288: E1153-1159, 2005.

80. Moritani T and deVries HA. Neural factors versus hypertrophy in the time course of muscle strength gain. *Am J Phys Med* 58: 115-130, 1979.

81. Moritani T, Muramatsu S, and Muro M. Activity of motor units during concentric and eccentric contractions. *Am J Phys Med* 66: 338-350, 1987.

82. Nardone A, Romano C, and Schieppati M. Selective recruitment of high-threshold human motor units during voluntary isotonic lengthening of active muscles. *J Physiol* 409: 451-471, 1989.

83. Narici MV, Hoppeler H, Kayser B, Landoni L, Claassen H, Gavardi C, Conti M, and Cerretelli P. Human quadriceps cross-sectional area, torque and neural activation during 6 months strength training. *Acta Physiol Scand* 157: 175-186., 1996.

84. Narici MV, Roi GS, Landoni L, Minetti AE, and Cerretelli P. Changes in force, cross-sectional area and neural activation during strength training and detraining of the human quadriceps. *Eur J Appl Physiol Occup Physiol* 59: 310-319, 1989.

85. Patten C, Meyer RA, and Fleckenstein JL. T2 mapping of muscle. Semin Musculoskelet Radiol 7: 297-305, 2003.

86. **Phillips SM, Tipton KD, Aarsland A, Wolf SE, and Wolfe RR.** Mixed muscle protein synthesis and breakdown after resistance exercise in humans. *Am J Physiol* 273: E99-107, 1997.

87. Ploutz LL, Tesch PA, Biro RL, and Dudley GA. Effect of resistance training on muscle use during exercise. *J Appl Physiol* 76: 1675-1681, 1994.

88. **Pozzo M, Merlo E, Farina D, Antonutto G, Merletti R, and Di Prampero PE.** Muscle-fiber conduction velocity estimated from surface EMG signals during explosive dynamic contractions. *Muscle Nerve* 29: 823-833, 2004.

89. Prior BM, Ploutz-Snyder LL, Cooper TG, and Meyer RA. Fiber type and metabolic dependence of T2 increases in stimulated rat muscles. *J Appl Physiol* 90: 615-623, 2001.

90. **Rutherford OM and Jones DA.** The role of learning and coordination in strength training. *Eur J Appl Physiol Occup Physiol* 55: 100-105, 1986.

91. Sale D. Specificity of training. Can J Sport Sci 17: 71, 1992.

92. Sale DG. Influence of exercise and training on motor unit activation. *Exerc Sport Sci Rev* 15: 95-151, 1987.

93. Sale DG. Neural adaptation to resistance training. *Med Sci Sports Exerc* 20: S135-145., 1988.

94. Sale DG. Neural adaptation to strength training. Oxford, UK: Blackwell Science Ltd, 2003.

95. Sale DG, Martin JE, and Moroz DE. Hypertrophy without increased isometric strength after weight training. *Eur J Appl Physiol Occup Physiol* 64: 51-55, 1992.

96. Sejersted OM and Sjogaard G. Dynamics and consequences of potassium shifts in skeletal muscle and heart during exercise. *Physiol Rev* 80: 1411-1481, 2000.

97. Seynnes OR, de Boer M, and Narici MV. Early skeletal muscle hypertrophy and architectural changes in response to high-intensity resistance training. *J Appl Physiol* 102: 368-373, 2007.

98. Shellock FG, Fukunaga T, Mink JH, and Edgerton VR. Acute effects of exercise on MR imaging of skeletal muscle: concentric vs eccentric actions. *AJR Am J Roentgenol* 156: 765-768, 1991.

99. Shepstone TN, Tang JE, Dallaire S, Schuenke MD, Staron RS, and Phillips SM. Short-term high- vs. low-velocity isokinetic lengthening training results in greater hypertrophy of the elbow flexors in young men. *J Appl Physiol* 98: 1768-1776, 2005.

100. Signorile JF, Kacsik D, Perry A, Robertson B, Williams R, Lowensteyn I, Digel S, Caruso J, and LeBlanc WG. The effect of knee and foot position on the electromyographical activity of the superficial quadriceps. *J Orthop Sports Phys Ther* 22: 2-9, 1995.

101. Staron RS, Karapondo DL, Kraemer WJ, Fry AC, Gordon SE, Falkel JE, Hagerman FC, and Hikida RS. Skeletal muscle adaptations during early phase of heavy-resistance training in men and women. *J Appl Physiol* 76: 1247-1255, 1994.

102. **Stulen FB and DeLuca CJ.** Frequency parameters of the myoelectric signal as a measure of muscle conduction velocity. *IEEE Trans Biomed Eng* 28: 515-523, 1981.

103. **Tesch PA.** Acute and long-term metabolic changes consequent to heavy-resistance exercise. *Medicine and Sport Science* 26: 67-89, 1987.

104. **Tesch PA.** Skeletal muscle adaptations consequent to long-term heavy resistance exercise. *Med Sci Sports Exerc* 20: \$132-134, 1988.

105. **Tesch PA, Dudley GA, Duvoisin MR, Hather BM, and Harris RT.** Force and EMG signal patterns during repeated bouts of concentric or eccentric muscle actions. *Acta Physiol Scand* 138: 263-271, 1990.

106. Tesch PA, Ekberg A, Lindquist DM, and Trieschmann JT. Muscle hypertrophy following 5-week resistance training using a non-gravity-dependent exercise system. *Acta Physiol Scand* 180: 89-98, 2004.

107. Tesch PA, Trieschmann JT, and Ekberg A. Hypertrophy of chronically unloaded muscle subjected to resistance exercise. *J Appl Physiol* 96: 1451-1458, 2004.

108. Thorstensson Å, Karlsson J, Viitasalo JH, Luhtanen P, and Komi PV. Effect of strength training on EMG of human skeletal muscle. *Acta Physiol Scand* 98: 232-236., 1976.

109. Van Cutsem M, Duchateau J, and Hainaut K. Changes in single motor unit behaviour contribute to the increase in contraction speed after dynamic training in humans. *J Physiol* 513: 295-305., 1998.

110. Vandenborne K, Walter G, Ploutz-Snyder L, Dudley G, Elliott MA, and De Meirleir K. Relationship between muscle T2* relaxation properties and metabolic state: a combined localized 31P-spectroscopy and 1H-imaging study. *Eur J Appl Physiol* 82: 76-82, 2000.

111. Webber S and Kriellaars D. Neuromuscular factors contributing to in vivo eccentric moment generation. *J Appl Physiol* 83: 40-45, 1997.

112. Weidman ER, Charles HC, Negro-Vilar R, Sullivan MJ, and MacFall JR. Muscle activity localization with 31P spectroscopy and calculated T2-weighted 1H images. *Invest Radiol* 26: 309-316, 1991.

113. Westerblad H and Allen DG. Recent advances in the understanding of skeletal muscle fatigue. *Curr Opin Rheumatol* 14: 648-652, 2002.

114. Wickiewicz TL, Roy RR, Powell PL, and Edgerton VR. Muscle architecture of the human lower limb. *Clin Orthop Relat Res*: 275-283, 1983.

115. Viitasalo JH and Komi PV. Signal characteristics of EMG during fatigue. *Eur J Appl Physiol Occup Physiol* 37: 111-121., 1977.

116. Wong TS and Booth FW. Protein metabolism in rat gastrocnemius muscle after stimulated chronic concentric exercise. *J Appl Physiol* 69: 1709-1717, 1990.

117. Wong TS and Booth FW. Protein metabolism in rat tibialis anterior muscle after stimulated chronic eccentric exercise. *J Appl Physiol* 69: 1718-1724., 1990.

118. Yu JG, Furst DO, and Thornell LE. The mode of myofibril remodelling in human skeletal muscle affected by DOMS induced by eccentric contractions. *Histochem Cell Biol* 119: 383-393, 2003.

119. Yu JG and Thornell LE. Desmin and actin alterations in human muscles affected by delayed onset muscle soreness: a high resolution immunocytochemical study. *Histochem Cell Biol* 118: 171-179, 2002.