

## REFERENCES

1. Bergman S, Herrstrom P, Hogstrom K, Petersson IF, Svensson B, Jacobsson LT. Chronic musculoskeletal pain, prevalence rates, and sociodemographic associations in a Swedish population study. *J Rheumatol* 2001;28(6):1369-77.
2. Wolfe F, Smythe HA, Yunus MB, Bennett RM, Bombardier C, Goldenberg DL, et al. The American College of Rheumatology 1990 Criteria for the Classification of Fibromyalgia. Report of the Multicenter Criteria Committee. *Arthritis Rheum* 1990;33(2):160-72.
3. Brown GK, Nicassio PM. Development of a questionnaire for the assessment of active and passive coping strategies in chronic pain patients. *Pain* 1987(31):53-64.
4. McElroy A, Jezewski M. Cultural variation in the experience of health and illness, in *Handbook of Social studies*. SAGE Publications, London 1999.
5. Svanström L. *Sjukdomslära (in Swedish) (Clinical Medicine)*. Lund: Studentlitteratur 2003.
6. WHO. <http://www.paho.org/English/AD/GE/PAHOGenderEqualityPolicy2005.pdf>. 2005.
7. WHO. <http://www.who.int/reproductive-health/gender/glossary.html>.
8. Hoffman E, Magrane D, Donoghue GD. Changing perspectives on sex and gender in medical education. *Acad Med* 2000;75(11):1051-5.
9. Norrefalk JR. How do we define multidisciplinary rehabilitation? *J Rehabil Med* 2003;35(2):100-1.
10. Wolfe F, Ross K, Anderson J, Russell IJ, Hebert L. The prevalence and characteristics of fibromyalgia in the general population. *Arthritis Rheum* 1995;38(1):19-28.
11. Croft P, Rigby AS, Boswell R, Schollum J, Silman A. The prevalence of chronic widespread pain in the general population. *J Rheumatol* 1993;20(4):710-3.
12. Lindell L, Bergman S, Petersson IF, Jacobsson LT, Herrstrom P. Prevalence of fibromyalgia and chronic widespread pain. *Scand J Prim Health Care* 2000;18(3):149-53.
13. International Association for the Study of Pain. [www.iasp-pain.org](http://www.iasp-pain.org).
14. Lincoln Y, Guba E. *Naturalistic inquiry*. SAGE Publications, London 1985.
15. Croft P, Burt J, Schollum J, Thomas E, Macfarlane G, Silman A. More pain, more tender points: is fibromyalgia just one end of a continuous spectrum? *Ann Rheum Dis* 1996;55(7):482-5.
16. Van Houdenhove B, Egle U, Luyten P. The role of life stress in fibromyalgia. *Curr Rheumatol Rep* 2005;7(5):365-70.
17. Henningsen P, Zimmermann T, Sattel H. Medically unexplained physical symptoms, anxiety, and depression: a meta-analytic review. *Psychosom Med* 2003;65(4):528-33.
18. Bergman S, Herrstrom P, Jacobsson LT, Petersson IF. Chronic widespread pain: a three year followup of pain distribution and risk factors. *J Rheumatol* 2002;29(4):818-25.
19. Gracely RH, Petzke F, Wolf JM, Clauw DJ. Functional magnetic resonance imaging evidence of augmented pain processing in fibromyalgia. *Arthritis Rheum* 2002;46(5):1333-43.
20. Arendt-Nielsen L, Graven-Nielsen T. Central sensitization in fibromyalgia and other musculoskeletal disorders. *Curr Pain Headache Rep* 2003;7(5):355-61.
21. Henriksson KG. Fibromyalgia--from syndrome to disease. Overview of pathogenetic mechanisms. *J Rehabil Med* 2003(Suppl 41):89-94.
22. Henriksson KG. Hypersensitivity in muscle pain syndromes. *Curr Pain Headache Rep* 2003;7(6):426-32.
23. Kosek E, Ekholm J. Modulation of pressure pain thresholds during and following isometric contraction. *Pain* 1995;61(3):481-6.
24. Staud R, Cannon RC, Mauderli AP, Robinson ME, Price DD, Vierck CJ, Jr. Temporal summation of pain from mechanical stimulation of muscle tissue in normal controls and subjects with fibromyalgia syndrome. *Pain* 2003;102(1-2):87-95.
25. Bengtsson A, Henriksson KG. The muscle in fibromyalgia--a review of Swedish studies. *J Rheumatol Suppl* 1989;19:144-9.
26. Elert J, Kendall SA, Larsson B, Mansson B, Gerdle B. Chronic pain and difficulty in relaxing postural muscles in patients with fibromyalgia and chronic whiplash associated disorders. *J Rheumatol* 2001;28(6):1361-8.

27. Griep EN, Boersma JW, de Kloet ER. Altered reactivity of the hypothalamic-pituitary-adrenal axis in the primary fibromyalgia syndrome. *J Rheumatol* 1993;20(3):469-74.
28. Anderberg UM, Liu Z, Berglund L, Nyberg F. Plasma levels on nociceptin in female fibromyalgia syndrome patients. *Z Rheumatol* 1998;57 Suppl 2:77-80.
29. Cohen H, Neumann L, Kotler M, Buskila D. Autonomic nervous system derangement in fibromyalgia syndrome and related disorders. *Israel Medical Association Journal*: 2001;3(10):755-60.
30. Henriksson C, Burckhardt C. Impact of fibromyalgia on everyday life: a study of women in the USA and Sweden. *Disability & Rehabilitation* 1996;18(5):241-8.
31. Henriksson CM. Living with continuous muscular pain--patient perspectives. Part I: Encounters and consequences. *Scand J Caring Sci* 1995;9(2):67-76.
32. Henriksson CM. Living with continuous muscular pain--patient perspectives. Part II: Strategies for daily life. *Scand J Caring Sci* 1995;9(2):77-86.
33. White KP, Harth M, Teasell RW. Work disability evaluation and the fibromyalgia syndrome. *Semin Arthritis Rheum* 1995;24(6):371-81.
34. Liedberg GM, Henriksson CM. Factors of importance for work disability in women with fibromyalgia: an interview study. *Arthritis & Rheumatism (Arthritis Care & Research)* 2002; 47(3): 266-74.
35. Liedberg GM, Hesselstrand ME, Henriksson CM. Time use and activity patterns in women with long-term pain. *Scandinavian Journal of Occupational Therapy* 2004; 11(1): 26-35.
36. Grönblom-Lundström L. Rehabilitation in light of different theories of health. Outcome for patients with low-back complaints - a theoretical discussion. PhD thesis, Department of Public Health and Clinical Medicine, Epidemiology, Umeå University, Umeå, Sweden 2001.
37. Goldenberg DL, Burckhardt C, Crofford L. Management of fibromyalgia syndrome. *JAMA* 2004;292(19):2388-95.
38. Lemstra M, Olszynski WP. The effectiveness of multidisciplinary rehabilitation in the treatment of fibromyalgia: a randomized controlled trial. *Clinical Journal of Pain* 2005;21(2):166-74.
39. Gullacksen AC, Lidbeck J. The life adjustment process in chronic pain: psychosocial assessment and clinical implications. *Pain Res Manag* 2004;9(3):145-53.
40. Hogstedt C, Bjurvald M, Marklund S, Palmer E, Theorell Te. Den höga sjukfrånvaron - sanning och konsekvens. (In Swedish) (The high sickness absence - truth and consequence) Statens Folkhälsoinstitut, Sandviken 2004.
41. SOU 2002:5. Handlingsplan för ökad hälsa i arbetslivet. Mål, ansvar och åtgärder med utgångspunkt från ett övergripande mål för människor i arbete. Del 1 Slutbetänkande (in Swedish) (Swedish Government Official Report, Plan of actions for increased health in working life). Stockholm: Socialdepartementet.
42. SBU. Sjukskrivning - orsaker, konsekvenser och praxis. En systematiskt litteraturoversikt (in Swedish). (The Swedish Council on Technology Assessment in Health Care, Sickleave - causes, consequences and praxis. A systematic literature review). Stockholm, SBU 2003.
43. NSIB. Riksförsäkringsverket, RFV Statistikinformation IS-1 2002, 4. Sjuktalet dec 1998 - juni 2002 (in Swedish) (The National Insurance Board RFV statistics information IS-1 2002.4. Number on sick-leave, December 1998 - June 2002). 1997.
44. Marklund S, Bjurvald M, Hogstedt C, Palmer E, Theorell Te. Den höga sjukfrånvaron - problem och lösningar. (in Swedish, summary in English). (The high level of sickness absence - problems and solutions) Arbetslivsinstitutet (National Institute for Working Life) 2005.
45. SOU 2000:78. Rehabilitering till arbetet. En reform med individen i centrum. (In Swedish) (Swedish Government Official Report. Vocational Rehabilitation. A reform with the individual in focus). Stockholm, Socialdepartementet.
46. RFV Redovisar (1997:6). Risk - frisk -faktorer. Sjukskrivning och rehabilitering i Sverige.(Risk - Healthy - Factors. Sicklisting and Rehabilitation in Sweden). (In Swedish). Stockholm Riksförsäkringsverket (National Insurance Board).
47. van Duijn M, Lotters F, Burdorf A. Influence of modified work on return to work for employees on sick leave due to musculoskeletal complaints. *J Rehabil Med* 2005;37(3):172-9.

48. Loisel P, Abenham L, Durand P, Esdaile JM, Suissa S, Gosselin L, et al. A population-based, randomized clinical trial on back pain management. *Spine* 1997;22(24):2911-8.
49. Jensen IB, Bergstrom G, Ljungquist T, Bodin L. A 3-year follow-up of a multidisciplinary rehabilitation programme for back and neck pain. *Pain* 2005;115(3):273-83.
50. Liedberg G. Women with fibromyalgia, Employment and daily life. PhD thesis, Division of Occupational Therapy, Department of Neuroscience and Locomotion, Faculty of Health Sciences, Linköping University, Linköping, Sweden 2004.
51. Sim J, Adams N. Systematic review of randomized controlled trials of nonpharmacological interventions for fibromyalgia. *Clinical Journal of Pain* 2002;18(5):324-36.
52. Karjalainen K, Malmivaara A, van Tulder M, Roine R, Jauhiainen M, Hurri H, et al. Multidisciplinary rehabilitation for fibromyalgia and musculoskeletal pain in working age adults. *Cochrane Database of Systematic Reviews* 2000(2):CD001984.
53. Hirdman Y. Genus - om det stabilas föränderliga former (in Swedish). (Gender - on the variable forms of stability) Malmö: Liber; 2003.
54. Harding S. The science question in feminism. Cornell University Press; Ithaca 1986.
55. Öhman A. Gender on the move, conditions and gendered development in physiotherapy. PhD thesis, Department of Public Health and Clinical Medicine, Umeå University, Umeå 2001.
56. Hovellius B, Johansson E. eds. Kropp och genus i medicinen. (In Swedish). (Body and gender in medicine) Lund: Studentlitteratur, 2004.
57. Ahlgren C, Hammarstrom A. Back to work? Gendered experiences of rehabilitation. *Scand J Public Health* 2000;28(2):88-94.
58. Steihaug S, Ahlsen B, Malterud K. From exercise and education to movement and interaction. Treatment groups in primary care for women with chronic muscular pain. *Scand J Prim Health Care* 2001;19(4):249-54.
59. Johansson EE, Hamberg K, Lindgren G, Westman G. "I've been crying my way"--qualitative analysis of a group of female patients' consultation experiences. *Fam Pract* 1996;13(6):498-503.
60. Hamberg K, Johansson E, Lindgren G, Westman G. The impact of marital relationship on the rehabilitation process in a group of women with long-term musculoskeletal disorders. *Scand J Soc Med* 1997;25(1):17-25.
61. Söderberg S, Lundman B, Norberg A. Struggling for dignity: the meaning of women's experiences of living with fibromyalgia. *Qual Health Res* 1999;9(5):575-87.
62. Söderberg S, Lundman B. Transitions experienced by women with fibromyalgia. *Health Care Women Int* 2001;22(7):617-31.
63. Malterud K, (ed). Kvinnors oförstådda ohälsa. (In Swedish) (Women's incomprehensible ill-health). Stockholm: Natur och Kultur, 2004.
64. Steihaug S, Malterud K. Recognition and reciprocity in encounters with women with chronic muscular pain. *Scand J Prim Health Care* 2002;20(3):151-6.
65. Werner A, Steihaug S, Malterud K. Encountering the continuing challenges for women with chronic pain: recovery through recognition. *Qual Health Res* 2003;13(4):491-509.
66. Fausto-Sterling A. Myths of gender, biological theories about women and men, 2nd edition. Basic Books, New York, USA 1992.
67. Wendell S. The rejected body. Routledge, New York, USA 1996.
68. Toombs SK. The meaning of illness. A phenomenological account of the different perspectives of physicians and patients. Kluwer Academic Publishers, Boston 1992.
69. Åsbring P, Narvanen AL. Ideal versus reality: physicians perspectives on patients with chronic fatigue syndrome (CFS) and fibromyalgia. *Soc Sci Med* 2003;57(4):711-20.
70. Album D. Sykdommers og medisinske spesialiters prestige (In Norwegian) (The prestige of diseases and medical specialties, English summary. *Tidsskrift for Den Norske Lægeforening* 1991;111(17):2127-2133.
71. Malterud K. The (gendered) construction of diagnosis interpretation of medical signs in women patients. *Theor Med Bioeth* 1999;20(3):275-86.
72. Åsbring P, Narvanen AL. Women's experiences of stigma in relation to chronic fatigue syndrome and fibromyalgia. *Qual Health Res* 2002;12(2):148-60.
73. Ehrlich GE. Pain is real; fibromyalgia isn't. *J Rheumatol* 2003;30(8):1666-7.

74. White KP, Nielson WR, Harth M, Ostbye T, Speechley M. Does the label "fibromyalgia" alter health status, function, and health service utilization? A prospective, within-group comparison in a community cohort of adults with chronic widespread pain. *Arthritis & Rheumatism* 2002;47(3):260-5.
75. Roxendahl G. Body awareness therapy and the body awareness scale, treatment and evaluation in a psychiatric physiotherapy. PhD thesis. Gothenburg. Department of Psychiatry, University of Gothenburg. 1985.
76. Engelsrud G. Kj rlighet og bevegelse (Love and movement). PhD thesis (in Norwegian) Oslo, Department of Public Health Sciences, Oslo University. 1990.
77. Goldenberg DL, Burckhardt C, Crofford L. Management of fibromyalgia syndrome. *Jama* 2004;292(19):2388-95.
78. Adams N, Sim J. Rehabilitation approaches in fibromyalgia. *Disabil Rehabil* 2005;27(12):711-23.
79. Mannerkorpi K, Iversen MD. Physical exercise in fibromyalgia and related syndromes. *Best Practice & Research in Clinical Rheumatology* 2003;17(4):629-47.
80. King SJ, Wessel J, Bhambhani Y, Sholter D, Maksymowych W. The effects of exercise and education, individually or combined, in women with fibromyalgia. *J Rheumatol* 2002;29(12):2620-7.
81. Mannerkorpi K. Exercise in fibromyalgia. *Current Opinion in Rheumatology* 2005;17(2):190-4.
82. Mannerkorpi K, Nyberg B, Ahlmen M, Ekdahl C. Pool exercise combined with an education program for patients with fibromyalgia syndrome. A prospective, randomized study. *J Rheumatol* 2000;27(10):2473-81.
83. Busch A, Schachter CL, Peloso PM, Bombardier C. Exercise for treating fibromyalgia syndrome. *Cochrane Database of Systematic Reviews* 2002(3):CD003786.
84. Wigors SH, Stiles TC, Vogel PA. Effects of aerobic exercise versus stress management treatment in fibromyalgia. A 4.5 year prospective study. *Scand J Rheumatol* 1996;25(2):77-86.
85. Martin L, Nutting A, MacIntosh BR, Edworthy SM, Butterwick D, Cook J. An exercise program in the treatment of fibromyalgia. *J Rheumatol* 1996;23(6):1050-3.
86. Meiworm L, Jakob E, Walker UA, Peter HH, Keul J. Patients with fibromyalgia benefit from aerobic endurance exercise. *Clinical Rheumatology* 2000;19(4):253-7.
87. Buckelew SP, Conway R, Parker J, Deuser WE, Read J, Witty TE, et al. Biofeedback/relaxation training and exercise interventions for fibromyalgia: a prospective trial. *Arthritis Care & Research* 1998;11(3):196-209.
88. Burckhardt CS, Mannerkorpi K, Hedenberg L, Bjelle A. A randomized, controlled clinical trial of education and physical training for women with fibromyalgia. *J Rheumatol* 1994;21(4):714-20.
89. Gowans SE, deHueck A, Voss S, Richardson M. A randomized, controlled trial of exercise and education for individuals with fibromyalgia. *Arthritis Care & Research* 1999;12(2):120-8.
90. Gowans SE, Dehueck A, Voss S, Silaj A, Abbey SE. Six-month and one-year followup of 23 weeks of aerobic exercise for individuals with fibromyalgia. *Arthritis & Rheumatism* 2004;51(6):890-8.
91. Gowans SE, deHueck A, Voss S, Silaj A, Abbey SE, Reynolds WJ. Effect of a randomized, controlled trial of exercise on mood and physical function in individuals with fibromyalgia. *Arthritis Rheum* 2001;45(6):519-29.
92. Clark SR, Jones KD, Burckhardt CS, Bennett R. Exercise for patients with fibromyalgia: risks versus benefits. *Current Rheumatology Reports* 2001;3(2):135-46.
93. Gyllensten AL, Ovesson MN, Lindstrom I, Hansson L, Ekdahl C. Reliability of the Body Awareness Scale-Health. *Scand J Caring Sci* 2004;18(2):213-9.
94. Mannerkorpi K, Arndorw M. Efficacy and feasibility of a combination of body awareness therapy and qigong in patients with fibromyalgia: a pilot study. *Journal of Rehabilitation Medicine* 2004;36(6):279-81.

95. Grahn B, Ekdahl C, Borgquist L. Effects of a multidisciplinary rehabilitation programme on health-related quality of life in patients with prolonged musculoskeletal disorders: a 6-month follow-up of a prospective controlled study. *Disabil Rehabil* 1998;20(8):285-97.
96. Malmgren-Olsson EB, Branholm IB. A comparison between three physiotherapy approaches with regard to health-related factors in patients with non-specific musculoskeletal disorders. *Disabil Rehabil* 2002;24(6):308-17.
97. Gustafsson M, Ekholm J, Broman L. Effects of a multiprofessional rehabilitation programme for patients with fibromyalgia syndrome. *J Rehabil Med* 2002;34(3):119-27.
98. Kendall SA, Brolin-Magnusson K, Soren B, Gerdle B, Henriksson KG. A pilot study of body awareness programs in the treatment of fibromyalgia syndrome. *Arthritis Care & Research* 2000;13(5):304-11.
99. Gyllensten AL, Gard G, Salford E, Ekdahl C. Interaction between patient and physiotherapist: a qualitative study reflecting the physiotherapist's perspective. *Physiother Res Int* 1999;4(2):89-109.
100. Gyllensten AL, Ekdahl C, Hansson L. Validity of the Body Awareness Scale-Health (BAS-H). *Scand J Caring Sci* 1999;13(4):217-26.
101. Gustafsson M, Ekholm J, Ohman A. From shame to respect: musculoskeletal pain patients' experience of a rehabilitation programme, a qualitative study. *J Rehabil Med* 2004;36(3):97-103.
102. Williams DA. Psychological and behavioural therapies in fibromyalgia and related syndromes. *Best Pract Res Clin Rheumatol* 2003;17(4):649-65.
103. Drexler AR, Mur EJ, Gunther VC. Efficacy of an EMG-biofeedback therapy in fibromyalgia patients. A comparative study of patients with and without abnormality in (MMPI) psychological scales. *Clinical & Experimental Rheumatology* 2002;20(5):677-82.
104. Tashakkori A, Teddlie C. *Mixed Methodology. Combining Qualitative and Quantitative approaches. Applied Social Research Series. Volyme 46. Sage Publications, London. 1998.*
105. Öhman A. Qualitative methodology for rehabilitation research. *J Rehabil Med* 2005;37(5):273-80.
106. Margolis RB, Tait RC, Krause SJ. A rating system for use with patient pain drawings. *Pain* 1986;24(1):57-65.
107. Katz J, Melzack R. Measurement of pain. *Surg Clin North Am* 1999;79(2):231-52.
108. Burckhardt CS, Clark SR, Bennett RM. Fibromyalgia and quality of life: a comparative analysis. *J Rheumatol* 1993;20(3):475-9.
109. Kerns RD, Turk DC, Rudy TE. The West Haven-Yale Multidimensional Pain Inventory (WHYMPI). *Pain* 1985;23(4):345-56.
110. Borg E, Borg G. A comparison of AME and CR100 for scaling perceived exertion. *Acta Psychol (Amst)* 2002;109(2):157-75.
111. Elert J, Sydnerth S-B, Åsbjörnsson L, Gerdle B. Aspects of criterion validity and sensitivity of the BAS-H scale in chronic pain patients -A pilot study of patients at a multidisciplinary pain centre. *Advances in Physiotherapy* 1999;1:83-97.
112. Åsberg M, Perris C, Schalling D, Sedwall G. The CPRS Development and application of a psychiatric rating scale. *Acta Psychiatrica Scandinavia. Supplement* 1978(271):5 - 27.
113. Hermens HJ, Freriks B, Merletti R, Stegeman D, Blok D BJ, Rau G, et al. SENIAM European recommendations for surface electromyography. 1999, Roessingh, Research and development.
114. Svensson E. Ordinal invariant measures for individual and group changes in ordered categorical data. *Stat Med* 1998;17(24):2923-36.
115. Sonn U, Svensson E. Measures of individual and group changes in ordered categorical data: application to the ADL staircase. *Scand J Rehabil Med* 1997;29(4):233-42.
116. Dahlgren L, Emmelin M, Winkvist A. *Qualitative Methodology for International Public Health. Print and Media, Umeå University, Umeå 2004.*
117. Kvale S. *Inter Views - an introduction to qualitative research interviews. London: SAGE Publications 1996.*
118. Greenhalgh T, Taylor R. Papers that go beyond numbers (qualitative research). *BMJ* 1997;315(20):740-743.

119. Hundelson P. Qualitative research for health programmes. Division of mental health, Geneva. WHO 1994.
120. Glaser B, Strauss A. The discovery of grounded theory - strategies for qualitative research. Chicago: Aldine 1967.
121. Strauss A, Corbin J. Basics of qualitative research. 2nd' edition. Thousand Oaks; Sage publications 1998.
122. Graneheim UH, Lundman B. Qualitative content analysis in nursing research: concepts, procedures and measures to achieve trustworthiness. Nurse Educ Today 2004;24(2):105-12.
123. Grbich C. Qualitative research in Health, an introduction. London: SAGE Publications, 1999.
124. Barbour R, Kitzinger J, editors. Developing focus group research. London: SAGE Publications 1999.
125. Mengshoel AM, Heggen K. Recovery from fibromyalgia -- previous patients' own experiences. Disability and Rehabilitation 2004; 26(1): 46-53.
126. Werner A, Isaksen LW, Malterud K. 'I am not the kind of woman who complains of everything': illness stories on self and shame in women with chronic pain. Soc Sci Med 2004;59(5):1035-45.
127. Bäckström I. Att skilja angnarna från vetet. Om arbetsrehabilitering av långvarigt sjukskrivna kvinnor och män. (In Swedish) (To sort the sheep from the goats. On sick-listing long-term sick-listed women and men) PhD thesis, Department of Social Work, Umeå University, Umeå 1997.
128. Ahlgren C, Hammarstrom A. Has increased focus on vocational rehabilitation led to an increase in young employees' return to work after work-related disorders? Scand J Public Health 1999;27(3):220-7.
129. Vlaeyen JW, Kole-Snijders AM, Boeren RG, van Eek H. Fear of movement/(re)injury in chronic low back pain and its relation to behavioral performance. Pain 1995;62(3):363-72.
130. Vollenbroek-Hutten M, Hermens H, Voerman G, Sandsjo L, Kadefors R. Are changes in pain induced by myofeedback training related to changes in muscle activation patterns in patients with work-related myalgia? Eur J Appl Physiol 2006;96(2):209-15.
131. Wolfe F, Anderson J, Harkness D, Bennett RM, Caro XJ, Goldenberg DL, et al. Health status and disease severity in fibromyalgia: results of a six-center longitudinal study. Arthritis & Rheumatism 1997;40(9):1571-9.
132. World Health Organization. International Classification of Functioning Disability and Health: ICF. Geneva. WHO; 2001.
133. Socialstyrelsen. Klassifikation av funktionstillstånd, funktionshinder och hälsa (ICF). (In Swedish). (The National Board of Health and Welfare. Classification of Functioning, Disability and Health). Stockholm. Socialstyrelsens kundtjänst eller [www.socialstyrelsen.se](http://www.socialstyrelsen.se) 2006.
134. Stucki G, Grimby G. ICF core sets for chronic conditions. J Rehabil Med 2004(Suppl no 44):1-144.
135. Malterud K. The art and science of clinical knowledge: evidence beyond measures and numbers. Lancet 2001;358(9279):397-400.