

LAMPIRAN

OUTPUT SPSS

Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
ROE	80	-2.37	38.95	18.6344	10.12968
TOBINSQ	80	.12	2.41	1.0726	.53931
KAT	80	.16	.80	.3587	.17804
KT	80	-9	95	41.72	26.321
UP	80	14.16	17.93	15.5627	.92922
KPGCG	80	.00	1.00	.3500	.47998
SP	80	8.93	87.31	56.9564	16.16240
Valid N (listwise)	80				

NPar Tests

One-Sample Kolmogorov-Smirnov Test

	ROE	TOBINSQ	KAT	KT	UP	KPGCG	SP	
N	80	80	80	80	80	80	80	
Normal Parameters ^a	Mean	18.6344	1.0726	.3588	41.72	15.5628	.3500	56.9564
	Std. Deviation	10.12968	.53931	.17804	26.321	.92922	.47998	16.16240
Most Extreme Differences	Absolute	.052	.104	.135	.070	.122	.417	.159
	Positive	.049	.104	.135	.060	.122	.417	.159
	Negative	-.052	-.057	-.132	-.070	-.080	-.262	-.158
Kolmogorov-Smirnov Z	.465	.933	1.211	.627	1.094	3.730	1.420	
Asymp. Sig. (2-tailed)	.982	.349	.106	.826	.183	.000	.054	

a. Test distribution is Normal.

b. Calculated from data.

Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	SP, KT, KAT, KPGCG, UP ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: ROE

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.530 ^a	.281	.233	8.87297	2.169

a. Predictors: (Constant), SP, KT, KAT, KPGCG, UP

b. Dependent Variable: ROE

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	2280.232	5	456.046	5.793	.000 ^a
	Residual	5825.984	74	78.730		
	Total	8106.216	79			

a. Predictors: (Constant), SP, KT, KAT, KPGCG, UP

b. Dependent Variable: ROE

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	-62.673	19.957		-3.140	.002		
	KAT	-11.827	5.746	-.208	-2.058	.043	.952	1.050
	KT	.088	.040	.229	2.229	.029	.920	1.087
	UP	4.572	1.182	.419	3.867	.000	.826	1.211
	KPGCG	4.104	2.163	.194	1.898	.062	.925	1.081
	SP	.163	.067	.260	2.446	.017	.858	1.165

a. Dependent Variable: ROE

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions					
				(Constant)	KAT	KT	UP	KPGCG	SP
1	1	4.968	1.000	.00	.01	.01	.00	.01	.00
	2	.598	2.882	.00	.02	.00	.00	.87	.00
	3	.221	4.739	.00	.04	.97	.00	.10	.01
	4	.162	5.533	.00	.80	.00	.00	.01	.08
	5	.049	10.079	.01	.12	.01	.02	.00	.68
	6	.001	60.784	.99	.01	.00	.98	.01	.22

a. Dependent Variable: ROE


Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	3.4243	35.7458	18.6344	5.37249	80
Std. Predicted Value	-2.831	3.185	.000	1.000	80
Standard Error of Predicted Value	1.360	4.179	2.356	.600	80
Adjusted Predicted Value	.1484	37.4818	18.6348	5.48161	80
Residual	-17.30763	19.14055	.00000	8.58759	80
Std. Residual	-1.951	2.157	.000	.968	80
Stud. Residual	-2.103	2.214	.000	1.010	80
Deleted Residual	-20.11641	20.16507	-.00044	9.35984	80
Stud. Deleted Residual	-2.154	2.276	.001	1.018	80
Mahal. Distance	.868	16.533	4.938	3.149	80
Cook's Distance	.000	.120	.015	.022	80
Centered Leverage Value	.011	.209	.063	.040	80

a. Dependent Variable: ROE


Charts

Normal P-P Plot of Regression Standardized Residual



Scatterplot

Dependent Variable: ROE



Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	SP, KT, KAT, KPGCG, UP ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: TOBINSQ

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.452 ^a	.204	.150	.49717	2.224

a. Predictors: (Constant), SP, KT, KAT, KPGCG, UP

b. Dependent Variable: TOBINSQ

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	4.686	5	.937	3.791	.004 ^a
	Residual	18.291	74	.247		
	Total	22.977	79			

a. Predictors: (Constant), SP, KT, KAT, KPGCG, UP

b. Dependent Variable: TOBINSQ

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	-2.461	1.118		-2.201	.031		
	KAT	.147	.322	.049	.458	.648	.952	1.050
	KT	.005	.002	.220	2.037	.045	.920	1.087
	UP	.210	.066	.362	3.175	.002	.826	1.211
	KPGCG	-.175	.121	-.156	-1.443	.153	.925	1.081
	SP	.001	.004	.042	.378	.706	.858	1.165

a. Dependent Variable: TOBINSQ

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions					
				(Constant)	KAT	KT	UP	KPGCG	SP
1	1	4.968	1.000	.00	.01	.01	.00	.01	.00
	2	.598	2.882	.00	.02	.00	.00	.87	.00
	3	.221	4.739	.00	.04	.97	.00	.10	.01
	4	.162	5.533	.00	.80	.00	.00	.01	.08
	5	.049	10.079	.01	.12	.01	.02	.00	.68
	6	.001	60.784	.99	.01	.00	.98	.01	.22

a. Dependent Variable: TOBINSQ


Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	.5661	1.6883	1.0726	.24354	80
Std. Predicted Value	-2.080	2.528	.000	1.000	80
Standard Error of Predicted Value	.076	.234	.132	.034	80
Adjusted Predicted Value	.5995	1.7027	1.0714	.24473	80
Residual	-.81833	1.34724	.00000	.48118	80
Std. Residual	-1.646	2.710	.000	.968	80
Stud. Residual	-1.723	2.775	.001	1.004	80
Deleted Residual	-.89693	1.41335	.00118	.51838	80
Stud. Deleted Residual	-1.747	2.912	.007	1.021	80
Mahal. Distance	.868	16.533	4.938	3.149	80
Cook's Distance	.000	.183	.013	.024	80
Centered Leverage Value	.011	.209	.063	.040	80

a. Dependent Variable: TOBINSQ

Charts

Normal P-P Plot of Regression Standardized Residual



Scatterplot

Dependent Variable: TOBINSQ

