

Frequencies

Statistics

		Pekerjaan	Usia	JenisKelamin	Tingkat Pendidikan	Jasa RSUD	Status
N	Valid	100	100	100	100	100	100
	Missing	0	0	0	0	0	0

Frequency Table

Pekerjaan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TNI/POLRI/PNS	48	48.0	48.0	48.0
	Karyawanswasta	46	46.0	46.0	94.0
	Wiraswasta	6	6.0	6.0	100.0
	Total	100	100.0	100.0	

Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	21.00	1	1.0	1.0	1.0
	22.00	1	1.0	1.0	2.0
	23.00	2	2.0	2.0	4.0
	24.00	7	7.0	7.0	11.0
	25.00	1	1.0	1.0	12.0
	26.00	4	4.0	4.0	16.0
	27.00	8	8.0	8.0	24.0
	28.00	5	5.0	5.0	29.0
	29.00	6	6.0	6.0	35.0
	30.00	11	11.0	11.0	46.0
	32.00	4	4.0	4.0	50.0
	33.00	6	6.0	6.0	56.0
	34.00	9	9.0	9.0	65.0

35.00	6	6.0	6.0	71.0
36.00	5	5.0	5.0	76.0
37.00	4	4.0	4.0	80.0
38.00	4	4.0	4.0	84.0
39.00	3	3.0	3.0	87.0
40.00	3	3.0	3.0	90.0
41.00	2	2.0	2.0	92.0
42.00	3	3.0	3.0	95.0
45.00	2	2.0	2.0	97.0
47.00	2	2.0	2.0	99.0
53.00	1	1.0	1.0	100.0
Total	100	100.0	100.0	

JenisKelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid PRIA	28	28.0	28.0	28.0
Valid WANITA	72	72.0	72.0	100.0
Total	100	100.0	100.0	

Tingkat Pendidikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TidakSekolah	1	1.0	1.0	1.0
Valid SLTP	1	1.0	1.0	2.0
Valid SLTA	9	9.0	9.0	11.0
Valid Diploma	24	24.0	24.0	35.0
Valid Sarjana (S1/S2/S3)	65	65.0	65.0	100.0
Total	100	100.0	100.0	

Jasa RSUD

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1 kali	27	27.0	27.0	27.0
2 Kali	11	11.0	11.0	38.0
3-4 Kali	17	17.0	17.0	55.0
5 kali ataulebih	45	45.0	45.0	100.0
Total	100	100.0	100.0	

Status

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid BelumMenikah	15	15.0	15.0	15.0
Menikah	85	85.0	85.0	100.0
Total	100	100.0	100.0	

Uji Validitas dan UjiReliabilitas

Correlations

	X1.1	X1.2	X1.3	X1.4	X1.5	X1.6	X1.TOT	
X1.1	Pearson Correlation	1	.388**	.359**	.254*	.305**	.386**	.663**
	Sig. (2-tailed)		.000	.000	.011	.002	.000	.000
	N	100	100	100	100	100	100	100
X1.2	Pearson Correlation	.388**	1	.331**	.459**	.492**	.550**	.759**
	Sig. (2-tailed)	.000		.001	.000	.000	.000	.000
	N	100	100	100	100	100	100	100
X1.3	Pearson Correlation	.359**	.331**	1	.299**	.369**	.393**	.638**
	Sig. (2-tailed)	.000	.001		.002	.000	.000	.000
	N	100	100	100	100	100	100	100
X1.4	Pearson Correlation	.254*	.459**	.299**	1	.235*	.197*	.660**
	Sig. (2-tailed)	.011	.000	.002		.019	.050	.000
	N	100	100	100	100	100	100	100
X1.5	Pearson Correlation	.305**	.492**	.369**	.235*	1	.847**	.717**
	Sig. (2-tailed)							

X1.6	Sig. (2-tailed)	.002	.000	.000	.019		.000	.000
	N	100	100	100	100	100	100	100
	Pearson Correlation	.386**	.550**	.393**	.197*	.847**	1	.745**
	Sig. (2-tailed)	.000	.000	.000	.050	.000		.000
X1.TOT	N	100	100	100	100	100	100	100
	Pearson Correlation	.663**	.759**	.638**	.660**	.717**	.745**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	
	N	100	100	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Reliability**Scale: ALL VARIABLES****Case Processing Summary**

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.762	6

Item Statistics

	Mean	Std. Deviation	N
X1.1	3.7000	.83485	100
X1.2	3.8300	.65219	100
X1.3	4.3300	.63652	100
X1.4	3.7800	1.02079	100
X1.5	3.8600	.58638	100
X1.6	3.9100	.60461	100

Correlations

		Correlations								
		X2.1	X2.2	X2.3	X2.4	X2.5	X2.6	X2.7	X2.8	X2.TO T
X2.1	Pearson Correlation	1	.625**	.442**	.398**	.440**	.273**	.425**	.475**	.689**
	Sig. (2-tailed)		.000	.000	.000	.000	.006	.000	.000	.000
	N	100	100	100	100	100	100	100	100	100
X2.2	Pearson Correlation	.625**	1	.497**	.482**	.254*	.169	.194	.330**	.601**
	Sig. (2-tailed)	.000		.000	.000	.011	.093	.053	.001	.000
	N	100	100	100	100	100	100	100	100	100
X2.3	Pearson Correlation	.442**	.497**	1	.825**	.590**	.509**	.449**	.515**	.866**
	Sig. (2-tailed)	.000	.000		.000	.000	.000	.000	.000	.000
	N	100	100	100	100	100	100	100	100	100
X2.4	Pearson Correlation	.398**	.482**	.825**	1	.529**	.327**	.394**	.425**	.791**
	Sig. (2-tailed)	.000	.000	.000		.000	.001	.000	.000	.000
	N	100	100	100	100	100	100	100	100	100
X2.5	Pearson Correlation	.440**	.254*	.590**	.529**	1	.556**	.331**	.265**	.698**
	Sig. (2-tailed)	.000	.011	.000	.000		.000	.001	.008	.000
	N	100	100	100	100	100	100	100	100	100
X2.6	Pearson Correlation	.273**	.169	.509**	.327**	.556**	1	.496**	.296**	.660**
	Sig. (2-tailed)	.006	.093	.000	.001	.000		.000	.003	.000
	N	100	100	100	100	100	100	100	100	100
X2.7	Pearson Correlation	.425**	.194	.449**	.394**	.331**	.496**	1	.497**	.677**
	Sig. (2-tailed)	.000	.053	.000	.000	.001	.000		.000	.000
	N	100	100	100	100	100	100	100	100	100
X2.8	Pearson Correlation	.475**	.330**	.515**	.425**	.265**	.296**	.497**	1	.667**
	Sig. (2-tailed)	.000	.001	.000	.000	.008	.003	.000		.000
	N	100	100	100	100	100	100	100	100	100
X2.TO T	Pearson Correlation	.689**	.601**	.866**	.791**	.698**	.660**	.677**	.667**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	
	N	100	100	100	100	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Reliability**Scale: ALL VARIABLES****Case Processing Summary**

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.856	8

Item Statistics

	Mean	Std. Deviation	N
X2.1	3.8900	.52982	100
X2.2	4.0100	.52214	100
X2.3	3.8600	.66697	100
X2.4	3.9100	.76667	100
X2.5	3.8700	.54411	100
X2.6	3.6700	.72551	100
X2.7	3.5700	.63968	100
X2.8	3.8100	.59789	100

Correlations

		Correlations							
		X3.1	X3.2	X3.3	X3.4	X3.5	X3.6	X3.7	X3.TO T
X3.1	Pearson	1	.556**	.550**	.471**	.585**	.456**	.424**	.648**
	Correlation								
	Sig. (2-tailed)		.000	.000	.000	.000	.000	.000	.000
	N	100	100	100	100	100	100	100	100
X3.2	Pearson	.556**	1	.458**	.332**	.401**	.302**	.340**	.565**
	Correlation								
	Sig. (2-tailed)	.000		.000	.001	.000	.002	.001	.000
	N	100	100	100	100	100	100	100	100
X3.3	Pearson	.550**	.458**	1	.548**	.431**	.564**	.399**	.669**
	Correlation								
	Sig. (2-tailed)	.000	.000		.000	.000	.000	.000	.000
	N	100	100	100	100	100	100	100	100
X3.4	Pearson	.471**	.332**	.548**	1	.475**	.524**	.133	.579**
	Correlation								
	Sig. (2-tailed)	.000	.001	.000		.000	.000	.186	.000
	N	100	100	100	100	100	100	100	100
X3.5	Pearson	.585**	.401**	.431**	.475**	1	.537**	.251*	.641**
	Correlation								
	Sig. (2-tailed)	.000	.000	.000	.000		.000	.012	.000
	N	100	100	100	100	100	100	100	100
X3.6	Pearson	.456**	.302**	.564**	.524**	.537**	1	.386**	.633**
	Correlation								
	Sig. (2-tailed)	.000	.002	.000	.000	.000		.000	.000
	N	100	100	100	100	100	100	100	100
X3.7	Pearson	.424**	.340**	.399**	.133	.251*	.386**	1	.553**
	Correlation								
	Sig. (2-tailed)	.000	.001	.000	.186	.012	.000		.000
	N	100	100	100	100	100	100	100	100
X3.TO T	Pearson	.648**	.565**	.669**	.579**	.641**	.633**	.553**	1
	Correlation								
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	
	N	100	100	100	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Correlations

		Correlations							
		X3.8	X3.9	X3.10	X3.11	X3.12	X3.13	X3.14	X3.TO T
X3.8	Pearson	1	.526**	.332**	.312**	.305**	.362**	.176	.649**
	Correlation								
	Sig. (2-tailed)		.000	.001	.002	.002	.000	.080	.000
	N	100	100	100	100	100	100	100	100
X3.9	Pearson	.526**	1	.534**	.391**	.343**	.420**	-.046	.711**
	Correlation								
	Sig. (2-tailed)	.000		.000	.000	.000	.000	.653	.000
	N	100	100	100	100	100	100	100	100
X3.10	Pearson	.332**	.534**	1	.265**	.231*	.490**	.276**	.635**
	Correlation								
	Sig. (2-tailed)	.001	.000		.008	.021	.000	.005	.000
	N	100	100	100	100	100	100	100	100
X3.11	Pearson	.312**	.391**	.265**	1	.652**	.460**	.268**	.641**
	Correlation								
	Sig. (2-tailed)	.002	.000	.008		.000	.000	.007	.000
	N	100	100	100	100	100	100	100	100
X3.12	Pearson	.305**	.343**	.231*	.652**	1	.588**	.474**	.654**
	Correlation								
	Sig. (2-tailed)	.002	.000	.021	.000		.000	.000	.000
	N	100	100	100	100	100	100	100	100
X3.13	Pearson	.362**	.420**	.490**	.460**	.588**	1	.497**	.674**
	Correlation								
	Sig. (2-tailed)	.000	.000	.000	.000	.000		.000	.000
	N	100	100	100	100	100	100	100	100
X3.14	Pearson	.176	-.046	.276**	.268**	.474**	.497**	1	.419**
	Correlation								
	Sig. (2-tailed)	.080	.653	.005	.007	.000	.000		.000
	N	100	100	100	100	100	100	100	100
X3.TO T	Pearson	.649**	.711**	.635**	.641**	.654**	.674**	.419**	1
	Correlation								
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	
	N	100	100	100	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Correlations

		Correlations						
		X3.15	X3.16	X3.17	X3.18	X3.19	X3.20	X3.TOT
X3.15	Pearson Correlation	1	.608**	.224*	.201*	.222*	.416**	.443**
	Sig. (2-tailed)		.000	.025	.045	.027	.000	.000
	N	100	100	100	100	100	100	100
X3.16	Pearson Correlation	.608**	1	.414**	.393**	.400**	.488**	.673**
	Sig. (2-tailed)	.000		.000	.000	.000	.000	.000
	N	100	100	100	100	100	100	100
X3.17	Pearson Correlation	.224*	.414**	1	.770**	.487**	.470**	.648**
	Sig. (2-tailed)	.025	.000		.000	.000	.000	.000
	N	100	100	100	100	100	100	100
X3.18	Pearson Correlation	.201*	.393**	.770**	1	.462**	.438**	.612**
	Sig. (2-tailed)	.045	.000	.000		.000	.000	.000
	N	100	100	100	100	100	100	100
X3.19	Pearson Correlation	.222*	.400**	.487**	.462**	1	.432**	.511**
	Sig. (2-tailed)	.027	.000	.000	.000		.000	.000
	N	100	100	100	100	100	100	100
X3.20	Pearson Correlation	.416**	.488**	.470**	.438**	.432**	1	.636**
	Sig. (2-tailed)	.000	.000	.000	.000	.000		.000
	N	100	100	100	100	100	100	100
X3.TOT	Pearson Correlation	.443**	.673**	.648**	.612**	.511**	.636**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	
	N	100	100	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Reliability**Scale: ALL VARIABLES****Case Processing Summary**

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.748	21

Item Statistics

	Mean	Std. Deviation	N
X3.1	3.7500	.53889	100
X3.2	3.6500	.71598	100
X3.3	3.8400	.44313	100
X3.4	3.8300	.42770	100
X3.5	3.7300	.61718	100
X3.6	3.8700	.44165	100
X3.7	3.7900	.60794	100
X3.8	3.9000	.48200	100
X3.9	3.8700	.50562	100
X3.10	3.7600	.66848	100
X3.11	3.5800	.79366	100
X3.12	3.6100	.69479	100
X3.13	3.6000	.75210	100
X3.14	3.1800	1.16671	100
X3.15	3.7300	.63333	100
X3.16	3.7500	.55732	100
X3.17	4.0000	.56854	100
X3.18	4.0800	.64636	100
X3.19	3.8200	.65721	100
X3.20	3.7700	.52905	100
X3.TOT	75.1100	7.45748	100

Correlations

		Correlations							
		X1	Y2	Y3	Y4	Y5	Y6	Y7	Y.TOT
X1	Pearson	1	.501**	.048	.237*	.160	.160	.059	.332**
	Correlation								
	Sig. (2-tailed)		.000	.637	.018	.112	.111	.561	.001
	N	100	100	100	100	100	100	100	100
Y2	Pearson	.501**	1	.034	.089	.108	.035	-.140	.240*
	Correlation								
	Sig. (2-tailed)	.000		.733	.379	.284	.732	.165	.016
	N	100	100	100	100	100	100	100	100
Y3	Pearson	.048	.034	1	.092	.065	.065	.082	.511**
	Correlation								
	Sig. (2-tailed)	.637	.733		.360	.523	.523	.420	.000
	N	100	100	100	100	100	100	100	100
Y4	Pearson	.237*	.089	.092	1	.053	.106	.127	.256*
	Correlation								
	Sig. (2-tailed)	.018	.379	.360		.598	.294	.209	.010
	N	100	100	100	100	100	100	100	100
Y5	Pearson	.160	.108	.065	.053	1	.393**	.231*	.598**
	Correlation								
	Sig. (2-tailed)	.112	.284	.523	.598		.000	.021	.000
	N	100	100	100	100	100	100	100	100
Y6	Pearson	.160	.035	.065	.106	.393**	1	.426**	.552**
	Correlation								
	Sig. (2-tailed)	.111	.732	.523	.294	.000		.000	.000
	N	100	100	100	100	100	100	100	100
Y7	Pearson	.059	-.140	.082	.127	.231*	.426**	1	.525**
	Correlation								
	Sig. (2-tailed)	.561	.165	.420	.209	.021	.000		.000
	N	100	100	100	100	100	100	100	100
Y.TOT	Pearson	.332**	.240*	.511**	.256*	.598**	.552**	.525**	1
	Correlation								
	Sig. (2-tailed)	.001	.016	.000	.010	.000	.000	.000	
	N	100	100	100	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Correlations

		Correlations							
		Y8	Y9	Y10	Y11	Y12	Y13	Y14	Y.TOT
Y8	Pearson	1	.213*	.366**	.242*	.274**	.057	.013	.384**
	Correlation								
	Sig. (2-tailed)		.033	.000	.015	.006	.576	.900	.000
	N	100	100	100	100	100	100	100	100
Y9	Pearson	.213*	1	.485**	.393**	.348**	.089	.008	.571**
	Correlation								
	Sig. (2-tailed)	.033		.000	.000	.000	.380	.936	.000
	N	100	100	100	100	100	100	100	100
Y10	Pearson	.366**	.485**	1	.182	.279**	-.006	-.121	.448**
	Correlation								
	Sig. (2-tailed)	.000	.000		.070	.005	.949	.231	.000
	N	100	100	100	100	100	100	100	100
Y11	Pearson	.242*	.393**	.182	1	.534**	.283**	.185	.549**
	Correlation								
	Sig. (2-tailed)	.015	.000	.070		.000	.004	.066	.000
	N	100	100	100	100	100	100	100	100
Y12	Pearson	.274**	.348**	.279**	.534**	1	.243*	.037	.488**
	Correlation								
	Sig. (2-tailed)	.006	.000	.005	.000		.015	.715	.000
	N	100	100	100	100	100	100	100	100
Y13	Pearson	.057	.089	-.006	.283**	.243*	1	.345**	.292**
	Correlation								
	Sig. (2-tailed)	.576	.380	.949	.004	.015		.000	.003
	N	100	100	100	100	100	100	100	100
Y14	Pearson	.013	.008	-.121	.185	.037	.345**	1	.326**
	Correlation								
	Sig. (2-tailed)	.900	.936	.231	.066	.715	.000		.001
	N	100	100	100	100	100	100	100	100
Y.TOT	Pearson	.384**	.571**	.448**	.549**	.488**	.292**	.326**	1
	Correlation								
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.003	.001	
	N	100	100	100	100	100	100	100	100

*. Correlation is significant at the 0.05 level (2-tailed).

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		Correlations								
		Y15	Y16	Y17	Y18	Y19	Y20	Y21	Y.22	Y.TOT
Y15	Pearson Correlation	1	.506**	.508**	.501**	.479**	.409**	.058	.175	.548**
	Sig. (2-tailed)		.000	.000	.000	.000	.000	.566	.081	.000
	N	100	100	100	100	100	100	100	100	100
Y16	Pearson Correlation	.506**	1	.467**	.530**	.486**	.352**	.306**	.219*	.543**
	Sig. (2-tailed)	.000		.000	.000	.000	.000	.002	.028	.000
	N	100	100	100	100	100	100	100	100	100
Y17	Pearson Correlation	.508**	.467**	1	.673**	.492**	.575**	.251*	.227*	.661**
	Sig. (2-tailed)	.000	.000		.000	.000	.000	.012	.023	.000
	N	100	100	100	100	100	100	100	100	100
Y18	Pearson Correlation	.501**	.530**	.673**	1	.598**	.590**	.280**	.262**	.658**
	Sig. (2-tailed)	.000	.000	.000		.000	.000	.005	.008	.000
	N	100	100	100	100	100	100	100	100	100
Y19	Pearson Correlation	.479**	.486**	.492**	.598**	1	.372**	.137	.275**	.602**
	Sig. (2-tailed)	.000	.000	.000	.000		.000	.175	.006	.000
	N	100	100	100	100	100	100	100	100	100
Y20	Pearson Correlation	.409**	.352**	.575**	.590**	.372**	1	.343**	.311**	.654**
	Sig. (2-tailed)	.000	.000	.000	.000	.000		.000	.002	.000
	N	100	100	100	100	100	100	100	100	100
Y21	Pearson Correlation	.058	.306**	.251*	.280**	.137	.343**	1	.504**	.473**
	Sig. (2-tailed)	.566	.002	.012	.005	.175	.000		.000	.000
	N	100	100	100	100	100	100	100	100	100
Y.22	Pearson Correlation	.175	.219*	.227*	.262**	.275**	.311**	.504**	1	.399**
	Sig. (2-tailed)	.081	.028	.023	.008	.006	.002	.000		.000
	N	100	100	100	100	100	100	100	100	100
Y.TOT	Pearson Correlation	.548**	.543**	.661**	.658**	.602**	.654**	.473**	.399**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	.000	.000	
	N	100	100	100	100	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Reliability**Scale: ALL VARIABLES****Case Processing Summary**

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.740	22

Item Statistics

	Mean	Std. Deviation	N
X1	4.0800	.56282	100
Y2	3.9300	.70000	100
Y3	4.6600	4.02573	100
Y4	3.5100	.90448	100
Y5	3.5900	.81767	100
Y6	3.7100	.82014	100
Y7	3.7000	.73168	100
Y8	3.8000	.89893	100
Y9	3.7300	.66447	100
Y10	3.2000	.92113	100
Y11	3.8000	.60302	100
Y12	3.6800	.80252	100
Y13	4.2200	.67540	100
Y14	3.9400	.70811	100
Y15	3.3700	.74745	100
Y16	3.5000	.94815	100
Y17	3.7500	.67232	100
Y18	3.6000	.80403	100
Y19	3.4100	.95447	100
Y20	3.5600	.96735	100
Y21	3.9000	.62765	100
Y.22	3.8800	.72864	100

Uji Normalitas

NPar Tests

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		100
Normal Parameters ^{a,b}	Mean	.0000000
	Std. Deviation	7.68402603
Most Extreme Differences	Absolute	.109
	Positive	.109
	Negative	-.087
Kolmogorov-Smirnov Z		1.093
Asymp. Sig. (2-tailed)		.183

a. Test distribution is Normal.

b. Calculated from data.

UjiMultikolenieritas


Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	32.533	8.742		3.721	.000		
	X1.TOT	1.714	.303	.517	5.657	.000	.745	1.343
	X2.TOT	.757	.315	.270	2.405	.018	.492	2.034
	X3.TOT	-.177	.138	-.133	-1.279	.204	.578	1.731

a. Dependent Variable: Y.TOT

Uji Heteroskedastisitas

Charts



Uji Autokorelasi dengan Durbin Watson

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.635 ^a	.404	.385	7.80317	1.862

a. Predictors: (Constant), X3.TOT, X1.TOT, X2.TOT

b. Dependent Variable: Y.TOT

Uji Regresi

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	X3.TOT, X1.TOT, X2.TOT ^b	.	Enter

a. Dependent Variable: Y.TOT

b. All requested variables entered.

ANOVA^a

Model	Sum of Squares	df	Mean Square	F	Sig.
1 Regression	3955.579	3	1318.526	21.654	.000 ^b
Residual	5845.381	96	60.889		
Total	9800.960	99			

a. Dependent Variable: Y.TOT

b. Predictors: (Constant), X3.TOT, X1.TOT, X2.TOT

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.635 ^a	.404	.385	7.80317

a. Predictors: (Constant), X3.TOT, X1.TOT, X2.TOT

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	32.533	8.742		3.721	.000
	X1.TOT	1.714	.303	.517	5.657	.000
	X2.TOT	.757	.315	.270	2.405	.018
	X3.TOT	-.177	.138	-.133	-1.279	.204

a. Dependent Variable: Y.TOT