

LAMPIRAN

Case Processing Summary Pendek Kurus

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pendek kurus * Hypertension	3581	100.0%	0	0.0%	3581	100.0%

pendek kurus * Hypertension Crosstabulation

		Hypertension		Total	
		Yes	No		
pendek kurus	yes	Count	12	89	101
		Expected Count	15.7	85.3	101.0
		% within pendek kurus	11.9%	88.1%	100.0%
pendek kurus	no	Count	544	2936	3480
		Expected Count	540.3	2939.7	3480.0
		% within pendek kurus	15.6%	84.4%	100.0%
Total		Count	556	3025	3581
		Expected Count	556.0	3025.0	3581.0
		% within pendek kurus	15.5%	84.5%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.053 ^a	1	.305		
Continuity Correction ^b	.786	1	.375		
Likelihood Ratio	1.128	1	.288		
Fisher's Exact Test				.402	.189
Linear-by-Linear Association	1.053	1	.305		
N of Valid Cases	3581				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.68.

b. Computed only for a 2x2 table

Risk Estimate Pendek Kurus

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pendek kurus (yes / no)	.728	.396	1.339
For cohort Hypertension = Yes	.760	.444	1.300
For cohort Hypertension = No	1.044	.971	1.124
N of Valid Cases	3581		

Risk Estimate (Pendek Gemuk)

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pendek gemuk (yes / no)	1.044	.870	1.252
For cohort Hypertension = Yes	1.037	.889	1.209
For cohort Hypertension = No	.993	.966	1.022
N of Valid Cases	3581		

Risk Estimate Normal

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for normal (yes / no)	.926	.768	1.117
For cohort Hypertension = Yes	.937	.800	1.098
For cohort Hypertension = No	1.012	.983	1.041
N of Valid Cases	3581		

Risk Estimate Tinggi Kurus

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for tinggi kurus (yes / no)	.332	.168	.654
For cohort Hypertension = Yes	.371	.196	.703
For cohort Hypertension = No	1.119	1.073	1.168
N of Valid Cases	3581		

Risk Estimate Tinggi Gemuk

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for tinggi gemuk (yes / no)	1.531	1.179	1.988
For cohort Hypertension = Yes	1.419	1.152	1.748
For cohort Hypertension = No	.927	.879	.977
N of Valid Cases	3581		

Crosstabs

Case Processing Summary (Pendek Gemuk)

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pendek gemuk * Hypertension	3581	100.0%	0	0.0%	3581	100.0%

pendek gemuk * Hypertension Crosstabulation

		Hypertension		Total	
		Yes	No		
pendek gemuk	yes	Count	247	1312	1559
		Expected Count	242.1	1316.9	1559.0
		% within pendek gemuk	15.8%	84.2%	100.0%
pendek gemuk	no	Count	309	1713	2022
		Expected Count	313.9	1708.1	2022.0
		% within pendek gemuk	15.3%	84.7%	100.0%
Total		Count	556	3025	3581
		Expected Count	556.0	3025.0	3581.0
		% within pendek gemuk	15.5%	84.5%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.212 ^a	1	.645		
Continuity Correction ^b	.171	1	.679		
Likelihood Ratio	.211	1	.646		
Fisher's Exact Test				.675	.339
Linear-by-Linear Association	.212	1	.646		
N of Valid Cases	3581				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 242.06.

b. Computed only for a 2x2 table

Case Processing Summary Normal

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
normal * Hypertension	3581	100.0%	0	0.0%	3581	100.0%

normal * Hypertension Crosstabulation

		Hypertension		Total	
		Yes	No		
normal	yes	Count	205	1170	1375
		Expected Count	213.5	1161.5	1375.0
		% within normal	14.9%	85.1%	100.0%
normal	no	Count	351	1855	2206
		Expected Count	342.5	1863.5	2206.0
		% within normal	15.9%	84.1%	100.0%
Total		Count	556	3025	3581
		Expected Count	556.0	3025.0	3581.0
		% within normal	15.5%	84.5%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.648 ^a	1	.421		
Continuity Correction ^b	.574	1	.449		
Likelihood Ratio	.651	1	.420		
Fisher's Exact Test				.448	.225
Linear-by-Linear Association	.648	1	.421		
N of Valid Cases	3581				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 213.49.

b. Computed only for a 2x2 table

Crosstabs

Case Processing Summary Tinggi Kurus

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
tinggi kurus * Hypertension	3581	100.0%	0	0.0%	3581	100.0%

tinggi kurus * Hypertension Crosstabulation

		Hypertension		Total	
		Yes	No		
tinggi kurus	yes	Count	9	143	152
		Expected Count	23.6	128.4	152.0
		% within tinggi kurus	5.9%	94.1%	100.0%
no		Count	547	2882	3429
		Expected Count	532.4	2896.6	3429.0
		% within tinggi kurus	16.0%	84.0%	100.0%
Total		Count	556	3025	3581
		Expected Count	556.0	3025.0	3581.0
		% within tinggi kurus	15.5%	84.5%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	11.166 ^a	1	.001		
Continuity Correction ^b	10.415	1	.001		
Likelihood Ratio	13.919	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	11.163	1	.001		
N of Valid Cases	3581				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 23.60.

b. Computed only for a 2x2 table

Crosstabs

Case Processing Summary Tinggi Gemuk

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
tinggi gemuk * Hypertension	3581	100.0%	0	0.0%	3581	100.0%

tinggi gemuk * Hypertension Crosstabulation

		Hypertension		Total	
		Yes	No		
tinggi gemuk	yes	Count	83	311	394
		Expected Count	61.2	332.8	394.0
		% within tinggi gemuk	21.1%	78.9%	100.0%
tinggi gemuk	no	Count	473	2714	3187
		Expected Count	494.8	2692.2	3187.0
		% within tinggi gemuk	14.8%	85.2%	100.0%
Total		Count	556	3025	3581
		Expected Count	556.0	3025.0	3581.0
		% within tinggi gemuk	15.5%	84.5%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	10.358 ^a	1	.001		
Continuity Correction ^b	9.889	1	.002		
Likelihood Ratio	9.615	1	.002		
Fisher's Exact Test				.002	.001
Linear-by-Linear Association	10.355	1	.001		
N of Valid Cases	3581				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 61.17.

b. Computed only for a 2x2 table

Case Processing Summary Pendek Kurus

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pendek kurus * Diabetes mellitus	3581	100.0%	0	0.0%	3581	100.0%

pendek kurus * Diabetes mellitus Crosstabulation

		Diabetes mellitus		Total	
		Yes	No		
pendek kurus	yes	Count	4	97	101
		Expected Count	3.9	97.1	101.0
		% within pendek kurus	4.0%	96.0%	100.0%
pendek kurus	no	Count	134	3346	3480
		Expected Count	134.1	3345.9	3480.0
		% within pendek kurus	3.9%	96.1%	100.0%
Total		Count	138	3443	3581
		Expected Count	138.0	3443.0	3581.0
		% within pendek kurus	3.9%	96.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.003 ^a	1	.955		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.003	1	.955		
Fisher's Exact Test				.796	.551
Linear-by-Linear Association	.003	1	.955		
N of Valid Cases	3581				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.89.

b. Computed only for a 2x2 table

Risk Estimate (Pendek Kurus)

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pendek kurus (yes / no)	1.030	.373	2.841
For cohort Diabetes mellitus = Yes	1.029	.388	2.726
For cohort Diabetes mellitus = No	.999	.960	1.040
N of Valid Cases	3581		

Case Processing Summary (Pendek Gemuk)

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pendek gemuk * Diabetes mellitus	3581	100.0%	0	0.0%	3581	100.0%

pendek gemuk * Diabetes mellitus Crosstabulation

		Diabetes mellitus		Total	
		Yes	No		
pendek gemuk	yes	Count	49	1510	1559
		Expected Count	60.1	1498.9	1559.0
		% within pendek gemuk	3.1%	96.9%	100.0%
pendek gemuk	no	Count	89	1933	2022
		Expected Count	77.9	1944.1	2022.0
		% within pendek gemuk	4.4%	95.6%	100.0%
Total		Count	138	3443	3581
		Expected Count	138.0	3443.0	3581.0
		% within pendek gemuk	3.9%	96.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.763 ^a	1	.052		
Continuity Correction ^b	3.431	1	.064		
Likelihood Ratio	3.832	1	.050		
Fisher's Exact Test				.054	.031
Linear-by-Linear Association	3.762	1	.052		
N of Valid Cases	3581				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 60.08.

b. Computed only for a 2x2 table

Risk Estimate (Pendek Gemuk)

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pendek gemuk (yes / no)	.705	.494	1.005
For cohort Diabetes mellitus = Yes	.714	.507	1.006
For cohort Diabetes mellitus = No	1.013	1.000	1.026
N of Valid Cases	3581		

Crosstabs

Case Processing Summary (Normal)

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
normal * Diabetes mellitus	3581	100.0%	0	0.0%	3581	100.0%

normal * Diabetes mellitus Crosstabulation

		Diabetes mellitus		Total	
		Yes	No		
normal	yes	Count	46	1329	1375
		Expected Count	53.0	1322.0	1375.0
		% within normal	3.3%	96.7%	100.0%
normal	no	Count	92	2114	2206
		Expected Count	85.0	2121.0	2206.0
		% within normal	4.2%	95.8%	100.0%
Total		Count	138	3443	3581
		Expected Count	138.0	3443.0	3581.0
		% within normal	3.9%	96.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.556 ^a	1	.212		
Continuity Correction ^b	1.341	1	.247		
Likelihood Ratio	1.584	1	.208		
Fisher's Exact Test				.246	.123
Linear-by-Linear Association	1.556	1	.212		
N of Valid Cases	3581				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 52.99.

b. Computed only for a 2x2 table

Risk Estimate (Normal)

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for normal (yes / no)	.795	.555	1.141
For cohort Diabetes mellitus = Yes	.802	.567	1.135
For cohort Diabetes mellitus = No	1.009	.995	1.022
N of Valid Cases	3581		

Crosstabs

Case Processing Summary (Tinggi Kurus)

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
tinggi kurus * Diabetes mellitus	3581	100.0%	0	0.0%	3581	100.0%

tinggi kurus * Diabetes mellitus Crosstabulation

		Diabetes mellitus		Total	
		Yes	No		
tinggi kurus	yes	Count	6	146	152
		Expected Count	5.9	146.1	152.0
		% within tinggi kurus	3.9%	96.1%	100.0%
no		Count	132	3297	3429
		Expected Count	132.1	3296.9	3429.0
		% within tinggi kurus	3.8%	96.2%	100.0%
Total		Count	138	3443	3581
		Expected Count	138.0	3443.0	3581.0
		% within tinggi kurus	3.9%	96.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.004 ^a	1	.951		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.004	1	.951		
Fisher's Exact Test				.831	.537
Linear-by-Linear Association	.004	1	.951		
N of Valid Cases	3581				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.86.

b. Computed only for a 2x2 table

Risk Estimate (Tinggi Kurus)

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for tinggi kurus (yes / no)	1.026	.445	2.365
For cohort Diabetes mellitus = Yes	1.025	.460	2.286
For cohort Diabetes mellitus = No	.999	.967	1.032
N of Valid Cases	3581		

Crosstabs

Case Processing Summary (Tinggi Gemuk)

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
tinggi gemuk * Diabetes mellitus	3581	100.0%	0	0.0%	3581	100.0%

tinggi gemuk * Diabetes mellitus Crosstabulation

		Diabetes mellitus		Total	
		Yes	No		
tinggi gemuk	yes	Count	33	361	394
		Expected Count	15.2	378.8	394.0
		% within tinggi gemuk	8.4%	91.6%	100.0%
tinggi gemuk	no	Count	105	3082	3187
		Expected Count	122.8	3064.2	3187.0
		% within tinggi gemuk	3.3%	96.7%	100.0%
Total		Count	138	3443	3581
		Expected Count	138.0	3443.0	3581.0
		% within tinggi gemuk	3.9%	96.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	24.432 ^a	1	.000		
Continuity Correction ^b	23.080	1	.000		
Likelihood Ratio	19.277	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	24.426	1	.000		
N of Valid Cases	3581				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.18.

b. Computed only for a 2x2 table

Risk Estimate (Tinggi Gemuk)

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for tinggi gemuk (yes / no)	2.683	1.788	4.027
For cohort Diabetes mellitus = Yes	2.542	1.744	3.706
For cohort Diabetes mellitus = No	.947	.919	.977
N of Valid Cases	3581		

Crosstabs

Case Processing Summary (Pendek Kurus)

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pendek kurus * Heart diseases	3581	100.0%	0	0.0%	3581	100.0%

pendek kurus * Heart diseases Crosstabulation

		Heart diseases		Total	
		Yes	No		
pendek kurus	yes	Count	17	84	101
		Expected Count	12.6	88.4	101.0
		% within pendek kurus	16.8%	83.2%	100.0%
pendek kurus	no	Count	428	3052	3480
		Expected Count	432.4	3047.6	3480.0
		% within pendek kurus	12.3%	87.7%	100.0%
Total		Count	445	3136	3581
		Expected Count	445.0	3136.0	3581.0
		% within pendek kurus	12.4%	87.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.853 ^a	1	.173		
Continuity Correction ^b	1.460	1	.227		
Likelihood Ratio	1.698	1	.193		
Fisher's Exact Test				.169	.116
Linear-by-Linear Association	1.853	1	.173		
N of Valid Cases	3581				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.55.

b. Computed only for a 2x2 table

Risk Estimate (Pendek Kurus)

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pendek kurus (yes / no)	1.443	.849	2.454
For cohort Heart diseases = Yes	1.369	.879	2.130
For cohort Heart diseases = No	.948	.868	1.036
N of Valid Cases	3581		

Crosstabs

Case Processing Summary (Pendek Gemuk)

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pendek gemuk * Heart diseases	3581	100.0%	0	0.0%	3581	100.0%

pendek gemuk * Heart diseases Crosstabulation

		Heart diseases		Total	
		Yes	No		
pendek gemuk	yes	Count	190	1369	1559
		Expected Count	193.7	1365.3	1559.0
		% within pendek gemuk	12.2%	87.8%	100.0%
pendek gemuk	no	Count	255	1767	2022
		Expected Count	251.3	1770.7	2022.0
		% within pendek gemuk	12.6%	87.4%	100.0%
Total		Count	445	3136	3581
		Expected Count	445.0	3136.0	3581.0
		% within pendek gemuk	12.4%	87.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.145 ^a	1	.703		
Continuity Correction ^b	.109	1	.741		
Likelihood Ratio	.146	1	.703		
Fisher's Exact Test				.721	.371
Linear-by-Linear Association	.145	1	.703		
N of Valid Cases	3581				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 193.73.

b. Computed only for a 2x2 table

Risk Estimate (Pendek Gemuk)

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pendek gemuk (yes / no)	.962	.787	1.175
For cohort Heart diseases = Yes	.966	.811	1.152
For cohort Heart diseases = No	1.005	.980	1.030
N of Valid Cases	3581		

Crosstabs

Case Processing Summary (Normal)

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
normal * Heart diseases	3581	100.0%	0	0.0%	3581	100.0%

normal * Heart diseases Crosstabulation

		Heart diseases		Total	
		Yes	No		
normal	yes	Count	169	1206	1375
		Expected Count	170.9	1204.1	1375.0
		% within normal	12.3%	87.7%	100.0%
normal	no	Count	276	1930	2206
		Expected Count	274.1	1931.9	2206.0
		% within normal	12.5%	87.5%	100.0%
Total		Count	445	3136	3581
		Expected Count	445.0	3136.0	3581.0
		% within normal	12.4%	87.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.038 ^a	1	.846		
Continuity Correction ^b	.020	1	.887		
Likelihood Ratio	.038	1	.846		
Fisher's Exact Test				.876	.445
Linear-by-Linear Association	.038	1	.846		
N of Valid Cases	3581				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 170.87.

b. Computed only for a 2x2 table

Risk Estimate (Normal)

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for normal (yes / no)	.980	.799	1.202
For cohort Heart diseases = Yes	.982	.821	1.175
For cohort Heart diseases = No	1.003	.977	1.028
N of Valid Cases	3581		

Crosstabs

Case Processing Summary Tinggi Kurus

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
tinggi kurus * Heart diseases	3581	100.0%	0	0.0%	3581	100.0%

tinggi kurus * Heart diseases Crosstabulation

		Heart diseases		Total	
		Yes	No		
tinggi kurus	yes	Count	17	135	152
		Expected Count	18.9	133.1	152.0
		% within tinggi kurus	11.2%	88.8%	100.0%
no		Count	428	3001	3429
		Expected Count	426.1	3002.9	3429.0
		% within tinggi kurus	12.5%	87.5%	100.0%
Total		Count	445	3136	3581
		Expected Count	445.0	3136.0	3581.0
		% within tinggi kurus	12.4%	87.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.225 ^a	1	.635		
Continuity Correction ^b	.122	1	.727		
Likelihood Ratio	.232	1	.630		
Fisher's Exact Test				.707	.373
Linear-by-Linear Association	.225	1	.635		
N of Valid Cases	3581				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.89.

b. Computed only for a 2x2 table

Risk Estimate (Tinggi Kurus)

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for tinggi kurus (yes / no)	.883	.528	1.477
For cohort Heart diseases = Yes	.896	.568	1.415
For cohort Heart diseases = No	1.015	.958	1.075
N of Valid Cases	3581		

Crosstabs

Case Processing Summary (Tinggi Gemuk)

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
tinggi gemuk * Heart diseases	3581	100.0%	0	0.0%	3581	100.0%

tinggi gemuk * Heart diseases Crosstabulation

		Heart diseases		Total	
		Yes	No		
tinggi gemuk	yes	Count	52	342	394
		Expected Count	49.0	345.0	394.0
		% within tinggi gemuk	13.2%	86.8%	100.0%
tinggi gemuk	no	Count	393	2794	3187
		Expected Count	396.0	2791.0	3187.0
		% within tinggi gemuk	12.3%	87.7%	100.0%
Total		Count	445	3136	3581
		Expected Count	445.0	3136.0	3581.0
		% within tinggi gemuk	12.4%	87.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.242 ^a	1	.623		
Continuity Correction ^b	.169	1	.681		
Likelihood Ratio	.238	1	.625		
Fisher's Exact Test				.627	.336
Linear-by-Linear Association	.242	1	.623		
N of Valid Cases	3581				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 48.96.

b. Computed only for a 2x2 table

Risk Estimate (Tinggi Gemuk)

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for tinggi gemuk (yes / no)	1.081	.793	1.474
For cohort Heart diseases = Yes	1.070	.817	1.401
For cohort Heart diseases = No	.990	.951	1.031
N of Valid Cases	3581		