

OUTPUT SPSS BIVARIAT

Case Processing Summary

| | Cases | | | | | |
|---|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Umur Responden * kelompok IMT | 95 | 100.0% | 0 | 0.0% | 95 | 100.0% |
| Jenis Kelamin * kelompok IMT | 95 | 100.0% | 0 | 0.0% | 95 | 100.0% |
| Tingkat Pendidikan Responden * kelompok IMT | 95 | 100.0% | 0 | 0.0% | 95 | 100.0% |
| Pekerjaan Responden * kelompok IMT | 95 | 100.0% | 0 | 0.0% | 95 | 100.0% |
| Pendapatan * kelompok IMT | 95 | 100.0% | 0 | 0.0% | 95 | 100.0% |
| Tingkat Asupan Energi Pasien * kelompok IMT | 95 | 100.0% | 0 | 0.0% | 95 | 100.0% |
| Kelkarbohidrat * kelompok IMT | 95 | 100.0% | 0 | 0.0% | 95 | 100.0% |
| kelprotein * kelompok IMT | 95 | 100.0% | 0 | 0.0% | 95 | 100.0% |
| kel.lemak * kelompok IMT | 95 | 100.0% | 0 | 0.0% | 95 | 100.0% |

1. Hubungan antara umur dengan status gizi

Crosstab

| | | | kelompok IMT | | | Total |
|----------------|-------------------------|-------------------------|--------------|--------|--------|--------|
| | | | Kurang | Normal | Lebih | |
| Umur Responden | <=35 Tahun | Count | 20 | 35 | 2 | 57 |
| | | % within Umur Responden | 35.1% | 61.4% | 3.5% | 100.0% |
| | >35 Tahun | Count | 9 | 25 | 4 | 38 |
| | | % within Umur Responden | 23.7% | 65.8% | 10.5% | 100.0% |
| Total | Count | 29 | 60 | 6 | 95 | |
| | % within Umur Responden | 30.5% | 63.2% | 6.3% | 100.0% | |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|--------------------|----|-----------------------|
| Pearson Chi-Square | 2.818 ^a | 2 | .244 |
| Likelihood Ratio | 2.807 | 2 | .246 |
| Linear-by-Linear Association | 2.471 | 1 | .116 |
| N of Valid Cases | 95 | | |

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 2.40.

2. Hubungan antara Jenis Kelamin dengan status gizi

Crosstab

| | | | kelompok IMT | | | Total |
|---------------|-----------|------------------------|--------------|--------|-------|--------|
| | | | Kurang | Normal | Lebih | |
| Jenis Kelamin | Laki-laki | Count | 20 | 43 | 5 | 68 |
| | | % within Jenis Kelamin | 29.4% | 63.2% | 7.4% | 100.0% |
| Perempuan | | Count | 9 | 17 | 1 | 27 |
| | | % within Jenis Kelamin | 33.3% | 63.0% | 3.7% | 100.0% |
| Total | | Count | 29 | 60 | 6 | 95 |
| | | % within Jenis Kelamin | 30.5% | 63.2% | 6.3% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|-------------------|----|-----------------------|
| Pearson Chi-Square | .505 ^a | 2 | .777 |
| Likelihood Ratio | .549 | 2 | .760 |
| Linear-by-Linear Association | .354 | 1 | .552 |
| N of Valid Cases | 95 | | |

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 1.71.

3. Hubungan antara Pendidikan dengan status gizi

Crosstab

| | | kelompok IMT | | | Total |
|------------------------------|--|--------------|--------|-------|--------|
| | | Kurang | Normal | Lebih | |
| Tingkat Pendidikan Responden | Count | 2 | 6 | 0 | 8 |
| | Tamat SD % within Tingkat Pendidikan Responden | 25.0% | 75.0% | 0.0% | 100.0% |
| | Count | 10 | 14 | 1 | 25 |
| | Tamat SMP % within Tingkat Pendidikan Responden | 40.0% | 56.0% | 4.0% | 100.0% |
| | Count | 12 | 33 | 4 | 49 |
| | Tamat SMA % within Tingkat Pendidikan Responden | 24.5% | 67.3% | 8.2% | 100.0% |
| | Count | 5 | 7 | 1 | 13 |
| | Tamat Perguruan Tinggi % within Tingkat Pendidikan Responden | 38.5% | 53.8% | 7.7% | 100.0% |
| | Count | 29 | 60 | 6 | 95 |
| | Total % within Tingkat Pendidikan Responden | 30.5% | 63.2% | 6.3% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|--------------------|----|-----------------------|
| Pearson Chi-Square | 3.385 ^a | 6 | .759 |
| Likelihood Ratio | 3.863 | 6 | .695 |
| Linear-by-Linear Association | .255 | 1 | .613 |
| N of Valid Cases | 95 | | |

a. 6 cells (50.0%) have expected count less than 5. The minimum expected count is .51.

4. Hubungan antara Pekerjaan dengan status gizi

Crosstab

| | | | kelompok IMT | | | Total |
|--------------------------|---------------------------------|-------|--------------|--------|-------|--------|
| | | | Kurang | Normal | Lebih | |
| Tidak bekerja, IRT | Count | | 6 | 9 | 1 | 16 |
| | % within Pekerjaan Responden | | 37.5% | 56.2% | 6.2% | 100.0% |
| PNS/TNI/ POLRI | Count | | 1 | 2 | 0 | 3 |
| | % within Pekerjaan Responden | | 33.3% | 66.7% | 0.0% | 100.0% |
| Pekerjaan Responden | Karyawan Swasta | Count | 7 | 28 | 4 | 39 |
| | % within Pekerjaan Responden | | 17.9% | 71.8% | 10.3% | 100.0% |
| Wiraswast a | Count | | 10 | 11 | 0 | 21 |
| | % within Pekerjaan Responden | | 47.6% | 52.4% | 0.0% | 100.0% |
| Lain-lain | Count | | 5 | 10 | 1 | 16 |
| | % within Pekerjaan Responden | | 31.2% | 62.5% | 6.2% | 100.0% |
| Total | Count | | 29 | 60 | 6 | 95 |
| | % within Pekerjaan Responden | | 30.5% | 63.2% | 6.3% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2- sided) |
|------------------------------|--------------------|----|---------------------------|
| Pearson Chi-Square | 7.746 ^a | 8 | .459 |
| Likelihood Ratio | 9.158 | 8 | .329 |
| Linear-by-Linear Association | .150 | 1 | .698 |
| N of Valid Cases | 95 | | |

a. 9 cells (60.0%) have expected count less than 5. The minimum expected count is .19.

5. Hubungan antara Pendapatan dengan status gizi

Crosstab

| | | kelompok IMT | | | Total | |
|------------|---------------|---------------------|--------|-------|-------|--------|
| | | Kurang | Normal | Lebih | | |
| Pendapatan | <Rp.3.355.750 | Count | 15 | 32 | 5 | 52 |
| | | % within Pendapatan | 28.8% | 61.5% | 9.6% | 100.0% |
| | >Rp.3.355.750 | Count | 14 | 28 | 1 | 43 |
| | | % within Pendapatan | 32.6% | 65.1% | 2.3% | 100.0% |
| Total | | Count | 29 | 60 | 6 | 95 |
| | | % within Pendapatan | 30.5% | 63.2% | 6.3% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|--------------------|----|-----------------------|
| Pearson Chi-Square | 2.134 ^a | 2 | .344 |
| Likelihood Ratio | 2.358 | 2 | .308 |
| Linear-by-Linear Association | .910 | 1 | .340 |
| N of Valid Cases | 95 | | |

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 2.72.

6. Hubungan antara energi dengan status gizi

Crosstab

| | | | kelompok IMT | | | Total |
|------------------------------|------------|---------------------------------------|--------------|--------|-------|--------|
| | | | Kurang | Normal | Lebih | |
| Tingkat Asupan Energi Pasien | Baik | Count | 5 | 12 | 5 | 22 |
| | | % within Tingkat Asupan Energi Pasien | 22.7% | 54.5% | 22.7% | 100.0% |
| | Tidak Baik | Count | 24 | 48 | 1 | 73 |
| | | % within Tingkat Asupan Energi Pasien | 32.9% | 65.8% | 1.4% | 100.0% |
| Total | | Count | 29 | 60 | 6 | 95 |
| | | % within Tingkat Asupan Energi Pasien | 30.5% | 63.2% | 6.3% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 13.116 ^a | 2 | .001 |
| Likelihood Ratio | 10.706 | 2 | .005 |
| Linear-by-Linear Association | 5.360 | 1 | .021 |
| N of Valid Cases | 95 | | |

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 1.39.

7. Hubungan antara karbohidrat dengan status gizi

Crosstab

| | | kelompok IMT | | | Total |
|----------------|-------------------------|--------------|-------------|------------|-------------|
| | | Kurang | Normal | Lebih | |
| Kelkarbohidrat | Baik | Count 14 | Count 29 | Count 5 | Count 48 |
| | % within Kelkarbohidrat | 29.2% | 60.4% | 10.4% | 100.0% |
| Kelkarbohidrat | Tidak Baik | Count 15 | Count 31 | Count 1 | Count 47 |
| | % within Kelkarbohidrat | 31.9% | 66.0% | 2.1% | 100.0% |
| Total | Count | 29 | 60 | 6 | 95 |
| | % within Kelkarbohidrat | 30.5% | 63.2% | 6.3% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|--------------------|----|-----------------------|
| Pearson Chi-Square | 2.758 ^a | 2 | .252 |
| Likelihood Ratio | 3.002 | 2 | .223 |
| Linear-by-Linear Association | .924 | 1 | .336 |
| N of Valid Cases | 95 | | |

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 2.97.

8. Hubungan antara protein dengan status gizi

Crosstab

| | | kelompok IMT | | | Total |
|------------|------------|------------------------------|------------------------------|------------------------------|-------------------------------|
| | | Kurang | Normal | Lebih | |
| kelprotein | Baik | Count 6 | Count 5 | Count 4 | Count 15 |
| | | % within kelprotein 40.0% | % within kelprotein 33.3% | % within kelprotein 26.7% | % within kelprotein 100.0% |
| kelprotein | Tidak Baik | Count 23 | Count 55 | Count 2 | Count 80 |
| | | % within kelprotein 28.8% | % within kelprotein 68.8% | % within kelprotein 2.5% | % within kelprotein 100.0% |
| Total | | Count 29 | Count 60 | Count 6 | Count 95 |
| | | % within kelprotein 30.5% | % within kelprotein 63.2% | % within kelprotein 6.3% | % within kelprotein 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|---------------------|----|-----------------------|
| Pearson Chi-Square | 14.713 ^a | 2 | .001 |
| Likelihood Ratio | 11.243 | 2 | .004 |
| Linear-by-Linear Association | .673 | 1 | .412 |
| N of Valid Cases | 95 | | |

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is .95.

9. Hubungan antara lemak dengan status gizi

Crosstab

| | | kelompok IMT | | | Total |
|------------|--------------------|--------------|--------|-------|--------|
| | | Kurang | Normal | Lebih | |
| kel.lemak | Baik | Count 9 | 18 | 5 | 32 |
| | % within kel.lemak | 28.1% | 56.2% | 15.6% | 100.0% |
| Tidak Baik | Count | 20 | 42 | 1 | 63 |
| | % within kel.lemak | 31.7% | 66.7% | 1.6% | 100.0% |
| Total | Count | 29 | 60 | 6 | 95 |
| | % within kel.lemak | 30.5% | 63.2% | 6.3% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|--------------------|----|-----------------------|
| Pearson Chi-Square | 7.077 ^a | 2 | .029 |
| Likelihood Ratio | 6.760 | 2 | .034 |
| Linear-by-Linear Association | 2.113 | 1 | .146 |
| N of Valid Cases | 95 | | |

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 2.02.

1. Hubungan antara umur baru dengan status gizi
- 2.

kelompok IMT * kelompok umur Crosstabulation

| | | kelompok umur | | Total | |
|--------------|--------|-----------------------|-------------|-------|--------|
| | | 19-29 Tahun | 30-49 Tahun | | |
| kelompok IMT | Kurang | Count | 7 | 22 | 29 |
| | | % within kelompok IMT | 24.1% | 75.9% | 100.0% |
| | Normal | Count | 13 | 47 | 60 |
| | | % within kelompok IMT | 21.7% | 78.3% | 100.0% |
| | Lebih | Count | 2 | 4 | 6 |
| | | % within kelompok IMT | 33.3% | 66.7% | 100.0% |
| Total | | Count | 22 | 73 | 95 |
| | | % within kelompok IMT | 23.2% | 76.8% | 100.0% |

Chi-Square Tests

| | Value | df | Asymp. Sig. (2-sided) |
|------------------------------|-------------------|----|-----------------------|
| Pearson Chi-Square | .440 ^a | 2 | .803 |
| Likelihood Ratio | .412 | 2 | .814 |
| Linear-by-Linear Association | .020 | 1 | .887 |
| N of Valid Cases | 95 | | |

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 1.39.