

T-Test

Group Statistics

Tindakan batuk efektif	N	Mean	Std. Deviation	Std. Error Mean	
Frekuensi Napas	Efektif	33	.15	.364	.063
	Tidak efektif	8	.13	.354	.125
Suara napas	Efektif	33	.70	.467	.081
	Tidak efektif	8	.88	.354	.125
Penggunaan otot tambahan	Efektif	33	.33	.479	.083
	Tidak efektif	8	.38	.518	.183
Sputum	Efektif	33	.09	.292	.051
	Tidak efektif	8	.50	.535	.189
Usia	Efektif	33	3.48	.508	.088
	Tidak efektif	8	3.25	.463	.164
Jenis Kelamin	Efektif	33	.18	.392	.068
	Tidak efektif	8	.25	.463	.164



Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
Frekuensi Napas	Equal variances assumed	.145	.007	.186	39	.007	.027	.143	-.262	.315
	Equal variances not assumed			.189	10.905	.007	.027	.140	-.282	.335
Suara napas	Equal variances assumed	6.618	.014	-1.007	39	.014	-.178	.177	-.536	.179
	Equal variances not assumed			-1.194	13.631	.014	-.178	.149	-.499	.143
Penggunaan otot tambahan	Equal variances assumed	.159	.007	-.218	39	.007	-.042	.191	-.429	.346
	Equal variances not assumed			-.207	10.110	.007	-.042	.201	-.489	.406
Sputum	Equal variances assumed	15.410	.005	-2.982	39	.005	-.409	.137	-.687	-.132
	Equal variances not assumed			-2.090	8.040	.005	-.409	.196	-.860	.042
Usia	Equal variances assumed	10.181	.003	1.192	39	.003	.235	.197	-.164	.633
	Equal variances not assumed			1.263	11.461	.003	.235	.186	-.173	.642
Jenis Kelamin	Equal variances assumed	.638	.004	-.427	39	.004	-.068	.160	-.391	.255
	Equal variances not assumed			-.385	9.577	.004	-.068	.177	-.466	.329

