

## Frequencies

- STATUS GIZI

### Statistics

Sttsgizi

N	Valid	54
	Missing	1

### Sttsgizi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Normal	3	5,5	5,6	5,6
	Tidak Normal	51	92,7	94,4	100,0
	Total	54	98,2	100,0	
Missing	System	1	1,8		
Total		55	100,0		

### Statistics

sttsgizi

N	Valid	40
	Missing	0

### Sttsgizi Laki-laki

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Normal	37	92,5	92,5	92,5
	Normal	3	7,5	7,5	100,0
Total		40	100,0	100,0	

### Statistics

Sttsgizi

N	Valid	14
	Missing	0

### Sttsgizi Perempuan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Normal	14	100,0	100,0	100,0

- TINGKAT KECUKUPAN GIZI

**Statistics**

		Kat_Energi	Kat_Protein	Kat_Lemak	Kat_KH
N	Valid	54	54	54	54
	Missing	1	1	1	1

**KatEnergi**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	33	60,0	61,1	61,1
	Normal	19	34,5	35,2	96,3
	Lebih	2	3,6	3,7	100,0
	Total	54	98,2	100,0	
Missing	System	1	1,8		
Total		55	100,0		

**KatEnergi laki-laki**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	24	60,0	60,0	60,0
	Normal	15	37,5	37,5	97,5
	Lebih	1	2,5	2,5	100,0
	Total	40	100,0	100,0	

**KatEnergi Perempuan**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	9	64,3	64,3	64,3
	Normal	4	28,6	28,6	92,9
	Lebih	1	7,1	7,1	100,0
	Total	14	100,0	100,0	

**KatProtein**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	36	65,5	66,7	66,7
	Normal	18	32,7	33,3	100,0
	Total	54	98,2	100,0	
Missing	System	1	1,8		
Total		55	100,0		

**KatProtein laki-laki**

	Frequency	Percent	Valid Percent	Cumulative Percent
Kurang	27	67,5	67,5	67,5
Valid Normal	13	32,5	32,5	100,0
Total	40	100,0	100,0	

**KatProtein Perempuan**

	Frequency	Percent	Valid Percent	Cumulative Percent
Kurang	9	64,3	64,3	64,3
Valid Normal	5	35,7	35,7	100,0
Total	14	100,0	100,0	

**KatLemak**

	Frequency	Percent	Valid Percent	Cumulative Percent
Kurang	27	49,1	50,0	50,0
Valid Normal	18	32,7	33,3	83,3
Valid Lebih	9	16,4	16,7	100,0
Total	54	98,2	100,0	
Missing System	1	1,8		
Total	55	100,0		

**KatLemak laki-laki**

	Frequency	Percent	Valid Percent	Cumulative Percent
Kurang	20	50,0	50,0	50,0
Valid Normal	15	37,5	37,5	87,5
Valid Lebih	5	12,5	12,5	100,0
Total	40	100,0	100,0	

**KatLemak Perempuan**

	Frequency	Percent	Valid Percent	Cumulative Percent
Kurang	7	50,0	50,0	50,0
Valid Normal	3	21,4	21,4	71,4
Valid Lebih	4	28,6	28,6	100,0
Total	14	100,0	100,0	

**KatKH**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	33	60,0	61,1	61,1
	Normal	19	34,5	35,2	96,3
	Lebih	2	3,6	3,7	100,0
	Total	54	98,2	100,0	
Missing	System	1	1,8		
Total		55	100,0		

**KatKH Laki-laki**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	23	57,5	57,5	57,5
	Normal	16	40,0	40,0	97,5
	Lebih	1	2,5	2,5	100,0
	Total	40	100,0	100,0	

**KatKH Perempuan**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang	10	71,4	71,4	71,4
	Normal	3	21,4	21,4	92,9
	Lebih	1	7,1	7,1	100,0
	Total	14	100,0	100,0	

- **DAYA TERIMA MAKANAN**

**Statistics**

		Kategori Sisa Makanan MP	Kategori Sisa Makanan MS	Kategori Sisa Makanan MM
N	Valid	54	54	54
	Missing	1	1	1

**Kategori Sisa Makanan MP**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Dapat Diterima	15	27,3	27,8	27,8

	Dapat Diterima	39	70,9	72,2	100,0
	Total	54	98,2	100,0	
Missing	System	1	1,8		
Total		55	100,0		

#### Kategori Sisa Makanan MS

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Dapat Diterima	12	21,8	22,2	22,2
	Dapat Diterima	42	76,4	77,8	100,0
	Total	54	98,2	100,0	
Missing	System	1	1,8		
Total		55	100,0		

#### Kategori Sisa Makanan MM

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak Dapat Diterima	2	3,6	3,7	3,7
	Dapat Diterima	52	94,5	96,3	100,0
	Total	54	98,2	100,0	
Missing	System	1	1,8		
Total		55	100,0		

## BIVARIAT DAYA TERIMA MAKANAN DAN STATUS GIZI

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
KatRataSisaMPMSMM * sttsgizi	54	98,2%	1	1,8%	55	100,0%

### KatRataSisaMPMSMM \* sttsgizi Crosstabulation

			sttsgizi		Total
			Normal	Lebih	
KatRataSisaMPMSMM	Tidak	Count	1	4	5
	Dapat	% within	20,0%	80,0%	100,0%
	Diterima	KatRataSisaMPMSMM			
		Count	2	47	49
KatRataSisaMPMSMM	Dapat	% within	4,1%	95,9%	100,0%
	Diterima	KatRataSisaMPMSMM			
Total		Count	3	51	54
		% within	5,6%	94,4%	100,0%
		KatRataSisaMPMSMM			

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,191 <sup>a</sup>	1	,139		
Continuity Correction <sup>b</sup>	,207	1	,649		
Likelihood Ratio	1,456	1	,227		
Fisher's Exact Test				,257	,257
Linear-by-Linear Association	2,151	1	,143		
N of Valid Cases	54				

a. 3 cells (75,0%) have expected count less than 5. The minimum expected count is ,28.

b. Computed only for a 2x2 table

- TINGKAT KECUKUPAN GIZI DENGAN STATUS GIZI

### Kat\_Energi \* sttsgizi

Crosstab

		sttsgizi		Total
		Normal	Lebih	
Kat_Energi	Sangat Kurang	Count	0	17
		% within Kat_Energi	0,0%	100,0%
	Kurang	Count	2	14
		% within Kat_Energi	12,5%	87,5%
	Normal	Count	0	11
		% within Kat_Energi	0,0%	100,0%
	Lebih	Count	1	9
		% within Kat_Energi	10,0%	90,0%
Total	Count	3	51	
	% within Kat_Energi	5,6%	94,4%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3,494 <sup>a</sup>	3	,322
Likelihood Ratio	4,614	3	,202
Linear-by-Linear Association	,434	1	,510
N of Valid Cases	54		

a. 4 cells (50,0%) have expected count less than 5. The minimum expected count is ,56.

### Kat\_Protein \* sttsgizi

Crosstab

		sttsgizi		Total
		Normal	Lebih	
Kat_Protein	Sangat Kurang	Count	0	16
		% within Kat_Protein	0,0%	100,0%
	Kurang	Count	2	18
		% within Kat_Protein	10,0%	90,0%
	Normal	Count	1	14
		% within Kat_Protein	6,7%	93,3%
	Lebih	Count	0	3
		% within Kat_Protein	0,0%	100,0%
Total	Count	3	51	
	% within Kat_Protein	5,6%	94,4%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,906 <sup>a</sup>	3	,592
Likelihood Ratio	2,821	3	,420
Linear-by-Linear Association	,229	1	,632
N of Valid Cases	54		

a. 5 cells (62,5%) have expected count less than 5. The minimum expected count is ,17.

### Kat\_Lemak \* sttsgizi

#### Crosstab

			sttsgizi		Total
			Normal	Lebih	
Kat_Lemak	Sangat Kurang	Count	0	9	9
		% within Kat_Lemak	0,0%	100,0%	100,0%
	Kurang	Count	1	17	18
		% within Kat_Lemak	5,6%	94,4%	100,0%
	Normal	Count	1	8	9
		% within Kat_Lemak	11,1%	88,9%	100,0%
	Lebih	Count	1	17	18
		% within Kat_Lemak	5,6%	94,4%	100,0%
Total	Count	3	51	54	
	% within Kat_Lemak	5,6%	94,4%	100,0%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1,059 <sup>a</sup>	3	,787
Likelihood Ratio	1,445	3	,695
Linear-by-Linear Association	,283	1	,594
N of Valid Cases	54		

a. 4 cells (50,0%) have expected count less than 5. The minimum expected count is ,50.



## Kat\_KH \* sttsgizi

Crosstab

			sttsgizi		Total
			Normal	Lebih	
Kat_KH	Sangat Kurang	Count	0	10	10
		% within Kat_KH	0,0%	100,0%	100,0%
	Kurang	Count	1	22	23
		% within Kat_KH	4,3%	95,7%	100,0%
	Normal	Count	2	13	15
		% within Kat_KH	13,3%	86,7%	100,0%
	Lebih	Count	0	6	6
		% within Kat_KH	0,0%	100,0%	100,0%
Total	Count	3	51	54	
	% within Kat_KH	5,6%	94,4%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2,735 <sup>a</sup>	3	,434
Likelihood Ratio	3,165	3	,367
Linear-by-Linear Association	,478	1	,490
N of Valid Cases	54		

a. 4 cells (50,0%) have expected count less than 5. The minimum expected count is ,33.

## Crosstabs

[DataSet1] D:\SKRIPSI\Bahan\MASTER DATA SKRIPSI.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
energi * sttsgizi	54	98,2%	1	1,8%	55	100,0%
protein * sttsgizi	54	98,2%	1	1,8%	55	100,0%
lemak * sttsgizi	54	98,2%	1	1,8%	55	100,0%
kh * sttsgizi	54	98,2%	1	1,8%	55	100,0%

### energi \* sttsgizi

Crosstab

		sttsgizi		Total	
		Tidak Normal	Normal		
energi	tidak normal	Count	31	2	33
		% within energi	93,9%	6,1%	100,0%
	Normal	Count	20	1	21
		% within energi	95,2%	4,8%	100,0%
Total	Count	51	3	54	
	% within energi	94,4%	5,6%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,041 <sup>a</sup>	1	,839		
Continuity Correction <sup>b</sup>	,000	1	1,000		
Likelihood Ratio	,042	1	,838		
Fisher's Exact Test				1,000	,667
Linear-by-Linear Association	,040	1	,841		
N of Valid Cases	54				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 1,17.

b. Computed only for a 2x2 table

### protein \* sttsgizi

Crosstab

		sttsgizi		Total	
		Tidak Normal	Normal		
protein	tidak normal	Count	34	2	36
		% within protein	94,4%	5,6%	100,0%
	Normal	Count	17	1	18
		% within protein	94,4%	5,6%	100,0%
Total	Count	51	3	54	
	% within protein	94,4%	5,6%	100,0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,000 <sup>a</sup>	1	1,000		
Continuity Correction <sup>b</sup>	,000	1	1,000		
Likelihood Ratio	,000	1	1,000		
Fisher's Exact Test				1,000	,745
Linear-by-Linear Association	,000	1	1,000		
N of Valid Cases	54				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 1,00.

b. Computed only for a 2x2 table

**lemak \* sttsgizi**

**Crosstab**

		sttsgizi		Total	
		Tidak Normal	Normal		
lemak	tidak normal	Count	26	1	27
		% within lemak	96,3%	3,7%	100,0%
	Normal	Count	25	2	27
		% within lemak	92,6%	7,4%	100,0%
Total	Count	51	3	54	
	% within lemak	94,4%	5,6%	100,0%	

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,353 <sup>a</sup>	1	,552		
Continuity Correction <sup>b</sup>	,000	1	1,000		
Likelihood Ratio	,359	1	,549		
Fisher's Exact Test				1,000	,500
Linear-by-Linear Association	,346	1	,556		
N of Valid Cases	54				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 1,50.

b. Computed only for a 2x2 table

kh \* sttsgizi

Crosstab

		sttsgizi		Total	
		Tidak Normal	Normal		
kh	tidak normal	Count	32	1	33
		% within kh	97,0%	3,0%	100,0%
	Normal	Count	19	2	21
		% within kh	90,5%	9,5%	100,0%
Total	Count	51	3	54	
	% within kh	94,4%	5,6%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,031 <sup>a</sup>	1	,310		
Continuity Correction <sup>b</sup>	,165	1	,685		
Likelihood Ratio	1,001	1	,317		
Fisher's Exact Test				,553	,333
Linear-by-Linear Association	1,012	1	,314		
N of Valid Cases	54				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 1,17.

b. Computed only for a 2x2 table