

The background of the page features a repeating pattern of the Universitas Esa Unggul logo. Each logo consists of a stylized blue and orange circular emblem above the text 'Universitas Esa Unggul'.

LAMPIRAN



PEMERINTAH PROVINSI DAERAH KHUSUS IBUKOTA JAKARTA
DINAS KESEHATAN
RUMAH SAKIT UMUM DAERAH CENGKARENG
Jalan Kamal Raya, Bumi Cengkareng Indah Cengkareng Timur
Telepon : 021-54372874, Fax : 021-5442693
Website : www.rsudcengkareng.com - E-mail rscengkareng@jakarta.go.id
J A K A R T A

Kode Pos 11730

Nomor : 3408/-084.2
Sifat : Penting
Lampiran : -
Hal : Surat Keterangan

31 Desember 2017

Kepada

Yth. Dekan Fakultas Ilmu-Ilmu
Kesehatan
Universitas Esa Unggul
Jalan Arjuna Utara 9
Kebon Jeruk
Jakarta Barat

Sehubungan dengan kegiatan pengambilan data dan penelitian terhadap mahasiswi Fakultas Ilmu Kesehatan Universitas Esa Unggul sebagaimana surat RSUD Cengkareng nomor 2773/-084.6 tentang Jawaban Permohonan Penelitian, maka disampaikan bahwa mahasiswi atas nama :

| NO | NAMA | NIM |
|----|----------------|-------------|
| 1 | Della Mahdalia | 2013-32-026 |
| 2 | Devi Eliya A | 2013-32-008 |

telah selesai melakukan pengambilan data dan penelitian di RSUD Cengkareng. Surat keterangan berikut dibuat untuk dapat dipergunakan sebagaimana mestinya.

Atas perhatiannya diucapkan terima kasih.

Direktur RSUD Cengkareng,



dr. Sugino Kesuma Karo Karo S.
NIP. 196006221987091001

A. FORMULIR PENELITIAN

| | | | | | |
|-------------------------|--|----------------|--|--|--|
| NAMA | | | | | |
| USIA | | | | | |
| DIAGNOSA | | | | | |
| NADI | | | | | |
| PERNAFASAN | | | | | |
| SUHU | | | | | |
| TINGGI BADAN | | | | | |
| | | TANGGAL | | | |
| TEKANAN DARAH | | | | | |
| IVFD/TRANSFUSION | | | | | |
| DIET | | | | | |
| BERAT BADAN | | | | | |
| SURGERY | | | | | |
| MEDICATION | | | | | |
| NAMA OBAT | | DOSIS | | | |
| ORAL | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| INJEKSI | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| KADAR ALBUMIN | | | | | |

B. Output Data SPSS

| No | Nama | JK | Usia | IMT 1 | IMT 2 | Sediaan Pn | Lama Hari | Jenis Diet | Albumin 1 | albumin 2 |
|----|------|-----------|------|-------|-------|------------------|-----------|------------|-----------|-----------|
| 1 | P | perempuan | 50 | 15,43 | 15,43 | Aminofusin Hepar | 4 | DH 3 | 1,6 | 2,6 |
| 2 | S | laki laki | 70 | 24,03 | 24,03 | Aminofusin Hepar | 4 | DM | 2,7 | 2,7 |
| 3 | SY | perempuan | 56 | 28,76 | 28,76 | Aminofusin Hepar | 5 | DM | 2,5 | 2,3 |
| 4 | I | perempuan | 54 | 18,73 | 18,73 | Aminofusin Hepar | 7 | DH 3 | 3 | 2,9 |
| 5 | DR | laki laki | 41 | 23,15 | 23,15 | Aminofusin Hepar | 3 | tktp | 2,1 | 2,6 |
| 6 | M | perempuan | 70 | 18,67 | 18,67 | Aminofusin Hepar | 5 | NB | 1,5 | 2,3 |
| 7 | MM | laki laki | 22 | 23,88 | 23,51 | Aminofusin Hepar | 6 | DH 3 | 3 | 3,4 |
| 8 | A | laki laki | 53 | 25,97 | 25,97 | Renosan | 6 | DH 3 | 2,8 | 2,7 |
| 9 | Y | laki laki | 27 | 20 | 20 | Aminofusin Hepar | 7 | DH 1 | 2 | 2,7 |
| 10 | MH | laki laki | 71 | 19,53 | 19,53 | Renosan | 6 | RL | 1,6 | 2,4 |
| 11 | ES | laki laki | 70 | 24,34 | 23,94 | Aminofusin Hepar | 8 | NB | 2,6 | 2,7 |
| 12 | RBA | laki laki | 54 | 21,48 | 21,48 | Aminofusin Hepar | 7 | DH 3 | 2,7 | 2,6 |
| 13 | S | perempuan | 52 | 24,97 | 24,97 | Aminofusin Hepar | 4 | DH 3 | 2 | 2,5 |
| 14 | I | perempuan | 62 | 23,44 | 23,44 | Aminofusin Hepar | 3 | NB | 3,2 | 3,4 |
| 15 | JDH | perempuan | 80 | 17,58 | 17,58 | Aminofusin Hepar | 6 | NB | 2,6 | 2,5 |
| 16 | D | laki laki | 57 | 18,37 | 18,37 | Aminofusin Hepar | 4 | DH 3 | 2,3 | 2,6 |
| 17 | TJB | laki laki | 60 | 20,45 | 20,45 | Aminofusin Hepar | 2 | DH 3 | 2,8 | 2,7 |
| 18 | LWT | laki laki | 66 | 23,44 | 23,05 | Aminofusin Hepar | 10 | DH 3 | 3 | 3,1 |
| 19 | U | perempuan | 53 | 24,97 | 24,97 | Aminofusin Hepar | 7 | TKTP | 2,1 | 2,9 |
| 20 | A | perempuan | 43 | 18,73 | 18,73 | Aminofusin Hepar | 2 | RL | 2,4 | 2,7 |
| 21 | M | laki laki | 53 | 27,68 | 27,68 | Aminofusin Hepar | 5 | DH 3 | 2,2 | 2,6 |
| 22 | M | laki laki | 54 | 24,22 | 24,22 | Aminofusin | 6 | DH 1 | 2,2 | 2,7 |

| | | | | | | | | | | |
|----|---|-----------|----|-------|-------|----------|---|------|-----|-----|
| | | | | | | Hepar | | | | |
| 23 | j | laki laki | 50 | 18,37 | 18,37 | Kalbamin | 4 | RL | 2,6 | 2,8 |
| 24 | S | perempuan | 57 | 16,65 | 16,65 | Kalbamin | 5 | NB | 2 | 2,5 |
| 25 | S | laki laki | 58 | 24,22 | 24,22 | amhep | 8 | DH 3 | 1,8 | 2,3 |

C. UJI NORMALITAS

Tests of Normality

| | Kolmogorov-Smirnov ^a | | | Shapiro-Wilk | | |
|-----------------|---------------------------------|----|-------|--------------|----|------|
| | Statistic | df | Sig. | Statistic | Df | Sig. |
| albumin sebelum | ,123 | 25 | ,200* | ,964 | 25 | ,495 |
| albumin sesudah | ,243 | 25 | ,001 | ,879 | 25 | ,007 |
| IMT sebelum | ,159 | 25 | ,102 | ,956 | 25 | ,338 |
| IMT sesudah | ,154 | 25 | ,127 | ,961 | 25 | ,437 |

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Descriptives

| | | Statistic | Std. Error | |
|-------------------------------------|-------------------------------------|-------------|------------|--------|
| albumin sebelum | Mean | 2,3720 | ,09601 | |
| | 95% Confidence Interval for Mean | Lower Bound | 2,1739 | |
| | | Upper Bound | 2,5701 | |
| | 5% Trimmed Mean | 2,3756 | | |
| | Median | 2,4000 | | |
| | Variance | ,230 | | |
| | Std. Deviation | ,48003 | | |
| | Minimum | 1,50 | | |
| | Maximum | 3,20 | | |
| | Range | 1,70 | | |
| | Interquartile Range | ,75 | | |
| | Skewness | -,164 | ,464 | |
| | Kurtosis | -,894 | ,902 | |
| | albumin sesudah | Mean | 2,6880 | ,05725 |
| 95% Confidence Interval for Mean | | Lower Bound | 2,5698 | |
| | | Upper Bound | 2,8062 | |
| 5% Trimmed Mean | | 2,6700 | | |
| Median | 2,7000 | | | |

| | | | | |
|-------------|-------------------------|-------------|---------|--------|
| | Variance | | ,082 | |
| | Std. Deviation | | ,28624 | |
| | Minimum | | 2,30 | |
| | Maximum | | 3,40 | |
| | Range | | 1,10 | |
| | Interquartile Range | | ,25 | |
| | Skewness | | 1,139 | ,464 |
| | Kurtosis | | 1,575 | ,902 |
| | Mean | | 21,8825 | ,71015 |
| | 95% Confidence Interval | Lower Bound | 20,4168 | |
| | for Mean | Upper Bound | 23,3482 | |
| | 5% Trimmed Mean | | 21,8571 | |
| | Median | | 23,1473 | |
| | Variance | | 12,608 | |
| IMT sebelum | Std. Deviation | | 3,55075 | |
| | Minimum | | 15,43 | |
| | Maximum | | 28,76 | |
| | Range | | 13,33 | |
| | Interquartile Range | | 5,58 | |
| | Skewness | | ,019 | ,464 |
| | Kurtosis | | -,901 | ,902 |
| | Mean | | 21,8360 | ,70511 |
| | 95% Confidence Interval | Lower Bound | 20,3807 | |
| | for Mean | Upper Bound | 23,2912 | |
| | 5% Trimmed Mean | | 21,8053 | |
| | Median | | 23,0469 | |
| | Variance | | 12,430 | |
| IMT sesudah | Std. Deviation | | 3,52557 | |
| | Minimum | | 15,43 | |
| | Maximum | | 28,76 | |
| | Range | | 13,33 | |
| | Interquartile Range | | 5,52 | |
| | Skewness | | ,050 | ,464 |
| | Kurtosis | | -,838 | ,902 |

D. DATA UNIVARIAT

Statistics

| | usia responden | IMT sebelum | IMT sesudah | lama pemberian | albumin sebelum | albumin sesudah |
|------------------------|--------------------|--------------------|--------------------|----------------|-------------------|-----------------|
| N Valid | 25 | 25 | 25 | 25 | 25 | 25 |
| Missing | 0 | 0 | 0 | 0 | 0 | 0 |
| Mean | 55,3200 | 21,8825 | 21,8360 | 5,36 | 2,3720 | 2,6880 |
| Median | 54,0000 | 23,1473 | 23,0469 | 5,00 | 2,4000 | 2,7000 |
| Mode | 53,00 ^a | 18,37 ^a | 18,37 ^a | 4 ^a | 2,00 ^a | 2,70 |
| Std. Deviation | 12,99590 | 3,55075 | 3,52557 | 1,955 | ,48003 | ,28624 |
| Variance | 168,893 | 12,608 | 12,430 | 3,823 | ,230 | ,082 |
| Skewness | -,719 | ,019 | ,050 | ,247 | -,164 | 1,139 |
| Std. Error of Skewness | ,464 | ,464 | ,464 | ,464 | ,464 | ,464 |
| Kurtosis | 1,331 | -,901 | -,838 | -,030 | -,894 | 1,575 |
| Std. Error of Kurtosis | ,902 | ,902 | ,902 | ,902 | ,902 | ,902 |
| Minimum | 22,00 | 15,43 | 15,43 | 2 | 1,50 | 2,30 |
| Maximum | 80,00 | 28,76 | 28,76 | 10 | 3,20 | 3,40 |

a. Multiple modes exist. The smallest value is shown

E. DATA BIVARIAT

| | | Ranks | | |
|--------------------------------------|----------------|-----------------|-----------|--------------|
| | | N | Mean Rank | Sum of Ranks |
| albumin sesudah - albumin sebelum | Negative Ranks | 6 ^a | 4,83 | 29,00 |
| | Positive Ranks | 18 ^b | 15,06 | 271,00 |
| | Ties | 1 ^c | | |
| | Total | 25 | | |

- a. albumin sesudah < albumin sebelum
- b. albumin sesudah > albumin sebelum
- c. albumin sesudah = albumin sebelum

| Test Statistics ^a | |
|------------------------------|--|
| | albumin sesudah - albumin sebelum |
| Z | -3,472 ^b |
| Asymp. Sig. (2-tailed) | ,001 |

- a. Wilcoxon Signed Ranks Test
- b. Based on negative ranks.

Paired Samples Statistics

| | | Mean | N | Std. Deviation | Std. Error Mean |
|--------|-------------|---------|----|----------------|-----------------|
| Pair 1 | IMT sebelum | 21,8825 | 25 | 3,55075 | ,71015 |
| | IMT sesudah | 21,8360 | 25 | 3,52557 | ,70511 |

Paired Samples Correlations

| | | N | Correlation | Sig. |
|--------|---------------------------|----|-------------|------|
| Pair 1 | IMT sebelum & IMT sesudah | 25 | ,999 | ,000 |

Paired Samples Test

| | | Paired Differences | | | | t | df | Sig. (2-tailed) | |
|--------|---------------------------|--------------------|----------------|-----------------|---|--------|-------|-----------------|-------|
| | | Mean | Std. Deviation | Std. Error Mean | 95% Confidence Interval of the Difference | | | | |
| | | | | | Lower | | | | Upper |
| Pair 1 | IMT sebelum - IMT sesudah | ,04655 | ,12877 | ,02575 | -,00661 | ,09970 | 1,807 | 24 | ,083 |