

### Lampiran 9. Analisis One Way ANOVA Uji Hedonik

Rasa Nata De Strawberry

#### Descriptives

Rasa Nata De Strawberry

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Min	Max
					Lower Bound	Upper Bound		
					T0	30		
T1	30	75,60	7,933	1,448	72,64	78,56	60	89
T2	30	84,40	3,201	,584	83,20	85,60	80	90
T3	30	91,40	5,449	,995	89,37	93,43	80	100
Total	120	79,16	13,169	1,202	76,78	81,54	30	100

#### ANOVA

Rasa Nata De Strawberry

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	11517,025	3	3839,008	48,824	,000
Within Groups	9120,967	116	78,629		
Total	20637,992	119			

#### Multiple Comparisons

Dependent Variable: Rasa Nata De Strawberry

Bonferroni

(I) Formulasi	(J) Formulasi	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
T0	T1	-10,367*	2,290	,000	-16,51	-4,22
	T2	-19,167*	2,290	,000	-25,31	-13,02
	T3	-26,167*	2,290	,000	-32,31	-20,02
T1	T0	10,367*	2,290	,000	4,22	16,51
	T2	-8,800*	2,290	,001	-14,95	-2,65
	T3	-15,800*	2,290	,000	-21,95	-9,65
T2	T0	19,167*	2,290	,000	13,02	25,31
	T1	8,800*	2,290	,001	2,65	14,95
	T3	-7,000*	2,290	,017	-13,15	-,85
T3	T0	26,167*	2,290	,000	20,02	32,31
	T1	15,800*	2,290	,000	9,65	21,95
	T2	7,000*	2,290	,017	,85	13,15

\*. The mean difference is significant at the 0.05 level.

## Warna Nata De Strawberry

**Descriptives**

## Warna Nata De Strawberry

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Min	Max
					Lower Bound	Upper Bound		
T0	30	34,93	13,151	2,401	30,02	39,84	16	60
T1	30	56,13	20,500	3,743	48,48	63,79	10	95
T2	30	75,90	10,039	1,833	72,15	79,65	60	87
T3	30	83,87	14,913	2,723	78,30	89,44	14	100
Total	120	62,71	24,196	2,209	58,33	67,08	10	100

**ANOVA**

## Warna Nata De Strawberry

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	43091,292	3	14363,764	62,697	,000
Within Groups	26575,500	116	229,099		
Total	69666,792	119			

**Multiple Comparisons**

Dependent Variable: Warna Nata De Strawberry

Bonferroni

(I) Formulasi	(J) Formulasi	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
T0	T1	-21,200*	3,908	,000	-31,69	-10,71
	T2	-40,967*	3,908	,000	-51,46	-30,48
	T3	-48,933*	3,908	,000	-59,42	-38,44
T1	T0	21,200*	3,908	,000	10,71	31,69
	T2	-19,767*	3,908	,000	-30,26	-9,28
	T3	-27,733*	3,908	,000	-38,22	-17,24
T2	T0	40,967*	3,908	,000	30,48	51,46
	T1	19,767*	3,908	,000	9,28	30,26
	T3	-7,967	3,908	,263	-18,46	2,52
T3	T0	48,933*	3,908	,000	38,44	59,42
	T1	27,733*	3,908	,000	17,24	38,22
	T2	7,967	3,908	,263	-2,52	18,46

\*. The mean difference is significant at the 0.05 level.

Tekstur Nata De Strawberry

**Descriptives**

Tekstur Nata De Strawberry

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Min	Max
					Lower Bound	Upper Bound		
T0	30	54,57	18,880	3,447	47,52	61,62	16	94
T1	30	60,23	19,769	3,609	52,85	67,62	15	95
T2	30	72,03	13,116	2,395	67,14	76,93	45	90
T3	30	83,10	11,189	2,043	78,92	87,28	60	97
Total	120	67,48	19,405	1,771	63,98	70,99	15	97

**ANOVA**

Tekstur Nata De Strawberry

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	14519,567	3	4839,856	18,535	,000
Within Groups	30290,400	116	261,124		
Total	44809,967	119			

**Multiple Comparisons**

Dependent Variable: Tekstur Nata De Strawberry

Bonferroni

(I) Formulasi	(J) Formulasi	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
T0	T1	-5,667	4,172	1,000	-16,87	5,53
	T2	-17,467*	4,172	,000	-28,67	-6,27
	T3	-28,533*	4,172	,000	-39,73	-17,33
T1	T0	5,667	4,172	1,000	-5,53	16,87
	T2	-11,800*	4,172	,033	-23,00	-,60
	T3	-22,867*	4,172	,000	-34,07	-11,67
T2	T0	17,467*	4,172	,000	6,27	28,67
	T1	11,800*	4,172	,033	,60	23,00
	T3	-11,067	4,172	,055	-22,27	,13
T3	T0	28,533*	4,172	,000	17,33	39,73
	T1	22,867*	4,172	,000	11,67	34,07
	T2	11,067	4,172	,055	-,13	22,27

\*. The mean difference is significant at the 0.05 level.

## Aroma Nata De Strawberry

**Descriptives**

## Aroma Nata De Strawberry

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Min	Max
					Lower Bound	Upper Bound		
T0	30	44,20	19,080	3,483	37,08	51,32	6	84
T1	30	65,20	12,524	2,287	60,52	69,88	40	87
T2	30	77,67	15,764	2,878	71,78	83,55	26	89
T3	30	89,13	13,868	2,532	83,95	94,31	18	98
Total	120	69,05	22,676	2,070	64,95	73,15	6	98

**ANOVA**

## Aroma Nata De Strawberry

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	33297,967	3	11099,322	46,165	,000
Within Groups	27889,733	116	240,429		
Total	61187,700	119			

**Multiple Comparisons**

Dependent Variable: Aroma Nata De Strawberry  
Bonferroni

(I) Formulasi	(J) Formulasi	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
T0	T1	-21,000*	4,004	,000	-31,75	-10,25
	T2	-33,467*	4,004	,000	-44,21	-22,72
	T3	-44,933*	4,004	,000	-55,68	-34,19
T1	T0	21,000*	4,004	,000	10,25	31,75
	T2	-12,467*	4,004	,014	-23,21	-1,72
	T3	-23,933*	4,004	,000	-34,68	-13,19
T2	T0	33,467*	4,004	,000	22,72	44,21
	T1	12,467*	4,004	,014	1,72	23,21
	T3	-11,467*	4,004	,030	-22,21	-,72
T3	T0	44,933*	4,004	,000	34,19	55,68
	T1	23,933*	4,004	,000	13,19	34,68
	T2	11,467*	4,004	,030	,72	22,21

\*. The mean difference is significant at the 0.05 level.