

Lampiran 11. Analisis One Way Anova Uji Hedonik

**Descriptives**

		N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
						Lower Bound	Upper Bound		
						Warna Nata De Pina	T0		
	T1	30	63,20	31,108	5,679	51,58	74,82	6	100
	T2	30	68,70	22,864	4,174	60,16	77,24	11	100
	T3	30	61,07	32,698	5,970	48,86	73,28	3	100
	Total	120	59,33	29,145	2,661	54,07	64,60	3	100
Rasa Nata De Pina	T0	30	41,23	26,636	4,863	31,29	51,18	2	100
	T1	30	55,07	20,046	3,660	47,58	62,55	19	96
	T2	30	56,93	31,484	5,748	45,18	68,69	3	100
	T3	30	62,10	21,414	3,910	54,10	70,10	9	99
	Total	120	53,83	26,157	2,388	49,11	58,56	2	100
Aroma Nata De Pina	T0	30	36,60	23,218	4,239	27,93	45,27	4	94
	T1	30	49,00	19,155	3,497	41,85	56,15	8	81
	T2	30	54,43	19,720	3,600	47,07	61,80	19	86
	T3	30	50,57	17,463	3,188	44,05	57,09	9	84
	Total	120	47,65	20,853	1,904	43,88	51,42	4	94
Tekstur Nata De Pina	T0	30	48,13	27,977	5,108	37,69	58,58	3	99
	T1	30	66,27	21,182	3,867	58,36	74,18	30	100
	T2	30	69,63	22,431	4,095	61,26	78,01	6	100
	T3	30	60,00	19,522	3,564	52,71	67,29	21	97
	Total	120	61,01	24,153	2,205	56,64	65,37	3	100

**ANOVA**

		Sum of Squares	df	Mean Square	F	Sig.
Warna Nata De Pina	Between Groups	9890,733	3	3296,911	4,194	,007
	Within Groups	91193,933	116	786,155		
	Total	101084,667	119			
Rasa Nata De Pina	Between Groups	7146,867	3	2382,289	3,721	,013
	Within Groups	74273,800	116	640,291		
	Total	81420,667	119			
Aroma Nata De Pina	Between Groups	5353,367	3	1784,456	4,462	,005
	Within Groups	46393,933	116	399,948		
	Total	51747,300	119			
Tekstur Nata De Pina	Between Groups	8064,692	3	2688,231	5,083	,002
	Within Groups	61354,300	116	528,916		
	Total	69418,992	119			

### Multiple Comparisons

Bonferroni

Dependent Variable	(I) Formulasi	(J) Formulasi	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
Warna Nata De Pina	T0	T1	-18,833	7,239	,063	-38,27	,60
		T2	-24,333	7,239	,006	-43,77	-4,90
		T3	-16,700	7,239	,137	-36,13	2,73
	T1	T0	18,833	7,239	,063	-,60	38,27
		T2	-5,500	7,239	1,000	-24,93	13,93
		T3	2,133	7,239	1,000	-17,30	21,57
	T2	T0	24,333	7,239	,006	4,90	43,77
		T1	5,500	7,239	1,000	-13,93	24,93
		T3	7,633	7,239	1,000	-11,80	27,07
	T3	T0	16,700	7,239	,137	-2,73	36,13
		T1	-2,133	7,239	1,000	-21,57	17,30
		T2	-7,633	7,239	1,000	-27,07	11,80
Rasa Nata De Pina	T0	T1	-13,833	6,533	,218	-31,37	3,70
		T2	-15,700	6,533	,107	-33,24	1,84
		T3	-20,867	6,533	,011	-38,40	-3,33
	T1	T0	13,833	6,533	,218	-3,70	31,37
		T2	-1,867	6,533	1,000	-19,40	15,67
		T3	-7,033	6,533	1,000	-24,57	10,50
	T2	T0	15,700	6,533	,107	-1,84	33,24
		T1	1,867	6,533	1,000	-15,67	19,40
		T3	-5,167	6,533	1,000	-22,70	12,37
	T3	T0	20,867	6,533	,011	3,33	38,40
		T1	7,033	6,533	1,000	-10,50	24,57
		T2	5,167	6,533	1,000	-12,37	22,70
Aroma Nata De Pina	T0	T1	-12,400	5,164	,108	-26,26	1,46
		T2	-17,833	5,164	,005	-31,69	-3,97
		T3	-13,967	5,164	,047	-27,83	-,11
	T1	T0	12,400	5,164	,108	-1,46	26,26
		T2	-5,433	5,164	1,000	-19,29	8,43
		T3	-1,567	5,164	1,000	-15,43	12,29
	T2	T0	17,833	5,164	,005	3,97	31,69
		T1	5,433	5,164	1,000	-8,43	19,29
		T3	3,867	5,164	1,000	-9,99	17,73
	T3	T0	13,967	5,164	,047	,11	27,83
		T1	1,567	5,164	1,000	-12,29	15,43
		T2	-3,867	5,164	1,000	-17,73	9,99
Tekstur Nata De Pina	T0	T1	-18,133	5,938	,017	-34,07	-2,19
		T2	-21,500	5,938	,003	-37,44	-5,56
		T3	-11,867	5,938	,288	-27,81	4,07
	T1	T0	18,133	5,938	,017	2,19	34,07
		T2	-3,367	5,938	1,000	-19,31	12,57
		T3	6,267	5,938	1,000	-9,67	22,21
	T2	T0	21,500	5,938	,003	5,56	37,44
		T1	3,367	5,938	1,000	-12,57	19,31
		T3	9,633	5,938	,645	-6,31	25,57
	T3	T0	11,867	5,938	,288	-4,07	27,81
		T1	-6,267	5,938	1,000	-22,21	9,67
		T2	-9,633	5,938	,645	-25,57	6,31

\*. The mean difference is significant at the 0.05 level.

Lampiran 12. Analisis One Way Anova Uji Mutu Hedonik

**Descriptives**

		N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
						Lower Bound	Upper Bound		
Warna Nata	T0	30	37,03	21,271	3,883	29,09	44,98	2	81
	T1	30	45,83	26,256	4,794	36,03	55,64	0	99
	T2	30	52,03	33,791	6,169	39,42	64,65	3	98
	T3	30	49,10	26,743	4,883	39,11	59,09	9	100
	Total	120	46,00	27,617	2,521	41,01	50,99	0	100
Rasa Nata	T0	30	49,03	16,185	2,955	42,99	55,08	10	74
	T1	30	32,97	18,598	3,396	26,02	39,91	1	85
	T2	30	41,97	19,810	3,617	34,57	49,36	18	81
	T3	30	50,40	17,494	3,194	43,87	56,93	11	74
	Total	120	43,59	19,148	1,748	40,13	47,05	1	85
Aroma Nata	T0	30	47,87	14,811	2,704	42,34	53,40	14	73
	T1	30	50,00	17,100	3,122	43,61	56,39	3	76
	T2	30	55,80	16,376	2,990	49,69	61,91	26	78
	T3	30	43,40	14,668	2,678	37,92	48,88	10	73
	Total	120	49,27	16,204	1,479	46,34	52,20	3	78
Tekstur Nata	T0	30	46,40	22,392	4,088	38,04	54,76	15	95
	T1	30	56,00	21,781	3,977	47,87	64,13	11	88
	T2	30	63,63	17,989	3,284	56,92	70,35	23	95
	T3	30	51,77	24,076	4,396	42,78	60,76	2	88
	Total	120	54,45	22,315	2,037	50,42	58,48	2	95

**ANOVA**

		Sum of Squares	df	Mean Square	F	Sig.
Warna Nata	Between Groups	3793,200	3	1264,400	1,687	,174
	Within Groups	86966,800	116	749,714		
	Total	90760,000	119			
Rasa Nata	Between Groups	5744,892	3	1914,964	5,864	,001
	Within Groups	37884,100	116	326,587		
	Total	43628,992	119			
Aroma Nata	Between Groups	2388,000	3	796,000	3,200	,026
	Within Groups	28857,467	116	248,771		
	Total	31245,467	119			
Tekstur Nata	Between Groups	4762,167	3	1587,389	3,379	,021
	Within Groups	54493,533	116	469,772		
	Total	59255,700	119			

**Multiple Comparisons**

Bonferroni

Dependent Variable	(I) Formula	(J) Formula	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
Warna Nata	T0	T1	-8,800	7,070	1,000	-27,78	10,18
		T2	-15,000	7,070	,216	-33,98	3,98
		T3	-12,067	7,070	,543	-31,04	6,91
	T1	T0	8,800	7,070	1,000	-10,18	27,78
		T2	-6,200	7,070	1,000	-25,18	12,78
		T3	-3,267	7,070	1,000	-22,24	15,71
	T2	T0	15,000	7,070	,216	-3,98	33,98
		T1	6,200	7,070	1,000	-12,78	25,18
		T3	2,933	7,070	1,000	-16,04	21,91
	T3	T0	12,067	7,070	,543	-6,91	31,04
		T1	3,267	7,070	1,000	-15,71	22,24
		T2	-2,933	7,070	1,000	-21,91	16,04
Rasa Nata	T0	T1	16,067	4,666	,005	3,54	28,59
		T2	7,067	4,666	,796	-5,46	19,59
		T3	-1,367	4,666	1,000	-13,89	11,16
	T1	T0	-16,067	4,666	,005	-28,59	-3,54
		T2	-9,000	4,666	,337	-21,53	3,53
		T3	-17,433	4,666	,002	-29,96	-4,91
	T2	T0	-7,067	4,666	,796	-19,59	5,46
		T1	9,000	4,666	,337	-3,53	21,53
		T3	-8,433	4,666	,440	-20,96	4,09
	T3	T0	1,367	4,666	1,000	-11,16	13,89
		T1	17,433	4,666	,002	4,91	29,96
		T2	8,433	4,666	,440	-4,09	20,96
Aroma Nata	T0	T1	-2,133	4,072	1,000	-13,06	8,80
		T2	-7,933	4,072	,323	-18,86	3,00
		T3	4,467	4,072	1,000	-6,46	15,40
	T1	T0	2,133	4,072	1,000	-8,80	13,06
		T2	-5,800	4,072	,942	-16,73	5,13
		T3	6,600	4,072	,647	-4,33	17,53
	T2	T0	7,933	4,072	,323	-3,00	18,86
		T1	5,800	4,072	,942	-5,13	16,73
		T3	12,400	4,072	,017	1,47	23,33
	T3	T0	-4,467	4,072	1,000	-15,40	6,46
		T1	-6,600	4,072	,647	-17,53	4,33
		T2	-12,400	4,072	,017	-23,33	-1,47
Tekstur Nata	T0	T1	-9,600	5,596	,534	-24,62	5,42
		T2	-17,233	5,596	,016	-32,26	-2,21
		T3	-5,367	5,596	1,000	-20,39	9,66
	T1	T0	9,600	5,596	,534	-5,42	24,62
		T2	-7,633	5,596	1,000	-22,66	7,39
		T3	4,233	5,596	1,000	-10,79	19,26
	T2	T0	17,233	5,596	,016	2,21	32,26
		T1	7,633	5,596	1,000	-7,39	22,66
		T3	11,867	5,596	,217	-3,16	26,89
	T3	T0	5,367	5,596	1,000	-9,66	20,39
		T1	-4,233	5,596	1,000	-19,26	10,79
		T2	-11,867	5,596	,217	-26,89	3,16

\*. The mean difference is significant at the 0.05 level.