

## LAMPIRAN DATA BIVARIAT

### Makanan Dari Luar Rumah Sakit \* kategori Sisa Makanan

Crosstab

			kategori Sisa Makanan		Total
			Sedikit	Banyak	
Makanan Dari Luar Rumah Sakit	tidak ada	Count	28	16	44
		Expected Count	21.7	22.3	44.0
		% within Makanan Dari Luar Rumah Sakit	63.6%	36.4%	100.0%
	ada	Count	9	22	31
		Expected Count	15.3	15.7	31.0
		% within Makanan Dari Luar Rumah Sakit	29.0%	71.0%	100.0%
Total	Count	37	38	75	
	Expected Count	37.0	38.0	75.0	
	% within Makanan Dari Luar Rumah Sakit	49.3%	50.7%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.713 <sup>a</sup>	1	.003		
Continuity Correction <sup>b</sup>	7.383	1	.007		
Likelihood Ratio	8.925	1	.003		
Fisher's Exact Test				.005	.003
Linear-by-Linear Association	8.596	1	.003		
N of Valid Cases <sup>b</sup>	75				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.29.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Makanan Dari Luar Rumah Sakit (tidak ada / ada)	4.278	1.591	11.505
For cohort kategori Sisa Makanan = Sedikit	2.192	1.210	3.970
For cohort kategori Sisa Makanan = Banyak	.512	.326	.804
N of Valid Cases	75		

**Persepsi Warna Makanan \* kategori Sisa Makanan**

**Crosstab**

			kategori Sisa Makanan		Total
			Sedikit	Banyak	
Persepsi Warna Makanan	Kurang Baik	Count	12	18	30
		Expected Count	14.8	15.2	30.0
		% within Persepsi Warna Makanan	40.0%	60.0%	100.0%
	Baik	Count	25	20	45
		Expected Count	22.2	22.8	45.0
		% within Persepsi Warna Makanan	55.6%	44.4%	100.0%
Total		Count	37	38	75
		Expected Count	37.0	38.0	75.0
		% within Persepsi Warna Makanan	49.3%	50.7%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.743 <sup>a</sup>	1	.187		
Continuity Correction <sup>b</sup>	1.176	1	.278		
Likelihood Ratio	1.752	1	.186		
Fisher's Exact Test				.240	.139
Linear-by-Linear Association	1.719	1	.190		
N of Valid Cases <sup>b</sup>	75				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.80.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Persepsi Warna Makanan (Kurang Baik / Baik)	.533	.209	1.362
For cohort kategori Sisa Makanan = Sedikit	.720	.432	1.199
For cohort kategori Sisa Makanan = Banyak	1.350	.871	2.093
N of Valid Cases	75		

## Persepsi Bentuk Makanan \* kategori Sisa Makanan

Crosstab

			kategori Sisa Makanan		Total
			Sedikit	Banyak	
Persepsi Bentuk Makanan	Kurang Baik	Count	10	19	29
		Expected Count	14.3	14.7	29.0
		% within Persepsi Bentuk Makanan	34.5%	65.5%	100.0%
	Baik	Count	27	19	46
		Expected Count	22.7	23.3	46.0
		% within Persepsi Bentuk Makanan	58.7%	41.3%	100.0%
Total		Count	37	38	75
		Expected Count	37.0	38.0	75.0
		% within Persepsi Bentuk Makanan	49.3%	50.7%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.172 <sup>a</sup>	1	.041		
Continuity Correction <sup>b</sup>	3.259	1	.071		
Likelihood Ratio	4.225	1	.040		
Fisher's Exact Test				.058	.035
Linear-by-Linear Association	4.116	1	.042		
N of Valid Cases <sup>b</sup>	75				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.31.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Persepsi Bentuk Makanan (Kurang Baik / Baik)	.370	.141	.972
For cohort kategori Sisa Makanan = Sedikit	.587	.337	1.026
For cohort kategori Sisa Makanan = Banyak	1.586	1.028	2.448
N of Valid Cases	75		

**Persepsi Besar Porsi \* kategori Sisa Makanan**

**Crosstab**

			kategori Sisa Makanan		Total
			Sedikit	Banyak	
Persepsi Besar Porsi	Kurang Baik	Count	9	15	24
		Expected Count	11.8	12.2	24.0
		% within Persepsi Besar Porsi	37.5%	62.5%	100.0%
	Baik	Count	28	23	51
		Expected Count	25.2	25.8	51.0
		% within Persepsi Besar Porsi	54.9%	45.1%	100.0%
Total	Count	37	38	75	
	Expected Count	37.0	38.0	75.0	
	% within Persepsi Besar Porsi	49.3%	50.7%	100.0%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.977 <sup>a</sup>	1	.160		
Continuity Correction <sup>b</sup>	1.342	1	.247		
Likelihood Ratio	1.994	1	.158		
Fisher's Exact Test				.217	.123
Linear-by-Linear Association	1.951	1	.162		
N of Valid Cases <sup>b</sup>	75				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.84.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Persepsi Besar Porsi (Kurang Baik / Baik)	.493	.182	1.331
For cohort kategori Sisa Makanan = Sedikit	.683	.385	1.212
For cohort kategori Sisa Makanan = Banyak	1.386	.899	2.137
N of Valid Cases	75		

## Persepsi Cara Penyajian \* kategori Sisa Makanan

Crosstab

			kategori Sisa Makanan		Total
			Sedikit	Banyak	
Persepsi Cara Penyajian	Kurang Baik	Count	10	13	23
		Expected Count	11.3	11.7	23.0
		% within Persepsi Cara Penyajian	43.5%	56.5%	100.0%
	Baik	Count	27	25	52
		Expected Count	25.7	26.3	52.0
		% within Persepsi Cara Penyajian	51.9%	48.1%	100.0%
Total	Count	37	38	75	
	Expected Count	37.0	38.0	75.0	
	% within Persepsi Cara Penyajian	49.3%	50.7%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.455 <sup>a</sup>	1	.500		
Continuity Correction <sup>b</sup>	.180	1	.672		
Likelihood Ratio	.456	1	.499		
Fisher's Exact Test				.618	.336
Linear-by-Linear Association	.449	1	.503		
N of Valid Cases <sup>b</sup>	75				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.35.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Persepsi Cara Penyajian (Kurang Baik / Baik)	.712	.265	1.912
For cohort kategori Sisa Makanan = Sedikit	.837	.491	1.429
For cohort kategori Sisa Makanan = Banyak	1.176	.745	1.856
N of Valid Cases	75		

**Persepsi Aroma Makanan \* kategori Sisa Makanan**

**Crosstab**

			kategori Sisa Makanan		Total
			Sedikit	Banyak	
Persepsi Aroma Makanan	Kurang Baik	Count	15	29	44
		Expected Count	21.7	22.3	44.0
		% within Persepsi Aroma Makanan	34.1%	65.9%	100.0%
	Baik	Count	22	9	31
		Expected Count	15.3	15.7	31.0
		% within Persepsi Aroma Makanan	71.0%	29.0%	100.0%
Total		Count	37	38	75
		Expected Count	37.0	38.0	75.0
		% within Persepsi Aroma Makanan	49.3%	50.7%	100.0%



### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9.895 <sup>a</sup>	1	.002		
Continuity Correction <sup>b</sup>	8.474	1	.004		
Likelihood Ratio	10.143	1	.001		
Fisher's Exact Test				.002	.002
Linear-by-Linear Association	9.763	1	.002		
N of Valid Cases <sup>b</sup>	75				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.29.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Persepsi Aroma Makanan (Kurang Baik / Baik)	.212	.078	.572
For cohort kategori Sisa Makanan = Sedikit	.480	.301	.767
For cohort kategori Sisa Makanan = Banyak	2.270	1.258	4.095
N of Valid Cases	75		

## Persepsi Bumbu Makanan \* kategori Sisa Makanan

Crosstab

			kategori Sisa Makanan		Total
			Sedikit	Banyak	
Persepsi Bumbu Makanan	Kurang Baik	Count	16	29	45
		Expected Count	22.2	22.8	45.0
		% within Persepsi Bumbu Makanan	35.6%	64.4%	100.0%
	Baik	Count	21	9	30
		Expected Count	14.8	15.2	30.0
		% within Persepsi Bumbu Makanan	70.0%	30.0%	100.0%
Total		Count	37	38	75
		Expected Count	37.0	38.0	75.0
		% within Persepsi Bumbu Makanan	49.3%	50.7%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.544 <sup>a</sup>	1	.003		
Continuity Correction <sup>b</sup>	7.221	1	.007		
Likelihood Ratio	8.733	1	.003		
Fisher's Exact Test				.005	.003
Linear-by-Linear Association	8.430	1	.004		
N of Valid Cases <sup>b</sup>	75				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.80.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Persepsi Bumbu Makanan (Kurang Baik / Baik)	.236	.088	.637
For cohort kategori Sisa Makanan = Sedikit	.508	.321	.803
For cohort kategori Sisa Makanan = Banyak	2.148	1.193	3.868
N of Valid Cases	75		

**Persepsi Tekstur Makanan \* kategori Sisa Makanan**

**Crosstab**

			kategori Sisa Makanan		Total
			Sedikit	Banyak	
Persepsi Tekstur Makanan	Kurang Baik	Count	14	28	42
		Expected Count	20.7	21.3	42.0
		% within Persepsi Tekstur Makanan	33.3%	66.7%	100.0%
	Baik	Count	23	10	33
		Expected Count	16.3	16.7	33.0
		% within Persepsi Tekstur Makanan	69.7%	30.3%	100.0%
Total		Count	37	38	75
		Expected Count	37.0	38.0	75.0
		% within Persepsi Tekstur Makanan	49.3%	50.7%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9.776 <sup>a</sup>	1	.002		
Continuity Correction <sup>b</sup>	8.376	1	.004		
Likelihood Ratio	10.006	1	.002		
Fisher's Exact Test				.002	.002
Linear-by-Linear Association	9.646	1	.002		
N of Valid Cases <sup>b</sup>	75				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.28.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Persepsi Tekstur Makanan (Kurang Baik / Baik)	.217	.081	.580
For cohort kategori Sisa Makanan = Sedikit	.478	.295	.775
For cohort kategori Sisa Makanan = Banyak	2.200	1.257	3.851
N of Valid Cases	75		

## Persepsi Suhu Makanan \* kategori Sisa Makanan

Crosstab

			kategori Sisa Makanan		Total
			Sedikit	Banyak	
Persepsi Suhu Makanan	Kurang Baik	Count	15	29	44
		Expected Count	21.7	22.3	44.0
		% within Persepsi Suhu Makanan	34.1%	65.9%	100.0%
	Baik	Count	22	9	31
		Expected Count	15.3	15.7	31.0
		% within Persepsi Suhu Makanan	71.0%	29.0%	100.0%
Total	Count	37	38	75	
	Expected Count	37.0	38.0	75.0	
	% within Persepsi Suhu Makanan	49.3%	50.7%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9.895 <sup>a</sup>	1	.002		
Continuity Correction <sup>b</sup>	8.474	1	.004		
Likelihood Ratio	10.143	1	.001		
Fisher's Exact Test				.002	.002
Linear-by-Linear Association	9.763	1	.002		
N of Valid Cases <sup>b</sup>	75				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15.29.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Persepsi Suhu Makanan (Kurang Baik / Baik)	.212	.078	.572
For cohort kategori Sisa Makanan = Sedikit	.480	.301	.767
For cohort kategori Sisa Makanan = Banyak	2.270	1.258	4.095
N of Valid Cases	75		