

Analisis Univariat

Jenis Kelamin Balita

	Frequency	Percent	Valid Percent	Cumulative Percent
Laki-laki	39	54,2	54,2	54,2
Valid Perempuan	33	45,8	45,8	100,0
Total	72	100,0	100,0	

Usia Anak Balita

	Frequency	Percent	Valid Percent	Cumulative Percent
< 12 Bulan	18	25,0	25,0	25,0
Valid > 12 Bulan	54	75,0	75,0	100,0
Total	72	100,0	100,0	

Pendidikan Ibu

	Frequency	Percent	Valid Percent	Cumulative Percent
SD	5	6,9	6,9	6,9
SMP	18	25,0	25,0	31,9
Valid SMA	39	54,2	54,2	86,1
Sarjana	10	13,9	13,9	100,0
Total	72	100,0	100,0	

Pendidikan Ayah

	Frequency	Percent	Valid Percent	Cumulative Percent
SD	5	6,9	6,9	6,9
SMP	7	9,7	9,7	16,7
Valid SMA	45	62,5	62,5	79,2
Sarjana	15	20,8	20,8	100,0
Total	72	100,0	100,0	

Pekerjaan Ibu

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Bekerja	61	84,7	84,7	84,7
Valid Bekerja	11	15,3	15,3	100,0
Total	72	100,0	100,0	

Pekerjaan Ayah

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Bekerja	72	100,0	100,0	100,0

Tingkat Kecukupan Protein

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang	31	43,1	43,1	43,1
Valid Cukup	41	56,9	56,9	100,0
Total	72	100,0	100,0	

Tingkat Kecukupan Seng

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang	59	81,9	81,9	81,9
Valid Cukup	13	18,1	18,1	100,0
Total	72	100,0	100,0	

Tingkat Kecukupan Vitamin A

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang	25	34,7	34,7	34,7
Valid Cukup	47	65,3	65,3	100,0
Total	72	100,0	100,0	

Tingkat Kecukupan Vitamin D

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang	71	98,6	98,6	98,6
Valid Cukup	1	1,4	1,4	100,0
Total	72	100,0	100,0	

Tingkat Kecukupan Vitamin E

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang	40	55,6	55,6	55,6
Valid Cukup	32	44,4	44,4	100,0
Total	72	100,0	100,0	

Riwayat ASI Eksklusif

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak ASI EKklusif	33	45,8	45,8	45,8
Valid ASI Eksklusif	39	54,2	54,2	100,0
Total	72	100,0	100,0	

Riwayat Imunisasi

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Lengkap	21	29,2	29,2	29,2
Valid Lengkap	51	70,8	70,8	100,0
Total	72	100,0	100,0	

ISPA

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak	37	51,4	51,4	51,4
Valid Ya	35	48,6	48,6	100,0
Total	72	100,0	100,0	

Analisis Bivariat

Tingkat Kecukupan Protein * ISPA

Crosstab

Count		Kejadian ISPA		Total
		Tidak	ISPA	
Tingkat Kecukupan Protein	Kurang	14	17	31
	Cukup	23	18	41
Total		37	35	72

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,845 ^a	1	,358		
Continuity Correction ^b	,464	1	,496		
Likelihood Ratio	,846	1	,358		
Fisher's Exact Test				,476	,248

Linear-by-Linear Association	,833	1	,361	
N of Valid Cases	72			

- a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 15,07.
b. Computed only for a 2x2 table

Tingkat Kecukupan Seng * ISPA

Crosstab

Count		Kejadian ISPA		Total
		Tidak	ISPA	
Tingkat Kecukupan Seng	Kurang	29	30	59
	Cukup	8	5	13
Total		37	35	72

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,654 ^a	1	,419		
Continuity Correction ^b	,252	1	,615		
Likelihood Ratio	,660	1	,417		
Fisher's Exact Test				,544	,309
Linear-by-Linear Association	,645	1	,422		
N of Valid Cases	72				

- a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 6,32.
b. Computed only for a 2x2 table

Tingkat Kecukupan Vitamin A * Kejadian ISPA

Crosstab

Count		Kejadian ISPA		Total
		Tidak	ISPA	
Tingkat Kecukupan Vitamin A	Kurang	14	11	25
	Cukup	23	24	47
Total		37	35	72

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,326 ^a	1	,568		
Continuity Correction ^b	,105	1	,746		
Likelihood Ratio	,327	1	,568		
Fisher's Exact Test				,626	,374
Linear-by-Linear Association	,321	1	,571		
N of Valid Cases	72				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12,15.

b. Computed only for a 2x2 table

Tingkat Kecukupan Vitamin D * Kejadian ISPA

Crosstab

Count

		Kejadian ISPA		Total
		Tidak	ISPA	
Tingkat Kecukupan Vitamin D	Kurang	36	35	71
	Cukup	1	0	1
Total		37	35	72

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,959 ^a	1	,327		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	1,345	1	,246		
Fisher's Exact Test				1,000	,514
Linear-by-Linear Association	,946	1	,331		
N of Valid Cases	72				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is ,49.

b. Computed only for a 2x2 table

Tingkat Kecukupan Vitamin E * Kejadian ISPA

Crosstab

Count

		Kejadian ISPA		Total
		Tidak	ISPA	
Tingkat Kecukupan Vitamin E	Kurang	20	20	40
	Cukup	17	15	32
Total		37	35	72

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,069 ^a	1	,792		
Continuity Correction ^b	,001	1	,979		
Likelihood Ratio	,070	1	,792		
Fisher's Exact Test				,817	,490
Linear-by-Linear Association	,069	1	,793		
N of Valid Cases	72				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 15,56.

b. Computed only for a 2x2 table

Riwayat ASI Eksklusif * Kejadian ISPA

Crosstab

Count

		ISPA		Total
		Tidak	Ya	
Riwayat ASI Eksklusif	Tidak ASI EKklusif	18	15	33
	ASI Eksklusif	19	20	39
Total		37	35	72

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,243 ^a	1	,622		
Continuity Correction ^b	,066	1	,798		
Likelihood Ratio	,243	1	,622		
Fisher's Exact Test				,644	,399
Linear-by-Linear Association	,240	1	,624		
N of Valid Cases	72				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 16,04.

b. Computed only for a 2x2 table

Riwayat Imunisasi * Kejadian ISPA

Crosstab

Count

		ISPA		Total
		Tidak	Ya	
Riwayat Imunisasi	Tidak Lengkap	11	10	21
	Lengkap	26	25	51
Total		37	35	72

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,012 ^a	1	,914	1,000	,560
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,012	1	,914		
Fisher's Exact Test					
Linear-by-Linear Association	,012	1	,915		
N of Valid Cases	72				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 10,21.

b. Computed only for a 2x2 table