

HASIL UJI STATISTIK

1. Pengetahuan

Crosstab

		Implementasi PAGT		Total
		Tidak	Ya	
Kategori Pengetahuan Tabel 2	Count	7	5	12
	Kurang % within Kategori Pengetahuan Tabel 2	58.3%	41.7%	100.0%
	Count	2	16	18
	Baik % within Kategori Pengetahuan Tabel 2	11.1%	88.9%	100.0%
Total	Count	9	21	30
	% within Kategori Pengetahuan Tabel 2	30.0%	70.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7.646 ^a	1	.006		
Continuity Correction ^b	5.562	1	.018		
Likelihood Ratio	7.793	1	.005		
Fisher's Exact Test				.013	.009
Linear-by-Linear Association	7.391	1	.007		
N of Valid Cases	30				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.60.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Pengetahuan Tabel 2 (Kurang / Baik)	11.200	1.735	72.300
For cohort Implementasi PAGT = Tidak	5.250	1.306	21.107
For cohort Implementasi PAGT = Ya	.469	.235	.934
N of Valid Cases	30		

2. Pelatihan

Crosstab

		Implementasi PAGT		Total
		Tidak	Ya	
Pelatihan Responden	Pernah	Count 4 18.2%	Count 18 81.8%	Count 22 100.0%
	Tidak Pernah	Count 5 62.5%	Count 3 37.5%	Count 8 100.0%
Total		Count 9 30.0%	Count 21 70.0%	Count 30 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.487 ^a	1	.019	.032	.032
Continuity Correction ^b	3.580	1	.058		
Likelihood Ratio	5.205	1	.023		
Fisher's Exact Test					
Linear-by-Linear Association	5.304	1	.021		
N of Valid Cases	30				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.40.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pelatihan Responden (Pernah / Tidak Pernah)	.133	.022	.803
For cohort Implementasi PAGT = Tidak	.291	.103	.820
For cohort Implementasi PAGT = Ya	2.182	.873	5.453
N of Valid Cases	30		