

Output SPSS

Distribusi Frekuensi

Kategori Umur

	Frequency	Percent	Valid Percent	Cumulative Percent
Usia Lanjut	25	64,1	64,1	64,1
Valid lanjut tua	14	35,9	35,9	100,0
Total	39	100,0	100,0	

Jenis Kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
laki-laki	11	28,2	28,2	28,2
Valid perempuan	28	71,8	71,8	100,0
Total	39	100,0	100,0	

Descriptives

	Statistic	Std. Error
Mean	34,2769	1,20700
95% Confidence Interval for Mean	Lower Bound Upper Bound	31,8335 36,7204
5% Trimmed Mean	34,4326	
Median	35,5500	
Lemak Variance	56,817	
Std. Deviation	7,53771	
Minimum	18,95	
Maximum	45,90	
Range	26,95	
Interquartile Range	10,70	

	Skewness		-,297	,378
	Kurtosis		-,813	,741
	Mean		580,1526	21,03805
	95% Confidence Interval for Mean	Lower Bound	537,5633	
		Upper Bound	622,7419	
	5% Trimmed Mean		582,4476	
	Median		568,6000	
	Variance		17261,376	
Natrium	Std. Deviation		131,38256	
	Minimum		310,90	
	Maximum		824,00	
	Range		513,10	
	Interquartile Range		190,60	
	Skewness		-,110	,378
	Kurtosis		-,783	,741
	Mean		1042,4192	27,39654
	95% Confidence Interval for Mean	Lower Bound	986,9578	
		Upper Bound	1097,8806	
	5% Trimmed Mean		1044,5448	
	Median		1047,4000	
	Variance		29272,245	
Kalium	Std. Deviation		171,09134	
	Minimum		670,10	
	Maximum		1334,80	
	Range		664,70	
	Interquartile Range		211,20	
	Skewness		-,278	,378
	Kurtosis		-,595	,741

Kategori Umur * Tekanan Darah

Crosstabulation

		Tekanan Darah		Total
		hipertensi	tidak hipertensi	
Kategori Umur	Count	17	8	25
	Usia Lanjut % within Kategori Umur	68,0%	32,0%	100,0%
	Count	8	6	14
	lanjut tua % within Kategori Umur	57,1%	42,9%	100,0%
Total	Count	25	14	39
	% within Kategori Umur	64,1%	35,9%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,460 ^a	1	,498	,512	,368
Continuity Correction ^b	,109	1	,741		
Likelihood Ratio	,456	1	,500		
Fisher's Exact Test					
Linear-by-Linear Association	,448	1	,503		
N of Valid Cases	39				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 5,03.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,108	,498
N of Valid Cases		39	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Jenis Kelamin * Tekanan Darah

Crosstab

		Tekanan Darah		Total
		hipertensi	tidak hipertensi	
Jenis Kelamin	laki-laki	Count 9	2	11
		Expected Count 7,1	3,9	11,0
		% within Jenis Kelamin 81,8%	18,2%	100,0%
	perempuan	Count 16	12	28
		Expected Count 17,9	10,1	28,0
		% within Jenis Kelamin 57,1%	42,9%	100,0%
Total		Count 25	14	39
		Expected Count 25,0	14,0	39,0
		% within Jenis Kelamin 64,1%	35,9%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2,090 ^a	1	,148		
Continuity Correction ^b	1,155	1	,283		
Likelihood Ratio	2,246	1	,134		
Fisher's Exact Test				,266	,141
Linear-by-Linear Association	2,036	1	,154		
N of Valid Cases	39				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 3,95.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,226	,148
N of Valid Cases		39	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Asupan Zat Gizi

Correlations

		Tekanan Darah	Lemak	Natrium	Kalium
Spearman's rho	Tekanan Darah				
	Correlation Coefficient	1,000	-,112	,024	-,062
	Sig. (2-tailed)	.	,499	,886	,709
	N	39	39	39	39
	Lemak				
	Correlation Coefficient	-,112	1,000	,513**	,468**
	Sig. (2-tailed)	,499	.	,001	,003
	N	39	39	39	39
	Natrium				
	Correlation Coefficient	,024	,513**	1,000	,316
	Sig. (2-tailed)	,886	,001	.	,050
	N	39	39	39	39
Kalium					
Correlation Coefficient	-,062	,468**	,316	1,000	
Sig. (2-tailed)	,709	,003	,050	.	
N	39	39	39	39	

** . Correlation is significant at the 0.01 level (2-tailed).