

Lampiran 7. Output Analisis Univariat dan Bivariat

A. Karakteristik Responden

- Umur Ibu

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	17	2	1.7	2.9	2.9
	18	2	1.7	2.9	5.7
	19	3	2.5	4.3	10.0
	21	2	1.7	2.9	12.9
	22	5	4.2	7.1	20.0
	23	9	7.6	12.9	32.9
	25	4	3.4	5.7	38.6
	26	6	5.1	8.6	47.1
	27	7	5.9	10.0	57.1
	28	3	2.5	4.3	61.4
	29	1	.8	1.4	62.9
	30	4	3.4	5.7	68.6
	31	1	.8	1.4	70.0
	32	2	1.7	2.9	72.9
	33	4	3.4	5.7	78.6
	34	3	2.5	4.3	82.9
	35	3	2.5	4.3	87.1
	36	1	.8	1.4	88.6
	37	4	3.4	5.7	94.3
	38	3	2.5	4.3	98.6
39	1	.8	1.4	100.0	
	Total	70	59.3	100.0	
Missing	System	48	40.7		
Total		118	100.0		

- Pendidikan Ibu

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	SD	14	11.9	20.0	20.0
	SMP	25	21.2	35.7	55.7
	SMA	26	22.0	37.1	92.9
	Perguruan Tinggi	5	4.2	7.1	100.0
	Total	70	59.3	100.0	
Missing	System	48	40.7		
Total		118	100.0		

- Pendidikan Ayah

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	SD	11	9.3	15.7	15.7
	SMP	28	23.7	40.0	55.7
	SMA	25	21.2	35.7	91.4
	Perguruan Tinggi	6	5.1	8.6	100.0
	Total	70	59.3	100.0	
Missing	System	48	40.7		
Total		118	100.0		

- Umur Anak

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	12	3	2.5	4.3	4.3
	13	6	5.1	8.6	12.9
	14	5	4.2	7.1	20.0
	15	7	5.9	10.0	30.0
	16	2	1.7	2.9	32.9
	17	4	3.4	5.7	38.6
	18	2	1.7	2.9	41.4
	19	13	11.0	18.6	60.0
	20	4	3.4	5.7	65.7
	21	11	9.3	15.7	81.4
	22	7	5.9	10.0	91.4
	23	6	5.1	8.6	100.0
	Total	70	59.3	100.0	
Missing	System	48	40.7		
Total		118	100.0		

B. Hasil Analisis Univariat

1. Panjang Umur menurut Umur (PB/U)

PB/U		
N	Valid	70
	Missing	48
Mean		-.4999
Std. Error of Mean		.19973
Std. Deviation		1.67105
Skewness		.053
Std. Error of Skewness		.287
Minimum		-3.30
Maximum		2.65

Cara Kedua :

Skewness/Std.E of skewness


Maka, $0.053/0.287 = 0.184$ (Normal)

Ket : (Dikatakan Normal, jika $-2 - 2 SD$)

PB/U

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid -3.3	1	.8	1.4	1.4
-3.1	1	.8	1.4	2.9
-3	1	.8	1.4	4.3
-2.9	1	.8	1.4	5.7
-2.8	1	.8	1.4	7.1
-2.7	2	1.7	2.9	10.0
-2.6	3	2.5	4.3	14.3
-2.5	1	.8	1.4	15.7
-2.4	1	.8	1.4	17.1
-2.3	2	1.7	2.9	20.0
-2.2	2	1.7	2.9	22.9
-2.1	4	3.4	5.7	28.6
-2	3	2.5	4.3	32.9
-1.3	2	1.7	2.9	35.7
-1.2	3	2.5	4.3	40.0
-1	1	.8	1.4	41.4
-0.9	2	1.7	2.9	44.3
-0.8	2	1.7	2.9	47.1
-0.7	2	1.7	2.9	50.0
-0.4	1	.8	1.4	51.4
-0.2	3	2.5	4.3	55.7
0	1	.8	1.4	57.1
0.15	1	.8	1.4	58.6
0.26	1	.8	1.4	60.0
0.3	2	1.7	2.9	62.9
0.32	1	.8	1.4	64.3
0.34	1	.8	1.4	65.7
0.35	1	.8	1.4	67.1
0.42	1	.8	1.4	68.6
0.61	2	1.7	2.9	71.4
0.76	1	.8	1.4	72.9
0.78	1	.8	1.4	74.3
0.9	1	.8	1.4	75.7
0.92	1	.8	1.4	77.1
0.99	1	.8	1.4	78.6
1.02	1	.8	1.4	80.0
1.2	1	.8	1.4	81.4
1.5	1	.8	1.4	82.9
1.51	1	.8	1.4	84.3

1.55	1	.8	1.4	85.7
1.67	1	.8	1.4	87.1
1.76	1	.8	1.4	88.6
1.81	1	.8	1.4	90.0
1.85	1	.8	1.4	91.4
1.9	1	.8	1.4	92.9
1.95	1	.8	1.4	94.3
1.97	1	.8	1.4	95.7
1.98	1	.8	1.4	97.1
2.28	1	.8	1.4	98.6
2.65	1	.8	1.4	100.0
Total	70	59.3	100.0	
Missi System ng	48	40.7		
Total	118	100.0		



2. Berat Badan menurut Umur (BB/U)

Statistics

BB/U		
N	Valid	70
	Missing	48
Mean		-.4297
Std. Error of Mean		.13119
Std. Deviation		1.09763
Skewness		.386
Std. Error of Skewness		.287
Minimum		-2.40
Maximum		2.60

Cara Kedua :


Skewness/Std.E of skewness

Maka, $0.386/0.287 = 1.34$ (Normal)

Ket : (Dikatakan **Normal**, jika $-2 - 2 SD$)

		BB/U			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	-2.4	2	1.7	2.9	2.9
	-2.3	2	1.7	2.9	5.7
	-2.2	1	.8	1.4	7.1
	-2.1	1	.8	1.4	8.6
	-1.9	1	.8	1.4	10.0
	-1.7	1	.8	1.4	11.4
	-1.6	2	1.7	2.9	14.3
	-1.5	2	1.7	2.9	17.1
	-1.4	2	1.7	2.9	20.0
	-1.3	4	3.4	5.7	25.7
	-1.1	3	2.5	4.3	30.0
	-1	5	4.2	7.1	37.1
	-0.9	1	.8	1.4	38.6
	-0.8	1	.8	1.4	40.0
	-0.6	4	3.4	5.7	45.7
	-0.5	2	1.7	2.9	48.6
	-0.4	3	2.5	4.3	52.9
	-0.3	4	3.4	5.7	58.6
	-0.2	3	2.5	4.3	62.9
	-0.1	2	1.7	2.9	65.7
	0	1	.8	1.4	67.1
	0.12	1	.8	1.4	68.6
	0.13	1	.8	1.4	70.0
	0.17	2	1.7	2.9	72.9
	0.18	1	.8	1.4	74.3
	0.19	1	.8	1.4	75.7
	0.21	1	.8	1.4	77.1
	0.29	1	.8	1.4	78.6
	0.34	1	.8	1.4	80.0
	0.48	1	.8	1.4	81.4
	0.55	1	.8	1.4	82.9
	0.58	1	.8	1.4	84.3
	0.72	1	.8	1.4	85.7
	0.77	1	.8	1.4	87.1
0.79	1	.8	1.4	88.6	
0.97	1	.8	1.4	90.0	
1.05	1	.8	1.4	91.4	
1.1	1	.8	1.4	92.9	
1.15	1	.8	1.4	94.3	
1.42	1	.8	1.4	95.7	
1.58	1	.8	1.4	97.1	
2.46	1	.8	1.4	98.6	
2.6	1	.8	1.4	100.0	

Total	70	59.3	100.0
Missing System	48	40.7	
Total	118	100.0	



3. Berat Badan menurut Panjang Badan (BB/PB)

Statistics

BB/PB		
N	Valid	70
	Missing	48
Mean		-.2420
Std. Error of Mean		.13087
Std. Deviation		1.09497
Skewness		.783
Std. Error of Skewness		.287
Minimum		-2.00
Maximum		3.40

Cara Kedua :


Skewness/Std.E of skewness

Maka, $0.783/0.287 = 2.72$ (**Tidak Normal**)

Ket : (Dikatakan **Normal**, jika $-2 - 2 SD$)

		BB/PB			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	-2	1	.8	1.4	1.4
	-1.8	3	2.5	4.3	5.7
	-1.7	2	1.7	2.9	8.6
	-1.5	2	1.7	2.9	11.4
	-1.4	3	2.5	4.3	15.7
	-1.3	2	1.7	2.9	18.6
	-1.2	3	2.5	4.3	22.9
	-1.1	3	2.5	4.3	27.1
	-1	1	.8	1.4	28.6

-0.9	3	2.5	4.3	32.9
-0.8	1	.8	1.4	34.3
-0.7	4	3.4	5.7	40.0
-0.6	1	.8	1.4	41.4
-0.5	4	3.4	5.7	47.1
-0.4	5	4.2	7.1	54.3
-0.3	1	.8	1.4	55.7
-0.2	2	1.7	2.9	58.6
-0.1	2	1.7	2.9	61.4
0	3	2.5	4.3	65.7
0.09	1	.8	1.4	67.1
0.1	1	.8	1.4	68.6
0.13	1	.8	1.4	70.0
0.15	1	.8	1.4	71.4
0.19	1	.8	1.4	72.9
0.31	1	.8	1.4	74.3
0.41	1	.8	1.4	75.7
0.48	1	.8	1.4	77.1
0.55	1	.8	1.4	78.6
0.57	1	.8	1.4	80.0
0.62	1	.8	1.4	81.4
0.71	1	.8	1.4	82.9
0.88	1	.8	1.4	84.3
1.09	2	1.7	2.9	87.1
1.17	1	.8	1.4	88.6
1.3	1	.8	1.4	90.0
1.49	2	1.7	2.9	92.9
1.51	1	.8	1.4	94.3
1.65	1	.8	1.4	95.7
1.96	1	.8	1.4	97.1
2.02	1	.8	1.4	98.6
3.4	1	.8	1.4	100.0
Total	70	59.3	100.0	
Missing System	48	40.7		
Total	118	100.0		



4. Pengetahuan Ibu

Statistics

Pengetahuan Ibu

N	Valid	70
	Missing	48
Mean		4.49
Std. Error of Mean		.161
Std. Deviation		1.349
Skewness		-.297
Std. Error of Skewness		.287
Minimum		2
Maximum		7

Cara Kedua :


Skewness/Std.E of skewness

Maka, $-0.297/0.287 = -1.03$ (Normal)

Ket : (Dikatakan Normal, jika $-2 - 2 SD$)

Pengetahuan Ibu

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	7	5.9	10.0	10.0
	3	11	9.3	15.7	25.7
	4	12	10.2	17.1	42.9
	5	24	20.3	34.3	77.1
	6	13	11.0	18.6	95.7
	7	3	2.5	4.3	100.0
	Total		70	59.3	100.0
Missing	System	48	40.7		
Total		118	100.0		



5. Perilaku Pemberian Makan

Status ASI

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ASI	43	36.4	61.4	61.4
	ASI Eksklusif	27	22.9	38.6	100.0
	Total	70	59.3	100.0	
Missing	System	48	40.7		
Total		118	100.0		

6. Perilaku Pengasuhan Ibu

Statistics

Perilaku Pengasuhan

N	Valid	70
	Missing	48
Mean		5.56
Std. Error of Mean		.153
Std. Deviation		1.281
Skewness		-.471
Std. Error of Skewness		.287
Minimum		3
Maximum		7

Cara Kedua :


Skewness/Std.E of skewness

Maka, $-0.471/0.287 = -1.64$ (Normal)

Ket : (Dikatakan **Normal**, jika $-2 - 2$ SD)

Perilaku Pengasuhan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	5	4.2	7.1	7.1
	4	12	10.2	17.1	24.3
	5	13	11.0	18.6	42.9
	6	19	16.1	27.1	70.0
	7	21	17.8	30.0	100.0
	Total		70	59.3	100.0
Missing	System	48	40.7		
Total		118	100.0		



7. Perilaku Kebersihan dan Pelayanan Kesehatan

Perilaku Kebersihan dan Pemeliharaan

Kesehatan

N	Valid	70
	Missing	48
Mean		8.69
Median		9.00
Std. Deviation		.808
Skewness		-.885
Std. Error of Skewness		.287
Minimum		6
Maximum		10

Cara Kedua :


Skewness/Std.E of skewness

Maka, $-0.885/0.287 = -3.08$ (**Tidak Normal**)

Ket : (Dikatakan **Normal**, jika $-2 - 2 SD$)

Perilaku Kebersihan dan pelayanan Kesehatan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 6	1	1.4	1.4	1.4
7	5	7.1	7.1	8.6
8	16	22.9	22.9	31.4
9	41	58.6	58.6	90.0
10	7	10.0	10.0	100.0
Total	70	100.0	100.0	



One-Sample Kolmogorov-Smirnov Test

		Perilaku Kebersihan dan pelayanan Kesehatan
N		70
Normal Parameters ^a	Mean	8.69
	Std. Deviation	.808
Most Extreme Differences	Absolute	.337
	Positive	.249
	Negative	-.337
Kolmogorov-Smirnov Z		2.820
Asymp. Sig. (2-tailed)		.000

a. Test distribution is Normal.

Karena hasil kolmogorov Smirnov $Z > 1,97$ yaitu : 2.820
Maka data dikatakan Data Tidak Normal

8. Perilaku Sanitasi Lingkungan Keluarga
Statistics

Perilaku Sanitasi Lingkungn

N	Valid	70
	Missing	0
Mean		5.49
Std. Error of Mean		.139
Std. Deviation		1.164
Skewness		-.248
Std. Error of Skewness		.287
Minimum		3
Maximum		8

Cara Kedua :


Skewness/Std.E of skewness

Maka, $-0.248/0.287 = -0.86$ (Normal)

Ket : (Dikatakan **Normal**, jika $-2 - 2 SD$)

Perilaku Sanitasi Lingkungan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	3	4.3	4.3	4.3
4	13	18.6	18.6	22.9
5	16	22.9	22.9	45.7
6	24	34.3	34.3	80.0
7	13	18.6	18.6	98.6
8	1	1.4	1.4	100.0
Total	70	100.0	100.0	



C. Hasil Analisis Bivariat


1. Perbedaan Pengetahuan Ibu Berdasarkan Kejadian Stunting

Group Statistics

	PB/U1	N	Mean	Std. Deviation	Std. Error Mean
Pengetahuan Ibu	Normal	47	4.79	1.267	.185
	Stunting	23	3.87	1.325	.276

Independent Samples Test


		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
Pengetahuan Ibu	Equal variances assumed	1.054	.308	2.804	68	.007	.918	.327	.265	1.571
	Equal variances not assumed			2.761	42.080	.009	.918	.332	.247	1.588



Correlations

		Pengetahuan Ibu	PB/U
Pengetahuan Ibu	Pearson Correlation	1	.352**
	Sig. (2-tailed)		.003
	N	70	70
PB/U	Pearson Correlation	.352**	1
	Sig. (2-tailed)	.003	
	N	70	70

** . Correlation is significant at the 0.01 level (2-tailed).



2. Perbedaan Perilaku Pemberian Makan Berdasarkan Kejadian Stunting

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
PB/U * Status ASI	70	59.3%	48	40.7%	118	100.0%

PB/U * Status ASI Crosstabulation

			Status ASI		Total
			Tidak ASI	ASI Eksklusif	
PB/U	Normal	Count	25	22	47
		Expected Count	28.9	18.1	47.0
		% within PB/U1	53.2%	46.8%	100.0%
	Stunting	Count	18	5	23
		Expected Count	14.1	8.9	23.0
		% within PB/U1	78.3%	21.7%	100.0%
Total	Count	43	27	70	
	Expected Count	43.0	27.0	70.0	
	% within PB/U1	61.4%	38.6%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.096 ^a	1	.043	.066	.037
Continuity Correction ^b	3.106	1	.078		
Likelihood Ratio	4.302	1	.038		
Fisher's Exact Test					
Linear-by-Linear Association	4.038	1	.044		
N of Valid Cases ^b	70				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8,87.

b. Computed only for a 2x2 table


Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PB/U1 (Normal / Stunting)	.316	.100	.991
For cohort Status ASI = Tidak ASI	.680	.482	.959
For cohort Status ASI = ASI Eksklusif	2.153	.936	4.954
N of Valid Cases	70		

Survival Table

Status ASI	Time	Status	Cumulative Proportion Surviving at the Time		N of Cumulative Events	N of Remaining Cases	
			Estimate	Std. Error			
Tidak ASI	1	12.000	Stunting	.	.	1	42
	2	12.000	Stunting	.	.	2	41
	3	12.000	Normal	.930	.039	3	40
	4	13.000	Stunting	.	.	4	39
	5	13.000	Normal	.	.	5	38
	6	13.000	Stunting	.	.	6	37
	7	13.000	Stunting	.	.	7	36
	8	13.000	Normal	.814	.059	8	35
	9	14.000	Stunting	.	.	9	34
	10	14.000	Stunting	.	.	10	33
	11	14.000	Stunting	.	.	11	32
	12	14.000	Stunting	.721	.068	12	31
	13	15.000	Normal	.	.	13	30
	14	15.000	Normal	.	.	14	29
	15	15.000	Normal	.	.	15	28
	16	15.000	Normal	.	.	16	27
	17	15.000	Stunting	.	.	17	26
	18	15.000	Normal	.581	.075	18	25
	19	16.000	Normal	.	.	19	24
	20	16.000	Stunting	.535	.076	20	23
	21	17.000	Normal	.	.	21	22
	22	17.000	Normal	.488	.076	22	21
	23	18.000	Stunting	.465	.076	23	20
	24	19.000	Stunting	.	.	24	19
	25	19.000	Normal	.	.	25	18
	26	19.000	Normal	.	.	26	17
	27	19.000	Normal	.	.	27	16
	28	19.000	Normal	.	.	28	15
	29	19.000	Normal	.	.	29	14
	30	19.000	Normal	.302	.070	30	13
	31	20.000	Stunting	.	.	31	12
	32	20.000	Normal	.256	.067	32	11
	33	21.000	Normal	.	.	33	10
	34	21.000	Normal	.	.	34	9
	35	21.000	Stunting	.	.	35	8
	36	21.000	Stunting	.	.	36	7
	37	21.000	Normal	.	.	37	6
	38	21.000	Normal	.116	.049	38	5
	39	22.000	Normal	.	.	39	4
	40	22.000	Normal	.	.	40	3
	41	22.000	Stunting	.047	.032	41	2

	42	23.000	Stunting	.	.	42	1
	43	23.000	Normal	.000	.000	43	0
ASI Eksklusif	1	13.000	Normal	.963	.036	1	26
	2	14.000	Normal	.926	.050	2	25
	3	15.000	Normal	.889	.060	3	24
	4	17.000	Normal	.	.	4	23
	5	17.000	Normal	.815	.075	5	22
	6	18.000	Normal	.778	.080	6	21
	7	19.000	Normal	.	.	7	20
	8	19.000	Normal	.	.	8	19
	9	19.000	Normal	.	.	9	18
	10	19.000	Normal	.	.	10	17
	11	19.000	Stunting	.	.	11	16
	12	19.000	Normal	.556	.096	12	15
	13	20.000	Normal	.	.	13	14
	14	20.000	Normal	.481	.096	14	13
	15	21.000	Normal	.	.	15	12
	16	21.000	Normal	.	.	16	11
	17	21.000	Normal	.	.	17	10
	18	21.000	Normal	.	.	18	9
	19	21.000	Stunting	.296	.088	19	8
	20	22.000	Normal	.	.	20	7
	21	22.000	Stunting	.	.	21	6
	22	22.000	Normal	.	.	22	5
	23	22.000	Normal	.148	.068	23	4
	24	23.000	Normal	.	.	24	3
	25	23.000	Stunting	.	.	25	2
	26	23.000	Normal	.	.	26	1
	27	23.000	Stunting	.000	.000	27	0




3. Perbedaan Pengasuhan Ibu Berdasarkan Kejadian Stunting

Group Statistics

	PB/U1	N	Mean	Std. Deviation	Std. Error Mean
Perilaku Pengasuhan	Normal	47	5.91	1.158	.169
	Stunting	23	4.83	1.230	.257

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
Perilaku Pengasuhan	Equal variances assumed	.711	.402	3.621	68	.001	1.089	.301	.489	1.689
	Equal variances not assumed			3.545	41.472	.001	1.089	.307	.469	1.709




Correlations

		Perilaku Pengasuhan	PB/U
Perilaku Pengasuhan	Pearson Correlation	1	.311**
	Sig. (2-tailed)		.009

	N	70	70
PB/U	Pearson Correlation	.311**	1
	Sig. (2-tailed)	.009	
	N	70	70

** . Correlation is significant at the 0.01 level (2-tailed).



4. Perbedaan Perilaku Kebersihan dan Pelayanan Kesehatan Berdasarkan Kejadian Stunting

- Data pada analisis univariat menyatakan data tidak normal, maka menggunakan uji non parametrik Mann Whitney:

Ranks

	PB/U	N	Mean Rank	Sum of Ranks
Perilaku Kebersihan dan pelayanan Kesehatan	Normal	47	38.88	1827.50
	Stunting	23	28.59	657.50
	Total	70		

Test Statistics^a

	Perilaku Kebersihan dan pelayanan Kesehatan
Mann-Whitney U	381.500
Wilcoxon W	657.500
Z	-2.243
Asymp. Sig. (2-tailed)	.025


a. Grouping Variable: PB/U

Case Processing Summary

	PB/U1	Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
Perilaku Pelayanan Kesehatan dan Kebersihan	Normal	47	100.0%	0	.0%	47	100.0%
	Stunting	23	100.0%	0	.0%	23	100.0%


Descriptives

PB/U1		Statistic	Std. Error	
Perilaku Pelayanan Kesehatan dan Kebersihan	Normal	Mean	8.83	.111
	95% Confidence Interval for Mean	Lower Bound	8.61	
		Upper Bound	9.05	
	5% Trimmed Mean		8.88	
	Median		9.00	
	Variance		.579	
	Std. Deviation		.761	
	Minimum		6	
	Maximum		10	
	Range		4	
	Interquartile Range		0	
	Skewness		-1.245	.347
	Kurtosis		3.506	.681
	Stunting		Mean	8.39
95% Confidence Interval for Mean		Lower Bound	8.03	
		Upper Bound	8.75	
5% Trimmed Mean			8.39	
Median			9.00	
Variance			.704	
Std. Deviation			.839	
Minimum			7	
Maximum			10	
Range			3	
Interquartile Range			1	
Skewness			-.384	.481
Kurtosis			-.638	.935



Correlations

		Perilaku Pelayanan Kesehatan dan Kebersihan	Z Score
Perilaku Kebersihan dan Pelayanan Kesehatan	Pearson Correlation	1	.197
	Sig. (2-tailed)		.103
	N	70	70
Z Score	Pearson Correlation	.197	1
	Sig. (2-tailed)	.103	
	N	70	70




5. Perbedaan Perilaku Sanitasi Lingkungan Berdasarkan Kejadian Stunting

Group Statistics

	PB/U1	N	Mean	Std. Deviation	Std. Error Mean
Sanitasi Lingkungan	Normal	47	5.57	1.175	.171
	Stunting	23	5.30	1.146	.239


Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
Sanitasi Lingkungan	Equal variances assumed	.220	.641	.911	68	.366	.270	.297	-.322	.862
	Equal variances not assumed			.919	44.799	.363	.270	.294	-.322	.862



Correlations

		Sanitasi Lingkungan	Z Score
Sanitasi Lingkungan	Pearson Correlation	1	.154
	Sig. (2-tailed)		.204
	N	70	70
Z Score	Pearson Correlation	.154	1
	Sig. (2-tailed)	.204	
	N	70	70



Universitas
Esa Unggul

Universitas
Esa Unggul

Universitas
Esa U

Universitas
Esa Unggul

Universitas
Esa Unggul

Universitas
Esa U

Universitas
Esa Unggul

Universitas
Esa Unggul

Universitas
Esa U