

Lampiran 09. Hasil Uji Output SPSS Analisis Bivariat

Kategori Umur Responden * Kategori Sikap Responden

Crosstab

		Kategori Sikap Responden		Total	
		Negatif	Positif		
Kategori Umur Responden	Dewasa Awal	Count	27	22	49
		% of Total	30,3%	24,7%	55,1%
	Dewasa Akhir	Count	24	16	40
		% of Total	27,0%	18,0%	44,9%
Total		Count	51	38	89
		% of Total	57,3%	42,7%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,216 ^a	1	,642		
Continuity Correction ^b	,062	1	,803		
Likelihood Ratio	,216	1	,642		
Fisher's Exact Test				,672	,402
Linear-by-Linear Association	,214	1	,644		
N of Valid Cases	89				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 17,08.

b. Computed only for a 2x2 table

Kategori Pengetahuan 2 x 2 * Kategori Sikap Responden

Crosstab

		Kategori Sikap Responden		Total	
		Negatif	Positif		
Kategori Pengetahuan 2 x 2	Tidak Baik	Count	41	22	63
		% of Total	46,1%	24,7%	70,8%
	Baik	Count	10	16	26
		% of Total	11,2%	18,0%	29,2%
Total		Count	51	38	89
		% of Total	57,3%	42,7%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5,330 ^a	1	,021	,033	,019
Continuity Correction ^b	4,297	1	,038		
Likelihood Ratio	5,312	1	,021		
Fisher's Exact Test					
Linear-by-Linear Association	5,270	1	,022		
N of Valid Cases	89				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 11,10.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Pengetahuan 2 x 2 (Tidak Baik / Baik)	2,982	1,159	7,670
For cohort Kategori Sikap Responden = Negatif	1,692	1,007	2,843
For cohort Kategori Sikap Responden = Positif	,567	,360	,893
N of Valid Cases	89		

Pendidikan Responden * Kategori Sikap Responden

Crosstab

		Kategori Sikap Responden		Total	
		Negatif	Positif		
Pendidikan Responden	Rendah	Count	37	13	50
		% of Total	41,6%	14,6%	56,2%
	Tinggi	Count	14	25	39
		% of Total	15,7%	28,1%	43,8%
Total	Count	51	38	89	
	% of Total	57,3%	42,7%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	13,001 ^a	1	,000		
Continuity Correction ^b	11,490	1	,001		
Likelihood Ratio	13,248	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	12,855	1	,000		
N of Valid Cases	89				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 16,65.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pendidikan Responden (Rendah / Tinggi)	5,082	2,047	12,621
For cohort Kategori Sikap Responden = Negatif	2,061	1,314	3,234
For cohort Kategori Sikap Responden = Positif	,406	,240	,684
N of Valid Cases	89		

Pekerjaan * Kategori Sikap Responden

Crosstab

		Kategori Sikap Responden		Total	
		Negatif	Positif		
Pekerjaan	Tidak Bekerja	Count	48	28	76
		% of Total	53,9%	31,5%	85,4%
Bekerja		Count	3	10	13
		% of Total	3,4%	11,2%	14,6%
Total		Count	51	38	89
		% of Total	57,3%	42,7%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7,289 ^a	1	,007	,013	,008
Continuity Correction ^b	5,743	1	,017		
Likelihood Ratio	7,396	1	,007		
Fisher's Exact Test					
Linear-by-Linear Association	7,207	1	,007		
N of Valid Cases	89				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 5,55.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pekerjaan (Tidak Bekerja / Bekerja)	5,714	1,449	22,528
For cohort Kategori Sikap Responden = Negatif	2,737	1,000	7,493
For cohort Kategori Sikap Responden = Positif	,479	,315	,728
N of Valid Cases	89		

Pendapatan * Kategori Sikap Responden

Crosstab

		Kategori Sikap Responden		Total	
		Negatif	Positif		
Pendapatan	< UMR	Count	34	16	50
		% of Total	38,2%	18,0%	56,2%
	=> UMR	Count	17	22	39
		% of Total	19,1%	24,7%	43,8%
Total		Count	51	38	89
		% of Total	57,3%	42,7%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5,336 ^a	1	,021	,031	,018
Continuity Correction ^b	4,385	1	,036		
Likelihood Ratio	5,365	1	,021		
Fisher's Exact Test					
Linear-by-Linear Association	5,276	1	,022		
N of Valid Cases	89				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 16,65.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pendapatan (< UMR / => UMR)	2,750	1,154	6,552
For cohort Kategori Sikap Responden = Negatif	1,560	1,041	2,338
For cohort Kategori Sikap Responden = Positif	,567	,348	,925
N of Valid Cases	89		

Kategori Keterpaparan Sumber Informasi * Kategori Sikap Responden

Crosstab

			Kategori Sikap Responden		Total
			Negatif	Positif	
Kategori Keterpaparan Sumber Informasi	Terpapar	Count	7	17	24
		% of Total	7,9%	19,1%	27,0%
	Tidak Terpapar	Count	44	21	65
		% of Total	49,4%	23,6%	73,0%
Total		Count	51	38	89
		% of Total	57,3%	42,7%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	10,633 ^a	1	,001		
Continuity Correction ^b	9,117	1	,003		
Likelihood Ratio	10,708	1	,001		
Fisher's Exact Test				,002	,001
Linear-by-Linear Association	10,514	1	,001		
N of Valid Cases	89				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 10,25.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Keterpaparan Sumber Informasi (Terpapar / Tidak Terpapar)	,197	,071	,546
For cohort Kategori Sikap Responden = Negatif	,431	,226	,822
For cohort Kategori Sikap Responden = Positif	2,192	1,418	3,389
N of Valid Cases	89		

Kategori Sikap Responden * Kategori Perilaku Responden Crosstabulation

		Kategori Perilaku Responden		Total	
		Tidak Baik	Baik		
Kategori Sikap Responden	Negatif	Count	32	19	51
		% of Total	36,0%	21,3%	57,3%
	Positif	Count	7	31	38
		% of Total	7,9%	34,8%	42,7%
Total	Count	39	50	89	
	% of Total	43,8%	56,2%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	17,378 ^a	1	,000	,000	,000
Continuity Correction ^b	15,624	1	,000		
Likelihood Ratio	18,360	1	,000		
Fisher's Exact Test					
Linear-by-Linear Association	17,182	1	,000		
N of Valid Cases	89				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 16,65.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Sikap Responden (Negatif / Positif)	7,459	2,751	20,223
For cohort Kategori Perilaku Responden = Tidak Baik	3,406	1,689	6,871
For cohort Kategori Perilaku Responden = Baik	,457	,310	,672
N of Valid Cases	89		