

UJI CHI SQUARE

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori_Pengetahuan *	72	100.0%	0	0.0%	72	100.0%
Kategori_Perilaku						

Kategori_Pengetahuan * Kategori_Perilaku Crosstabulation

			Kategori_Perilaku		Total
			Baik	Tidak Baik	
Kategori_Pengetahuan	Baik	Count	38	9	47
		% within Kategori_Pengetahuan	80.9%	19.1%	100.0%
	Tidak Baik	Count	11	14	25
		% within Kategori_Pengetahuan	44.0%	56.0%	100.0%
Total	Count		49	23	72
	% within Kategori_Pengetahuan		68.1%	31.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	10.194 ^a	1	.001	.003	.002
Continuity Correction ^b	8.569	1	.003		
Likelihood Ratio	10.005	1	.002		
Fisher's Exact Test					
Linear-by-Linear Association	10.052	1	.002		
N of Valid Cases	72				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.99.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori_Pengetahuan (Baik / Tidak Baik)	5.374	1.838	15.715
For cohort Kategori_Perilaku = Baik	1.838	1.156	2.921
For cohort Kategori_Perilaku = Tidak Baik	.342	.173	.677
N of Valid Cases	72		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori_Peraturan * Kategori_Perilaku	72	100.0%	0	0.0%	72	100.0%

Kategori_Peraturan * Kategori_Perilaku Crosstabulation

			Kategori Perilaku		Total
			Baik	Tidak Baik	
Kategori_Peraturan	Ada	Count	32	5	37
		% within Kategori_Peraturan	86.5%	13.5%	100.0%
	Tidak Ada	Count	17	18	35
		% within Kategori_Peraturan	48.6%	51.4%	100.0%
Total	Count		49	23	72
	% within Kategori_Peraturan		68.1%	31.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	11.893 ^a	1	.001	.001	.001
Continuity Correction ^b	10.213	1	.001		
Likelihood Ratio	12.411	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	11.728	1	.001		
N of Valid Cases	72				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 11.18.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori_Peraturan (Ada / Tidak Ada)	6.776	2.141	21.450
For cohort Kategori_Perilaku = Baik	1.781	1.237	2.562
For cohort Kategori_Perilaku = Tidak Baik	.263	.109	.631
N of Valid Cases	72		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori_Pelatihan *	72	100.0%	0	0.0%	72	100.0%
Kategori_Perilaku						

Kategori_Pelatihan * Kategori_Perilaku Crosstabulation

			Kategori_Perilaku		Total
			Baik	Tidak Baik	
Kategori_Pelatihan	Ada	Count	34	11	45
		% within Kategori_Pelatihan	75.6%	24.4%	100.0%
	Tidak Ada	Count	15	12	27
		% within Kategori_Pelatihan	55.6%	44.4%	100.0%
Total	Count		49	23	72
	% within Kategori_Pelatihan		68.1%	31.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.105 ^a	1	.078	.117	.067
Continuity Correction ^b	2.253	1	.133		
Likelihood Ratio	3.059	1	.080		
Fisher's Exact Test					
Linear-by-Linear Association	3.062	1	.080		
N of Valid Cases	72				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.63.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori_Pelatihan (Ada / Tidak Ada)	2.473	.893	6.851
For cohort Kategori_Perilaku = Baik	1.360	.934	1.981
For cohort Kategori_Perilaku = Tidak Baik	.550	.283	1.069
N of Valid Cases	72		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori_Pengawasan * Kategori_Perilaku	72	100.0%	0	0.0%	72	100.0%

Kategori_Pengawasan * Kategori_Perilaku Crosstabulation

			Kategori Perilaku		Total
			Baik	Tidak Baik	
Kategori_Pengawasan	Baik	Count	38	8	46
		% within Kategori_Pengawasan	82.6%	17.4%	100.0%
		Count	11	15	26
	Tidak Baik	% within Kategori_Pengawasan	42.3%	57.7%	100.0%
		Count	49	23	72
		% within Kategori_Pengawasan	68.1%	31.9%	100.0%
Total					

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	12.410 ^a	1	.000	.001	.001
Continuity Correction ^b	10.625	1	.001		
Likelihood Ratio	12.276	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	12.238	1	.000		
N of Valid Cases	72				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.31.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori_Pengawasan (Baik / Tidak Baik)	6.477	2.179	19.252
For cohort Kategori_Perilaku = Baik	1.953	1.223	3.118
For cohort Kategori_Perilaku = Tidak Baik	.301	.148	.614
N of Valid Cases	72		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori_Ketersediaan *	72	100.0%	0	0.0%	72	100.0%
Kategori_Perilaku						

Kategori_Ketersediaan * Kategori_Perilaku Crosstabulation

			Kategori_Perilaku		Total
			Baik	Tidak Baik	
Kategori_Ketersediaan	Ada	Count	43	5	48
		% within Kategori_Ketersediaan	89.6%	10.4%	100.0%
	Tidak Ada	Count	6	18	24
		% within Kategori_Ketersediaan	25.0%	75.0%	100.0%
Total	Count		49	23	72
	% within Kategori_Ketersediaan		68.1%	31.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	30.697 ^a	1	.000	.000	.000
Continuity Correction ^b	27.799	1	.000		
Likelihood Ratio	31.139	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	30.271	1	.000		
N of Valid Cases	72				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.67.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori_Ketersediaan (Baik / Tidak Baik)	25.800	6.974	95.444
For cohort Kategori_Perilaku = Baik	3.583	1.780	7.213
For cohort Kategori_Perilaku = Tidak Baik	.139	.059	.329
N of Valid Cases	72		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori_Penghargaan * Kategori_Perilaku	72	100.0%	0	0.0%	72	100.0%

Kategori_Penghargaan * Kategori_Perilaku Crosstabulation

			Kategori_Perilaku		Total
			Baik	Tidak Baik	
Kategori_Penghargaan	Ada	Count	32	8	40
		% within Kategori_Penghargaan	80.0%	20.0%	100.0%
	Tidak Ada	Count	17	15	32
		% within Kategori_Penghargaan	53.1%	46.9%	100.0%
	Total	Count	49	23	72
		% within Kategori_Penghargaan	68.1%	31.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.906 ^a	1	.015	.022	.015
Continuity Correction ^b	4.735	1	.030		
Likelihood Ratio	5.940	1	.015		
Fisher's Exact Test					
Linear-by-Linear Association	5.824	1	.016		
N of Valid Cases	72				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 10.22.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori_Penghargaan (Ada / Tidak Ada)	3.529	1.247	9.989
For cohort Kategori_Perilaku = Baik	1.506	1.050	2.159
For cohort Kategori_Perilaku = Tidak Baik	.427	.207	.878
N of Valid Cases	72		