

## UJI NORMALITAS

**Case Processing Summary**

|                       | Cases |         |         |         |       |         |
|-----------------------|-------|---------|---------|---------|-------|---------|
|                       | Valid |         | Missing |         | Total |         |
|                       | N     | Percent | N       | Percent | N     | Percent |
| Pengetahuan Responden | 110   | 100.0%  | 0       | .0%     | 110   | 100.0%  |
| Dukungan Suami        | 110   | 100.0%  | 0       | .0%     | 110   | 100.0%  |

**Descriptives**

|                       |                                  | Statistic | Std. Error |
|-----------------------|----------------------------------|-----------|------------|
| Pengetahuan Responden | Mean                             | 11.73     | .253       |
|                       | 95% Confidence Interval for Mean |           |            |
|                       | Lower Bound                      | 11.23     |            |
|                       | Upper Bound                      | 12.23     |            |
|                       | 5% Trimmed Mean                  | 11.97     |            |
|                       | Median                           | 13.00     |            |
|                       | Variance                         | 7.026     |            |
|                       | Std. Deviation                   | 2.651     |            |
|                       | Minimum                          | 5         |            |
|                       | Maximum                          | 14        |            |
|                       | Range                            | 9         |            |
|                       | Interquartile Range              | 4         |            |
|                       | Skewness                         | -1.111    | .230       |
|                       | Kurtosis                         | .294      | .457       |
| Dukungan Suami        | Mean                             | 4.63      | .205       |
|                       | 95% Confidence Interval for Mean |           |            |
|                       | Lower Bound                      | 4.22      |            |
|                       | Upper Bound                      | 5.03      |            |
|                       | 5% Trimmed Mean                  | 4.81      |            |
|                       | Median                           | 6.00      |            |
|                       | Variance                         | 4.621     |            |
|                       | Std. Deviation                   | 2.150     |            |
|                       | Minimum                          | 0         |            |
|                       | Maximum                          | 6         |            |
|                       | Range                            | 6         |            |
|                       | Interquartile Range              | 2         |            |

|  |          |        |      |
|--|----------|--------|------|
|  | Skewness | -1.535 | .230 |
|  | Kurtosis | .757   | .457 |

| Tests of Normality    |                                 |     |      |              |     |      |
|-----------------------|---------------------------------|-----|------|--------------|-----|------|
|                       | Kolmogorov-Smirnov <sup>a</sup> |     |      | Shapiro-Wilk |     |      |
|                       | Statistic                       | df  | Sig. | Statistic    | df  | Sig. |
| Pengetahuan Responden | .204                            | 110 | .000 | .816         | 110 | .000 |
| Dukungan Suami        | .314                            | 110 | .000 | .635         | 110 | .000 |

a. Lilliefors Significance Correction

## Frequencies

### Distribusi Frekuensi Univariat

#### Kelengkapan Imunisasi Dasar

|       |               | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------|-----------|---------|---------------|--------------------|
| Valid | Tidak Lengkap | 62        | 56.4    | 56.4          | 56.4               |
|       | Lengkap       | 48        | 43.6    | 43.6          | 100.0              |
|       | Total         | 110       | 100.0   | 100.0         |                    |

#### Pendidikan Responden

|       |                                     | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------------------------------|-----------|---------|---------------|--------------------|
| Valid | Rendah<br>(SD/MI/SMP/MTs/Sederajat) | 67        | 60.9    | 60.9          | 60.9               |
|       | Tinggi<br>(SMA/Diploma/Sarjana)     | 43        | 39.1    | 39.1          | 100.0              |
|       | Total                               | 110       | 100.0   | 100.0         |                    |

#### Status Pekerjaan

|       |               | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------|-----------|---------|---------------|--------------------|
| Valid | Bekerja       | 61        | 55.5    | 55.5          | 55.5               |
|       | Tidak Bekerja | 49        | 44.5    | 44.5          | 100.0              |
|       | Total         | 110       | 100.0   | 100.0         |                    |

#### Paritas Responden

|       |           | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----------|-----------|---------|---------------|--------------------|
| Valid | Multipara | 72        | 65.5    | 65.5          | 65.5               |
|       | Primipara | 38        | 34.5    | 34.5          | 100.0              |
|       | Total     | 110       | 100.0   | 100.0         |                    |

**Pengetahuan Responden**

|       |                        | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------------------|-----------|---------|---------------|--------------------|
| Valid | Rendah, Jika < median  | 66        | 60.0    | 60.0          | 60.0               |
|       | Tinggi, jika >= median | 44        | 40.0    | 40.0          | 100.0              |
|       | Total                  | 110       | 100.0   | 100.0         |                    |

**Dukungan Suami**

|       |                               | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------------------------------|-----------|---------|---------------|--------------------|
| Valid | tidak didukung, jika < median | 51        | 46.4    | 46.4          | 46.4               |
|       | didukung, jika >= median      | 59        | 53.6    | 53.6          | 100.0              |
|       | Total                         | 110       | 100.0   | 100.0         |                    |

## Distribusi Frekuensi Bivariat

### 1. Hubungan Antara Pendidikan dengan Kelengkapan Imunisasi Dasar

Case Processing Summary

|                                                          | Cases |         |         |         |       |         |
|----------------------------------------------------------|-------|---------|---------|---------|-------|---------|
|                                                          | Valid |         | Missing |         | Total |         |
|                                                          | N     | Percent | N       | Percent | N     | Percent |
| Pendidikan Responden *<br>Kelengkapan Imunisasi<br>Dasar | 110   | 100.0%  | 0       | .0%     | 110   | 100.0%  |

Pendidikan Responden \* Kelengkapan Imunisasi Dasar Crosstabulation

|                      |                                     |                                           | Kelengkapan<br>Imunisasi Dasar |
|----------------------|-------------------------------------|-------------------------------------------|--------------------------------|
|                      |                                     |                                           | Tidak Lengkap                  |
| Pendidikan Responden | Rendah<br>(SD/MI/SMP/MTs/Sederajat) | Count<br>% within Pendidikan<br>Responden | 47<br>70.1%                    |
|                      | Tinggi<br>(SMA/Diploma/Sarjana)     | Count<br>% within Pendidikan<br>Responden | 15<br>34.9%                    |
| Total                |                                     | Count<br>% within Pendidikan<br>Responden | 62<br>56.4%                    |

Pendidikan Responden \* Kelengkapan Imunisasi Dasar Crosstabulation

|                      |                                     |                                           | Kelengkapan<br>Imunisasi Dasar |
|----------------------|-------------------------------------|-------------------------------------------|--------------------------------|
|                      |                                     |                                           | Lengkap                        |
| Pendidikan Responden | Rendah<br>(SD/MI/SMP/MTs/Sederajat) | Count<br>% within Pendidikan<br>Responden | 20<br>29.9%                    |
|                      | Tinggi<br>(SMA/Diploma/Sarjana)     | Count<br>% within Pendidikan<br>Responden | 28<br>65.1%                    |
| Total                |                                     | Count<br>% within Pendidikan<br>Responden | 48<br>43.6%                    |

Pendidikan Responden \* Kelengkapan Imunisasi Dasar Crosstabulation

|                                 |                                     |                               | Total  |
|---------------------------------|-------------------------------------|-------------------------------|--------|
| Pendidikan Responden            | Rendah<br>(SD/MI/SMP/MTs/Sederajat) | Count                         | 67     |
|                                 |                                     | % within Pendidikan Responden | 100.0% |
| Tinggi<br>(SMA/Diploma/Sarjana) |                                     | Count                         | 43     |
|                                 |                                     | % within Pendidikan Responden | 100.0% |
| Total                           |                                     | Count                         | 110    |
|                                 |                                     | % within Pendidikan Responden | 100.0% |

Chi-Square Tests

|                                    | Value               | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|---------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square                 | 13.244 <sup>a</sup> | 1  | .000                  | .000                 | .000                 |
| Continuity Correction <sup>b</sup> | 11.848              | 1  | .001                  |                      |                      |
| Likelihood Ratio                   | 13.402              | 1  | .000                  |                      |                      |
| Fisher's Exact Test                |                     |    |                       |                      |                      |
| Linear-by-Linear Association       | 13.123              | 1  | .000                  |                      |                      |
| N of Valid Cases                   | 110                 |    |                       |                      |                      |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.76.

b. Computed only for a 2x2 table

| Risk Estimate                                                                                         |       |                         |       |
|-------------------------------------------------------------------------------------------------------|-------|-------------------------|-------|
|                                                                                                       | Value | 95% Confidence Interval |       |
|                                                                                                       |       | Lower                   | Upper |
| Odds Ratio for Pendidikan Responden (Rendah (SD/MI/SMP/MTs/Sederajat) / Tinggi (SMA/Diploma/Sarjana)) | 4.387 | 1.938                   | 9.928 |
| For cohort Kelengkapan Imunisasi Dasar = Tidak Lengkap                                                | 2.011 | 1.299                   | 3.114 |
| For cohort Kelengkapan Imunisasi Dasar = Lengkap                                                      | .458  | .299                    | .703  |
| N of Valid Cases                                                                                      | 110   |                         |       |

## 2. Hubungan Antara Status Pekerjaan dengan Kelengkapan Imunisasi Dasar

**Case Processing Summary**

|                                                      | Cases |         |         |         |       |         |
|------------------------------------------------------|-------|---------|---------|---------|-------|---------|
|                                                      | Valid |         | Missing |         | Total |         |
|                                                      | N     | Percent | N       | Percent | N     | Percent |
| Status Pekerjaan *<br>Kelengkapan Imunisasi<br>Dasar | 110   | 100.0%  | 0       | .0%     | 110   | 100.0%  |

**Status Pekerjaan \* Kelengkapan Imunisasi Dasar Crosstabulation**

|                  |               |                           | Kelengkapan Imunisasi Dasar |         |
|------------------|---------------|---------------------------|-----------------------------|---------|
|                  |               |                           | Tidak Lengkap               | Lengkap |
| Status Pekerjaan | Bekerja       | Count                     | 35                          | 26      |
|                  |               | % within Status Pekerjaan | 57.4%                       | 42.6%   |
|                  | Tidak Bekerja | Count                     | 27                          | 22      |
|                  |               | % within Status Pekerjaan | 55.1%                       | 44.9%   |
| Total            |               | Count                     | 62                          | 48      |
|                  |               | % within Status Pekerjaan | 56.4%                       | 43.6%   |

**Status Pekerjaan \* Kelengkapan Imunisasi Dasar Crosstabulation**

| Status Pekerjaan: Rangkuman Informasi Dasar Cross-tabulation |               |                           | Total  |
|--------------------------------------------------------------|---------------|---------------------------|--------|
| Status Pekerjaan                                             | Bekerja       | Count                     | 61     |
|                                                              |               | % within Status Pekerjaan | 100.0% |
|                                                              | Tidak Bekerja | Count                     | 49     |
|                                                              |               | % within Status Pekerjaan | 100.0% |
| Total                                                        |               | Count                     | 110    |
|                                                              |               | % within Status Pekerjaan | 100.0% |

## Chi-Square Tests

|                                    | Value             | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|-------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square                 | .057 <sup>a</sup> | 1  | .811                  | .848                 | .481                 |
| Continuity Correction <sup>b</sup> | .002              | 1  | .964                  |                      |                      |
| Likelihood Ratio                   | .057              | 1  | .811                  |                      |                      |
| Fisher's Exact Test                |                   |    |                       |                      |                      |
| Linear-by-Linear Association       | .057              | 1  | .812                  |                      |                      |
| N of Valid Cases                   | 110               |    |                       |                      |                      |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 21.38.

b. Computed only for a 2x2 table

## Risk Estimate

|                                                           | Value | 95% Confidence Interval |       |
|-----------------------------------------------------------|-------|-------------------------|-------|
|                                                           |       | Lower                   | Upper |
| Odds Ratio for Status Pekerjaan (Bekerja / Tidak Bekerja) | 1.097 | .514                    | 2.340 |
| For cohort Kelengkapan Imunisasi Dasar = Tidak Lengkap    | 1.041 | .747                    | 1.452 |
| For cohort Kelengkapan Imunisasi Dasar = Lengkap          | .949  | .620                    | 1.453 |
| N of Valid Cases                                          | 110   |                         |       |

### 3. Hubungan Antara Paritas dengan Kelengkapan Imunisasi Dasar

Case Processing Summary

|                                                       | Cases |         |         |         |       |         |
|-------------------------------------------------------|-------|---------|---------|---------|-------|---------|
|                                                       | Valid |         | Missing |         | Total |         |
|                                                       | N     | Percent | N       | Percent | N     | Percent |
| Paritas Responden *<br>Kelengkapan Imunisasi<br>Dasar | 110   | 100.0%  | 0       | .0%     | 110   | 100.0%  |

Paritas Responden \* Kelengkapan Imunisasi Dasar Crosstabulation

|                   |           |                            | Kelengkapan Imunisasi Dasar |         | Total  |
|-------------------|-----------|----------------------------|-----------------------------|---------|--------|
|                   |           |                            | Tidak Lengkap               | Lengkap |        |
| Paritas Responden | Multipara | Count                      | 41                          | 31      | 72     |
|                   |           | % within Paritas Responden | 56.9%                       | 43.1%   | 100.0% |
|                   | Primipara | Count                      | 21                          | 17      | 38     |
|                   |           | % within Paritas Responden | 55.3%                       | 44.7%   | 100.0% |
| Total             |           | Count                      | 62                          | 48      | 110    |
|                   |           | % within Paritas Responden | 56.4%                       | 43.6%   | 100.0% |

Chi-Square Tests

|                                    | Value             | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|-------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square                 | .029 <sup>a</sup> | 1  | .866                  | 1.000                | .512                 |
| Continuity Correction <sup>b</sup> | .000              | 1  | 1.000                 |                      |                      |
| Likelihood Ratio                   | .029              | 1  | .866                  |                      |                      |
| Fisher's Exact Test                |                   |    |                       |                      |                      |
| Linear-by-Linear Association       | .028              | 1  | .866                  |                      |                      |
| N of Valid Cases                   | 110               |    |                       |                      |                      |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.58.

b. Computed only for a 2x2 table

| Risk Estimate                                            |       |                         |       |
|----------------------------------------------------------|-------|-------------------------|-------|
|                                                          | Value | 95% Confidence Interval |       |
|                                                          |       | Lower                   | Upper |
| Odds Ratio for Paritas Responden (Multipara / Primipara) | 1.071 | .485                    | 2.363 |
| For cohort Kelengkapan Imunisasi Dasar = Tidak Lengkap   | 1.030 | .726                    | 1.462 |
| For cohort Kelengkapan Imunisasi Dasar = Lengkap         | .962  | .619                    | 1.497 |
| N of Valid Cases                                         | 110   |                         |       |

#### 4. Hubungan Antara Pengetahuan dengan Kelengkapan Imunisasi Dasar

Case Processing Summary

|                                                           | Cases |         |         |         |       |         |
|-----------------------------------------------------------|-------|---------|---------|---------|-------|---------|
|                                                           | Valid |         | Missing |         | Total |         |
|                                                           | N     | Percent | N       | Percent | N     | Percent |
| Pengetahuan Responden *<br>Kelengkapan Imunisasi<br>Dasar | 110   | 100.0%  | 0       | .0%     | 110   | 100.0%  |

Pengetahuan Responden \* Kelengkapan Imunisasi Dasar Crosstabulation

|                       |                        |                                            | Kelengkapan<br>Imunisasi Dasar |
|-----------------------|------------------------|--------------------------------------------|--------------------------------|
|                       |                        |                                            | Tidak Lengkap                  |
| Pengetahuan Responden | Rendah, Jika < median  | Count<br>% within Pengetahuan<br>Responden | 43<br>65.2%                    |
|                       | Tinggi, jika >= median | Count<br>% within Pengetahuan<br>Responden | 19<br>43.2%                    |
| Total                 |                        | Count<br>% within Pengetahuan<br>Responden | 62<br>56.4%                    |

Pengetahuan Responden \* Kelengkapan Imunisasi Dasar Crosstabulation

|                       |                        |                                            | Kelengkapan<br>Imunisasi Dasar |
|-----------------------|------------------------|--------------------------------------------|--------------------------------|
|                       |                        |                                            | Lengkap                        |
| Pengetahuan Responden | Rendah, Jika < median  | Count<br>% within Pengetahuan<br>Responden | 23<br>34.8%                    |
|                       | Tinggi, jika >= median | Count<br>% within Pengetahuan<br>Responden | 25<br>56.8%                    |
| Total                 |                        | Count<br>% within Pengetahuan<br>Responden | 48<br>43.6%                    |

**Pengetahuan Responden \* Kelengkapan Imunisasi Dasar Crosstabulation**

|                       |                        |                                | Total  |
|-----------------------|------------------------|--------------------------------|--------|
| Pengetahuan Responden | Rendah, Jika < median  | Count                          | 66     |
|                       |                        | % within Pengetahuan Responden | 100.0% |
|                       | Tinggi, jika >= median | Count                          | 44     |
|                       |                        | % within Pengetahuan Responden | 100.0% |
| Total                 |                        | Count                          | 110    |
|                       |                        | % within Pengetahuan Responden | 100.0% |

**Chi-Square Tests**

|                                    | Value              | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|--------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square                 | 5.181 <sup>a</sup> | 1  | .023                  | .031                 | .019                 |
| Continuity Correction <sup>b</sup> | 4.326              | 1  | .038                  |                      |                      |
| Likelihood Ratio                   | 5.191              | 1  | .023                  |                      |                      |
| Fisher's Exact Test                |                    |    |                       |                      |                      |
| Linear-by-Linear Association       | 5.134              | 1  | .023                  |                      |                      |
| N of Valid Cases                   | 110                |    |                       |                      |                      |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 19.20.

b. Computed only for a 2x2 table

**Risk Estimate**

|                                                                                       | Value | 95% Confidence Interval |       |
|---------------------------------------------------------------------------------------|-------|-------------------------|-------|
|                                                                                       |       | Lower                   | Upper |
| Odds Ratio for Pengetahuan Responden (Rendah, Jika < median / Tinggi, jika >= median) | 2.460 | 1.125                   | 5.379 |
| For cohort Kelengkapan Imunisasi Dasar = Tidak Lengkap                                | 1.509 | 1.030                   | 2.211 |
| For cohort Kelengkapan Imunisasi Dasar = Lengkap                                      | .613  | .404                    | .932  |
| N of Valid Cases                                                                      | 110   |                         |       |

## 5. Hubungan Antara Dukungan Suami dengan Kelengkapan Imunisasi Dasar

Case Processing Summary

|                                                    | Cases |         |         |         |       |         |
|----------------------------------------------------|-------|---------|---------|---------|-------|---------|
|                                                    | Valid |         | Missing |         | Total |         |
|                                                    | N     | Percent | N       | Percent | N     | Percent |
| Dukungan Suami *<br>Kelengkapan Imunisasi<br>Dasar | 110   | 100.0%  | 0       | .0%     | 110   | 100.0%  |

Dukungan Suami \* Kelengkapan Imunisasi Dasar Crosstabulation

|                |                               |                         | Kelengkapan<br>Imunisasi Dasar |
|----------------|-------------------------------|-------------------------|--------------------------------|
|                |                               |                         | Tidak Lengkap                  |
| Dukungan Suami | tidak didukung, jika < median | Count                   | 31                             |
|                |                               | % within Dukungan Suami | 60.8%                          |
|                | didukung, jika >= median      | Count                   | 31                             |
|                |                               | % within Dukungan Suami | 52.5%                          |
| Total          | Count                         |                         | 62                             |
|                | % within Dukungan Suami       |                         | 56.4%                          |

Dukungan Suami \* Kelengkapan Imunisasi Dasar Crosstabulation

|                |                               |                         | Kelengkapan<br>Imunisasi Dasar | Total  |
|----------------|-------------------------------|-------------------------|--------------------------------|--------|
|                |                               |                         | Lengkap                        |        |
| Dukungan Suami | tidak didukung, jika < median | Count                   | 20                             | 51     |
|                |                               | % within Dukungan Suami | 39.2%                          | 100.0% |
|                | didukung, jika >= median      | Count                   | 28                             | 59     |
|                |                               | % within Dukungan Suami | 47.5%                          | 100.0% |
| Total          | Count                         |                         | 48                             | 110    |
|                | % within Dukungan Suami       |                         | 43.6%                          | 100.0% |

## Chi-Square Tests

|                                    | Value             | df | Asymp. Sig. (2-sided) | Exact Sig. (2-sided) | Exact Sig. (1-sided) |
|------------------------------------|-------------------|----|-----------------------|----------------------|----------------------|
| Pearson Chi-Square                 | .756 <sup>a</sup> | 1  | .385                  | .443                 | .250                 |
| Continuity Correction <sup>b</sup> | .458              | 1  | .499                  |                      |                      |
| Likelihood Ratio                   | .757              | 1  | .384                  |                      |                      |
| Fisher's Exact Test                |                   |    |                       |                      |                      |
| Linear-by-Linear Association       | .749              | 1  | .387                  |                      |                      |
| N of Valid Cases                   | 110               |    |                       |                      |                      |

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 22.25.

b. Computed only for a 2x2 table

## Risk Estimate

|                                                                                          | Value | 95% Confidence Interval |       |
|------------------------------------------------------------------------------------------|-------|-------------------------|-------|
|                                                                                          |       | Lower                   | Upper |
| Odds Ratio for Dukungan Suami (tidak didukung, jika < median / didukung, jika >= median) | 1.400 | .655                    | 2.993 |
| For cohort Kelengkapan Imunisasi Dasar = Tidak Lengkap                                   | 1.157 | .834                    | 1.606 |
| For cohort Kelengkapan Imunisasi Dasar = Lengkap                                         | .826  | .535                    | 1.276 |
| N of Valid Cases                                                                         | 110   |                         |       |