

DAFTAR PUSTAKA

- Adnan, M., Mulyati, T., & Isworo, J. T. (2013). Hubungan Indeks Massa Tubuh (IMT) dengan Kadar Gula Darah Penderita Diabetes Mellitus (DM) Tipe 2 Rawat Jalan di RS Tugurejo Semarang. *Jurnal Gizi Universitas Muhammadiyah Semarang*, 18-24.
- AE, J., BE, K., GE, K., NG, A., & BO, V. (1991). Improved Glycemic Control And Lipid Profile And Normalized Fibrinolytic Activity On Low Glycemic Index Diet Type II Diabetic Patients. *PubMed*.
- Almatsier, S. (2008). *Prinsip Dasar Ilmu Gizi*. Jakarta: PT. Gramedia Pustaka Utama.
- American Diabetes Association. (2015). *Diabetes Basic*. Retrieved Oktober 1, 2017, from <http://www.diabetes.org/diabetes-basics/type-1/?loc=hottopics>
- Arora, S. K., & McFarlane, S. I. (2005). The case for low carbohydrate diets in diabetes management. *Nutrition and Metabolism Journal*, 1-9.
- Astawan, M. (2008). *Khasiat Warna Warni Makanan*. Jakarta: PT Gramedia Pustaka Utama.
- Badedi, M., Solan, Y., Darraj, H., Sabai, A., Mahfouz, M., Alamodi, S., et al. (2016). Factors Associated with Long-Term Control of Type 2 Diabetes Mellitus. *Journal of Diabetes Research*, 1-8.
- Betteng, R., Pangamenan, D., & Mayulu, N. (2014). Analisis Faktor Risiko Penyebab Terjadinya DM Tipe 2 pada Wanita Usia Produktif di Puskesmas Wawonasa. *Jurnal e-Biomedik*, 404-412.
- Brooks, G. A., & Fahey, T. D. (1984). *Exercise Physiology Human Bioenergetics and Its Applications*. New York: EGC.
- Brown, J. E. (2005). *Nutrition and the Elderly: Conditions and Interventions*. USA: Thomson Wadsworth.
- Djojodibroto. (2003). *Glukosa Darah*. Jakarta: Penerbit Buku Kedokteran.
- Etukumana, E. A., Puepet, F. H., & Obadofin, M. O. (2014). Relationship of Blood Glucose Levels With Waist Circumference, Hip Circumference and Waist-Hip Ratio Among Rural Adults in Nigeria. *Asian Journal of Pharmaceutical and Clinical Research*, 204-206.
- Feinman, R. D., Pogozelski, W. K., Astrup, A., Bernstein, R. K., Fine, E. J., Westman, E. C., et al. (2015). Dietary carbohydrate restriction as the first approach in diabetes management: Critical review and evidence base. *Nutrition Journal*, 1-13.

- Feller, S., Boeing, H., & Pisco, T. (2010). Body Mass Index, Waist Circumference, and the Risk of Type 2 Diabetes Mellitus. *Deutsches Ärzteblatt International Journal*, 470-476.
- Folsom, A., Stevens, J., Schreiner, P., & McGovern, P. (1998). Body Mass Index, Waist/Hip Ratio and Coronary Heart Disease Incidence in African Americans and Whites, Atherosclerosis Risk in Communities Study Investigators. *Am J Epidemiol*, 1187-1194.
- Fox, E., Bowers, R. W., & Foss, M. L. (1998). *The Physiological Basis of Physical Education and Athletics*. Philadelphia: Saunders College.
- Fung, & Teresa, T. (2002). Whole Grain Intake and the Risk of Type 2 Diabetes: A Prospective Study in Men. *Am J Clin Nutr*, 535-540.
- Gautier, A., Roussel, R., Ducluzeau, P. H., Lange, C., Vol, S., Balkau, B., et al. (2010). Increases in Waist Circumference and Weight as Predictors of Type 2 Diabetes Individuals with Impaired Fasting Glucose: Influence of Baseline BMI. *Diabetes Care*, 1850-1852.
- Gibney, M. (2009). *Gizi Kesehatan Masyarakat*. Jakarta: Penerbit Buku Kedokteran EGC.
- Hartono. (2004). *Terapi Gizi dan Diet Rumah Sakit*. Jakarta: Buku Kedokteran EGC.
- Hartono, A. (2006). *Terapi Gizi dan Diet Rumah Sakit*. Jakarta: EGC.
- Hasadianah, H. R. (2012). *Mengenal Diabetes Melitus dengan Solusi Herbal*. Kediri: Nuha Medika.
- Heather, H. R., JC, B. M., AW, T., S, E., P, C., & WA, G. (2001). The Effect of Flexible Low Glycemic Index Dietary Advice versus Measured Carbohydrate Exchange Diets on Glycemic Control in Children with Type 1 Diabetes. *PubMed*, 1137-1143.
- Institute of Medicine. (2006). *Dietary, Functional and Total Fiber. The Essential Guide to Nutrients Requirements*. Washington DC: National Academies Press.
- International Diabetes Federation. (2015). *Diabetes Mellitus Atlas*. Retrieved November 5, 2017, from Diabetes Mellitus: <http://www.idf.org/diabetesatlas>
- Ito, H., Nalasuga, K., Ohshima, A., Kaji, Y., Harada, M., & Fukunaga, M. (2003). Detection of Cardiovascular Risk Factor By Indices of Obesity Obtained From Anthropometry and Ultrasound X-Ray Absorptiometry in Japanese Individuals. *Int J Obes Relat Metab Disord*, 232-237.

- Juleka, Asdie, A. H., & Susetyowati. (2005). Hubungan Pola Makan dengan Pengendalian Kadar Glukosa Darah Pengidap DM Tipe II Rawat Jalan Di Gunung Jati Cirebon. *Jurnal Gizi Klinik Indonesia*, 13-21.
- Kang, H. M., & Kim, D. J. (2012). Body Mass Index and Waist Circumference According to Glucose Tolerance Status in Korea: The 2005 Korean Health and Nutrition Examination Survey. *Endocrinology, Nutrition and Metabolism Journal*, 518-524.
- Kekenusa. (2013). *Analisis Hubungan antara Umur dan Riwayat Keluarga Menderita DM dengan Kejadian Penyakit DM Tipe 2 pada Pasien Rawat Jalan di Poliklinik Penyakit Dalam BLU RSUP Prof DR. R.D Kandou Manado*. Manado: Unsrat.
- Kemenkes, R. (2013). *Riset Kesehatan Dasar*. Jakarta: Balitbangkes.
- Kosk, J. (2008). Increased Fat Accumulation in Liver May Link Insulin Resistance with Subcutaneous Abdominal Adipocyte Enlargement Visceral Adiposity, and Hypoadiponectinemia in Obese Individuals. *Am J Clin Nutr*, 295-302.
- Lanywati, E. (2006). *Diabetes Melitus*. Yogyakarta: Kanisius.
- Licata, G., Argano, C., Di Chaira, T., Parrinello, G., & Scaglione, R. (2006). Obesity: a main factor of metabolic syndrome. *Panminerva Med*, 3-8.
- Magee, E. (2014). *Nutrisi Sehat Bagi Penderita DM*. Solo: PT Tiga Serangkai Pustaka Mandiri.
- Mann, J. (2014). Diabetes Melitus dan Sindrom Metabolik. In J. Mann, & A. S. Truswell, *Buku Ajar Ilmu Gizi* (pp. 351-365). Jakarta: Penerbit Buku Kedokteran.
- Mendosa, D. (2002). *The Glycemic Index*. Retrieved Oktober 7, 2017, from Glycemic Index: <http://www.mendosa.com/gidigest.htm>
- Mialich, M. S., Sicchieri, J. M., & Junior, A. A. (2014). Analysis of Body Composition: A Critical Review of the Use of Bioelectrical Impedance Analysis. *International Journal of Clinical Nutrition*, 1-10.
- Miller, J. B., & Barclay, A. (2014). *Low Glycemic Index Diet Managing Type 2 Diabetes*. Australia: Hachette Australia Press.
- Miller, J. B., & Pang, E. (1991). Rice: a High or Low Glicemic Index Food? *Am J Clin Nutr*, 1034-1036.
- Mulyani, N. S., & Rita, N. (2016). Hubungan RLPP dengan Kadar Glukosa Darah pada Pegawai di Puskesmas Sakti Pidie. *Aceh Nutrition Journal*, 94-98.

- Nabyl, R. A. (2012). *Panduan Hidup Sehat Mencegah dan Mengobati Diabetes Melitus*. Jakarta: PT Gramedia Pustaka Utama.
- National Diabetes Services Scheme. (2015). *Diabetes Type 2*. Retrieved September 29, 2017, from Diabetes Mellitus: <https://diabetesaustralia.com.au>
- Notoatmodjo. (2010). *Metodologi Penelitian Kesehatan Edisi Revisi*. Jakarta: Rineka Cipta.
- Nugraha, A. (2009). *Exercise For Your Health*. Bandung: Hayati Qualita.
- Oldryod, J., & Banerjee, M. (2005). *Diabetes and Ethnic Minorities*. USA: Postgrad Med.
- Post, R. E., Mainous, King, D. E., & Simpson, K. N. (2012). Dietary Fiber for the Treatment of Type 2 Diabetes Mellitus: A Meta-Analysis. *J Am Board Fam Med*, 16-23.
- Purba, M. B. (2015). *Penuntun Diet Anak*. Jakarta: Fakultas Kedokteran UI.
- Putri, A. Y., Decroli, E., & Nasrul, E. (2015). Hubungan Derajat Obesitas dengan Kadar Gula Darah Puasa pada Masyarakat di Kelurahan Batung Taba dan Kelurahan Korong Gadang, Kota Padang. *Jurnal Kesehatan Andalas*, 707-711.
- Rahmy, H. A., Triyanti, & Sartika, R. D. (2015). Hubungan IMT, RLPP dan Riwayat Diabetes pada Keluarga dengan Kadar Gula Darah Sewaktu pada PNS. *Jurnal Kesehatan Masyarakat*, 17-22.
- Raudalin, G., Rusu, E., & Dragomir, A. (2009). Metabolic Effect of Low Glicemic Index Diets. *Nutrition Journal*.
- Regina. (2015). *Indeks Glikemik*. Retrieved Oktober 3, 2017, from Indeks Glikemik: <http://diabetesmellitus.org/pengertian-indeks-glikemik/DiabetesMelitus.org>.
- Rexrode, K., Carey, V., Henningsohn, L., Walters, E., & Colditz, G. (1998). Abdominal Adiposity and Coronary Heart Disease in Women. *JAMA*, 1843-1848.
- Rimbawan, & Siagian, A. (2004). *Indeks Glikemik Pangan*. Bogor: Penebar Swadaya.
- Robbert, E., Mainous, A. G., King, D. E., & Simpson, K. N. (2012). Dietary Fiber for the Treatment of Type 2 Diabetes Mellitus: A Meta-Analysis. *J Am Board Fam Med*, 16 –23.
- Robbert, M. (2003). *Biokimia Klinik*. Jakarta: EGC.
- Septyaningrum, N., & Martini, S. (2014). Lingkar Perut Mempunyai Hubungan Paling Kuat dengan Kadar Gula Darah. *Jurnal Berkala Epidemiologi*, 48-58.

- Snijder, M. B., Dekker, J. M., Visser, M., Bouler, L. M., Stehouwer, C. D., & Kostense, P. J. (2003). Association of Hip and Thigh Circumference Independently of Waist Circumference With the Incidence of Type 2 Diabetes: the Horn study. *Am J clin Nutrition*, 1192-1197.
- Soegondo, S. (2009). *Penyebab Penyakit Diabetes Melitus*. Jakarta: Fakultas Kedokteran UI.
- Sudoyo, A. (2006). *Ilmu Penyakit Dalam*. Jakarta: Penerbit Ilmu Penyakit Dalam FKUI.
- Sugiyono. (2007). *Statistik untuk Penelitian*. Bandung: Alfabeta.
- Sukardji, K. (2006). *Penatalaksanaan Gizi pada Diabetes Melitus*. Jakarta: FKUI.
- Supariasa, I. N., Bakri, B., & Fajar, I. (2002). *Penilaian Status Gizi*. Jakarta: Penerbit Buku Kedokteran EGC.
- Sutiarto, & Suhardi. (2010). Hubungan Indeks Massa Tubuh Dan Lingkar Pinggang Data Riskesdas 2007. *Buletin Penelitian Kesehatan*, 36-42.
- Tambayong, J. (2001). *Anatomi dan Fisiologi untuk Keperawatan*. Jakarta: EGC.
- Tandra, H. (2001). *Life Healthy with Diabetes*. Jakarta: EGC.
- Vitahealth. (2004). *Diabetes*. Jakarta: PT Gramedia Pustaka Utama.
- Vitahealth. (2006). *Diabetes*. Jakarta: Gramedia Pustaka Utama.
- Vitahealth. (2006). *Diabetes*. Jakarta: PT Gramedia Pustaka Utama.
- Wahyuningsih, R. (2013). *Penatalaksanaan Diet pada Pasien*. Yogyakarta: Graha Ilmu.
- World Health Organization. (2014). *Global Status Report on Noncommunicable Diseases 2014*. Switzerland: WHO Press.
- Yan, L. J., Jiang, S., Sun, S. A., & Xie, Z. J. (2015). Comparison of Dietary Energy and Macronutrients Intake at Different Levels of Glucose Metabolism. *Int Journal Clin Exp Med*, 12942-12948.