

Lampiran 2

ANALISIS BIVARIAT

Hubungan Usia Ibu dengan Kepatuhan

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.605 ^a	1	.032		
Continuity Correction ^b	1.946	1	.163		
Likelihood Ratio	3.331	1	.068		
Fisher's Exact Test				.091	.091
N of Valid Cases	42				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .57.

b. Computed only for a 2x2 table

Cross Tab Usia Ibu dengan Tingkat Pengetahuan Ibu

Usia Ibu * Kategori Pengetahuan Crosstabulation

		Kategori Pengetahuan		Total	
		Kurang	Sedang		
Usia Ibu	Dewasa Awal (20-40 Tahun)	Count	27	9	36
		% of Total	64.3%	21.4%	85.7%
	Dewasa Tengah (41-65 Tahun)	Count	3	3	6
		% of Total	7.1%	7.1%	14.3%
Total		Count	30	12	42
		% of Total	71.4%	28.6%	100.0%

Hubungan Tingkat Pendidikan dengan Kepatuhan

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.108 ^a	1	.743		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.203	1	.653		
Fisher's Exact Test				1.000	.905
N of Valid Cases	42				

a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .10.

b. Computed only for a 2x2 table

Cross Tab Tingkat Pendidikan Ibu dengan Tingkat Pengetahuan Ibu

Tingkat Pendidikan Ibu * Kategori Pengetahuan Crosstabulation

		Kategori Pengetahuan		Total
		Kurang	Sedang	
Tingkat Pendidikan Ibu	Rendah	Count 1	0	1
		% of Total 2.4%	0.0%	2.4%
	Tinggi	Count 29	12	41
		% of Total 69.0%	28.6%	97.6%
Total		Count 30	12	42
		% of Total 71.4%	28.6%	100.0%

Hubungan Pekerjaan Ibu dengan Kepatuhan

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.884 ^a	1	.347		
Continuity Correction ^b	.055	1	.814		
Likelihood Ratio	1.541	1	.215		
Fisher's Exact Test				1.000	.468
N of Valid Cases	42				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .67.

b. Computed only for a 2x2 table

Cross Tab Pekerjaan Ibu dengan Tingkat Pengetahuan Ibu

Pekerjaan Ibu * Kategori Pengetahuan Crosstabulation

		Kategori Pengetahuan		Total
		Kurang	Sedang	
Pekerjaan Ibu	Tidak Bekerja	Count 24	11	35
		% of Total 57.1%	26.2%	83.3%
	Bekerja	Count 6	1	7
		% of Total 14.3%	2.4%	16.7%
Total		Count 30	12	42
		% of Total 71.4%	28.6%	100.0%

Hubungan Pengetahuan Ibu tentang Diet GFCF terhadap Kepatuhan

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	11.053 ^a	1	.001		
Continuity Correction ^b	7.523	1	.006		
Likelihood Ratio	11.141	1	.001		
Fisher's Exact Test				.004	.004
N of Valid Cases	42				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.14.

b. Computed only for a 2x2 table

Hubungan Sikap Ibu tentang Diet GFCF dengan Kepatuhan

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.863 ^a	1	.027		
Continuity Correction ^b	2.819	1	.093		
Likelihood Ratio	6.401	1	.011		
Fisher's Exact Test				.043	.043
N of Valid Cases	42				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.90.

b. Computed only for a 2x2 table

Hubungan Tingkat Pendapatan terhadap Kepatuhan

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.108 ^a	1	.743		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.203	1	.653		
Fisher's Exact Test				1.000	.905
N of Valid Cases	42				

a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .10.

b. Computed only for a 2x2 table

Cross Tab Tingkat Pendapatan dengan Tingkat Pengetahuan Ibu

Kategori Tingkat Pendapatan * Kategori Pengetahuan Crosstabulation

		Kategori Pengetahuan		Total
		Kurang	Sedang	
Kategori Tingkat Pendapatan	Rendah	Count 1	0	1
		% of Total 2.4%	0.0%	2.4%
	Tinggi	Count 29	12	41
		% of Total 69.0%	28.6%	97.6%
Total	Count	30	12	42
	% of Total	71.4%	28.6%	100.0%

Hubungan Jumlah Anggota Keluarga terhadap Kepatuhan

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.751 ^a	1	.386		
Continuity Correction ^b	.089	1	.766		
Likelihood Ratio	.700	1	.403		
Fisher's Exact Test				.576	.363
N of Valid Cases	42				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.24.

b. Computed only for a 2x2 table

Cross Tab Jumlah Anggota Keluarga dengan Dukungan Keluarga

Jumlah Anggota Keluarga * Kategori Dukungan Keluarga Crosstabulation

		Kategori Dukungan Keluarga		Total
		Kurang Kuat	Kuat	
Jumlah Anggota Keluarga	Keluarga Kecil	Count 20	9	29
		% of Total 47.6%	21.4%	69.0%
	Keluarga Besar	Count 9	4	13
		% of Total 21.4%	9.5%	31.0%
Total	Count	29	13	42
	% of Total	69.0%	31.0%	100.0%

Hubungan Dukungan Keluarga terhadap Kepatuhan

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9.862 ^a	1	.002		
Continuity Correction ^b	6.615	1	.010		
Likelihood Ratio	10.369	1	.001		
Fisher's Exact Test				.006	.006
N of Valid Cases	42				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.24.

b. Computed only for a 2x2 table

