










OUTPUT SPSS HASIL PENELITIAN

A. UJI NORMALITAS

1. Histogram





2. Nilai Skewness

No	Variabel	Statistic	Std.Error	Nilai Skewness	Keterangan
1.	<i>Z-score</i>	-1,234	0,333	-3,70	Tidak Normal
2.	Asupan Energi	-0,228	0,333	-0,68	Normal
3.	Asupan Karbohidrat	0,069	0,333	0,20	Normal
4.	Asupan Lemak	0,293	0,333	0,87	Normal
5.	Asupan kalsium	0,018	0,333	0,05	Normal
6.	Asupan <i>Zinc</i>	0,323	0,333	0,97	Normal
7.	Asupan Vitamin D	0,880	0,333	2,64	Tidak Normal
8.	Konsumsi Sayur	-0,549	0,333	-1,64	Normal
9.	Konsumsi Buah	0,824	0,333	2,47	Tidak Normal

3. Nilai Kolmogorov-Smirnov

No	Variabel	<i>p-value</i>	Keterangan
1.	<i>Z-score</i>	0,0001	Tidak Normal
2.	Asupan Energi	0,200	Normal
3.	Asupan Karbohidrat	0,200	Normal
4.	Asupan Lemak	0,200	Normal
5.	Asupan kalsium	0,200	Normal
6.	Asupan <i>Zinc</i>	0,200	Normal
7.	Asupan Vitamin D	0,200	Normal
8.	Konsumsi Sayur	0,010	Tidak Normal
9.	Konsumsi Buah	0,046	Tidak Normal

- **Kesimpulan**

No	Variabel	Histogram	Nilai Skewness	Nilai Kolmogorov-Smirnov	Keterangan
1.	<i>Z-score</i>	Normal	Tidak Normal	Tidak Normal	Tidak Normal
2.	Asupan Energi	Normal	Normal	Normal	Normal
3.	Asupan Karbohidrat	Normal	Normal	Normal	Normal
4.	Asupan Lemak	Normal	Normal	Normal	Normal
5.	Asupan kalsium	Normal	Normal	Normal	Normal
6.	Asupan <i>Zinc</i>	Normal	Normal	Normal	Normal
7.	Asupan Vitamin D	Normal	Tidak Normal	Normal	Normal
8.	Konsumsi Sayur	Normal	Normal	Tidak Normal	Normal
9.	Konsumsi Buah	Normal	Tidak Normal	Tidak Normal	Tidak Normal

B. Analisis Univariat

Jenis Kelamin Responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Laki-Laki	24	47.1	47.1	47.1
Valid Perempuan	27	52.9	52.9	100.0
Total	51	100.0	100.0	

Usia Responden

	Frequency	Percent	Valid Percent	Cumulative Percent
9	6	11.8	11.8	11.8
10	21	41.2	41.2	52.9
Valid 11	21	41.2	41.2	94.1
12	3	5.9	5.9	100.0
Total	51	100.0	100.0	

	Standar Deviasi Status Gizi Responden	Rata-Rata Asupan Energi Responden	Rata-Rata Asupan Karbohidrat Responden	Rata-Rata Asupan Lemak Responden
N Valid	51	51	51	51
Missing	0	0	0	0
Mean	1.0671	2086.1284	258.2612	85.9495
Std. Error of Mean	.09253	28.90871	4.07924	2.13698
Median	1.1600	2077.6667	261.5000	86.8000
Std. Deviation	.66078	206.44946	29.13164	15.26112
Minimum	-.98	1605.10	207.70	55.63
Maximum	1.92	2471.73	320.50	130.47

		Asupan Kalsium Responden	Asupan Zinc Responden	Asupan Vitamin D Responden	Konsumsi Sayur Responden	Konsumsi Buah Responden
N	Valid	51	51	51	51	51
	Missing	0	0	0	0	0
Mean		705.6157	8.4512	8.8235	175.82	111.35
Std. Error of Mean		24.90470	.20420	.28259	7.303	4.277
Median		712.0000	8.4000	8.5000	176.00	110.00
Std. Deviation		177.85516	1.45825	2.01808	52.152	30.545
Minimum		320.70	5.80	4.40	45	59
Maximum		1097.00	12.30	16.20	260	203

C. Analisis Bivariat

Correlations

		Rata-Rata Asupan Energi Responden	Standar Deviasi Status Gizi Responden
Spearman's rho	Rata-Rata Asupan Energi Responden	1.000	.360**
	Correlation Coefficient	.	.009
	Sig. (2-tailed)	51	51
	N	.360**	1.000
Spearman's rho	Standar Deviasi Status Gizi Responden	.009	.360**
	Correlation Coefficient	.	.009
	Sig. (2-tailed)	51	51
	N	51	51

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		Rata-Rata Asupan Karbohidrat Responden	Standar Deviasi Status Gizi Responden
Spearman's rho	Rata-Rata Asupan Karbohidrat Responden	1.000	.278*
	Correlation Coefficient	.	.048
	Sig. (2-tailed)	51	51
	N	.278*	1.000
Spearman's rho	Standar Deviasi Status Gizi Responden	.048	.278*
	Correlation Coefficient	.	.048
	Sig. (2-tailed)	51	51
	N	51	51

* . Correlation is significant at the 0.05 level (2-tailed).

Correlations

		Rata-Rata Asupan Lemak Responden	Standar Deviasi Status Gizi Responden
Spearman's rho	Correlation Coefficient	1.000	.377**
	Sig. (2-tailed)	.	.006
	N	51	51
	Correlation Coefficient	.377**	1.000
	Sig. (2-tailed)	.006	.
	N	51	51

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		Asupan Kalsium Responden	Standar Deviasi Status Gizi Responden
Spearman's rho	Correlation Coefficient	1.000	-.279*
	Sig. (2-tailed)	.	.047
	N	51	51
	Correlation Coefficient	-.279*	1.000
	Sig. (2-tailed)	.047	.
	N	51	51

* . Correlation is significant at the 0.05 level (2-tailed).

Correlations

		Asupan Zinc Responden	Standar Deviasi Status Gizi Responden
Spearman's rho	Correlation Coefficient	1.000	-.294*
	Sig. (2-tailed)	.	.036
	N	51	51
	Correlation Coefficient	-.294*	1.000
	Sig. (2-tailed)	.036	.
	N	51	51

* . Correlation is significant at the 0.05 level (2-tailed).

Correlations

		Asupan Vitamin D Responden	Standar Deviasi Status Gizi Responden
Spearman's rho	Asupan Vitamin D Responden	1.000	-.159
			.266
		51	51
	Standar Deviasi Status Gizi Responden	-.159	1.000
		.266	.
		51	51

Correlations

		Konsumsi Sayur Responden	Standar Deviasi Status Gizi Responden
Spearman's rho	Konsumsi Sayur Responden	1.000	-.389**
		.	.005
		51	51
	Standar Deviasi Status Gizi Responden	-.389**	1.000
		.005	.
		51	51

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		Konsumsi Buah Responden	Standar Deviasi Status Gizi Responden
Spearman's rho	Konsumsi Buah Responden	1.000	-.285*
		.	.043
		51	51
	Standar Deviasi Status Gizi Responden	-.285*	1.000
		.043	.
		51	51

* . Correlation is significant at the 0.05 level (2-tailed).

- Scatter plot

