

Lampiran 1 : Hasil Uji Normalitas

Correlations

	x1.1	x1.2	x1.3	x1.4	x1.5	x1.6	x1.7	x1.8	jumlah	
	Pearson Correlation	1	,634**	,838**	,933**	,602**	,869**	,869**	,901**	,924**
x1.1	Sig. (2-tailed)		,000	,000	,000	,000	,000	,000	,000	,000
	N	60	60	60	60	60	60	60	60	60
	Pearson Correlation	,634**	1	,535**	,567**	,834**	,567**	,567**	,733**	,756**
x1.2	Sig. (2-tailed)	,000		,000	,000	,000	,000	,000	,000	,000
	N	60	60	60	60	60	60	60	60	60
	Pearson Correlation	,838**	,535**	1	,905**	,700**	,967**	,967**	,802**	,933**
x1.3	Sig. (2-tailed)	,000	,000		,000	,000	,000	,000	,000	,000
	N	60	60	60	60	60	60	60	60	60
	Pearson Correlation	,933**	,567**	,905**	1	,669**	,935**	,935**	,834**	,942**
x1.4	Sig. (2-tailed)	,000	,000	,000		,000	,000	,000	,000	,000
	N	60	60	60	60	60	60	60	60	60
	Pearson Correlation	,602**	,834**	,700**	,669**	1	,733**	,733**	,567**	,812**
x1.5	Sig. (2-tailed)	,000	,000	,000	,000		,000	,000	,000	,000
	N	60	60	60	60	60	60	60	60	60
	Pearson Correlation	,869**	,567**	,967**	,935**	,733**	1	,1,000**	,834**	,960**
x1.6	Sig. (2-tailed)	,000	,000	,000	,000	,000		,000	,000	,000
	N	60	60	60	60	60	60	60	60	60
	Pearson Correlation	,869**	,567**	,967**	,935**	,733**	,1,000**	1	,834**	,960**
x1.7	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000		,000	,000
	N	60	60	60	60	60	60	60	60	60
	Pearson Correlation	,901**	,733**	,802**	,834**	,567**	,834**	,834**	1	,904**
x1.8	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000		,000
	N	60	60	60	60	60	60	60	60	60
	Pearson Correlation	,924**	,756**	,933**	,942**	,812**	,960**	,960**	,904**	1
jumlah	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000	,000	
	N	60	60	60	60	60	60	60	60	60

**. Correlation is significant at the 0.01 level (2-tailed).

		Correlations									
		x2.1	x2.2	x2.3	x2.4	x2.5	x2.6	x2.7	x2.8	x2.9	jumlah
x2.1	Pearson Correlation	1	-,088	,070	-,110	,040	,155	-,123	,198	,279*	,399**
	Sig. (2-tailed)		,504	,593	,401	,760	,235	,349	,130	,031	,002
	N	60	60	60	60	60	60	60	60	60	60
x2.2	Pearson Correlation	-,088	1	,433**	,031	,261*	,290*	,027	-,029	-,183	,495**
	Sig. (2-tailed)	,504		,001	,813	,044	,025	,835	,825	,163	,000
	N	60	60	60	60	60	60	60	60	60	60
x2.3	Pearson Correlation	,070	,433**	1	-,137	,098	,375**	-,163	-,132	-,003	,432**
	Sig. (2-tailed)	,593	,001		,297	,456	,003	,212	,313	,980	,001
	N	60	60	60	60	60	60	60	60	60	60
x2.4	Pearson Correlation	-,110	,031	-,137	1	,015	-,206	,071	,253	,169	,353**
	Sig. (2-tailed)	,401	,813	,297		,907	,114	,591	,051	,198	,006
	N	60	60	60	60	60	60	60	60	60	60
x2.5	Pearson Correlation	,040	,261*	,098	,015	1	-,126	-,327*	,303*	,094	,389**
	Sig. (2-tailed)	,760	,044	,456	,907		,338	,011	,019	,475	,002
	N	60	60	60	60	60	60	60	60	60	60
x2.6	Pearson Correlation	,155	,290*	,375**	-,206	-,126	1	-,096	-,105	-,020	,349**
	Sig. (2-tailed)	,235	,025	,003	,114	,338		,465	,423	,878	,006
	N	60	60	60	60	60	60	60	60	60	60
x2.7	Pearson Correlation	-,123	,027	-,163	,071	-,327*	-,096	1	-,109	,123	,112
	Sig. (2-tailed)	,349	,835	,212	,591	,011	,465		,407	,349	,392
	N	60	60	60	60	60	60	60	60	60	60
x2.8	Pearson Correlation	,198	-,029	-,132	,253	,303*	-,105	-,109	1	,204	,462**
	Sig. (2-tailed)	,130	,825	,313	,051	,019	,423	,407		,117	,000
	N	60	60	60	60	60	60	60	60	60	60
x2.9	Pearson Correlation	,279*	-,183	-,003	,169	,094	-,020	,123	,204	1	,479**
	Sig. (2-tailed)	,031	,163	,980	,198	,475	,878	,349	,117		,000
	N	60	60	60	60	60	60	60	60	60	60
jumlah	Pearson Correlation	,399**	,495**	,432**	,353**	,389**	,349**	,112	,462**	,479**	1
	Sig. (2-tailed)	,002	,000	,001	,006	,002	,006	,392	,000	,000	
N		60	60	60	60	60	60	60	60	60	60

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).

Correlations

	x3.1	x3.2	x3.3	x3.4	x3.5	x3.6	x3.7	jumlah	
	Pearson Correlation	1	,759**	,338**	,067	,477**	,278*	,013	,670**
x3.1	Sig. (2-tailed)		,000	,008	,613	,000	,032	,924	,000
	N	60	60	60	60	60	60	60	60
	Pearson Correlation	,759**	1	,639**	-,018	,160	,180	,172	,660**
x3.2	Sig. (2-tailed)	,000		,000	,893	,222	,169	,190	,000
	N	60	60	60	60	60	60	60	60
	Pearson Correlation	,338**	,639**	1	,271*	-,089	,051	,553**	,644**
x3.3	Sig. (2-tailed)	,008	,000		,036	,497	,701	,000	,000
	N	60	60	60	60	60	60	60	60
	Pearson Correlation	,067	-,018	,271*	1	,016	-,029	,147	,347**
x3.4	Sig. (2-tailed)	,613	,893	,036		,904	,824	,263	,007
	N	60	60	60	60	60	60	60	60
	Pearson Correlation	,477**	,160	-,089	,016	1	,692**	,108	,600**
x3.5	Sig. (2-tailed)	,000	,222	,497	,904		,000	,412	,000
	N	60	60	60	60	60	60	60	60
	Pearson Correlation	,278*	,180	,051	-,029	,692**	1	,258*	,634**
x3.6	Sig. (2-tailed)	,032	,169	,701	,824	,000		,047	,000
	N	60	60	60	60	60	60	60	60
	Pearson Correlation	,013	,172	,553**	,147	,108	,258*	1	,565**
x3.7	Sig. (2-tailed)	,924	,190	,000	,263	,412	,047		,000
	N	60	60	60	60	60	60	60	60
	Pearson Correlation	,670**	,660**	,644**	,347**	,600**	,634**	,565**	1
jumlah	Sig. (2-tailed)	,000	,000	,000	,007	,000	,000	,000	
	N	60	60	60	60	60	60	60	60

**. Correlation is significant at the 0.01 level (2-tailed).

*. Correlation is significant at the 0.05 level (2-tailed).

Correlations

*. Correlation is significant at the 0.05 level (2-tailed).

	Y1	Y2	Y3	Y4	Y5	Y6	Y7	Y8	Y9	Y10
	Pearson Correlation	1	-,054	,614**	,165	,801**	,001	,801**	,321*	,001
Y1	Sig. (2-tailed)		,680	,000	,208	,000	,995	,000	,012	,995
	N	60	60	60	60	60	60	60	60	60
	Pearson Correlation	-,054	1	-,106	,844**	-,124	,855**	-,124	,256*	,855**
Y2	Sig. (2-tailed)	,680		,420	,000	,343	,000	,343	,048	,000
	N	60	60	60	60	60	60	60	60	60
	Pearson Correlation	,614**	-,106	1	-,178	,771**	-,005	,771**	,058	-,005
Y3	Sig. (2-tailed)	,000	,420		,174	,000	,972	,000	,657	,972

	N	60	60	60	60	60	60	60	60	60	60
Y4	Pearson Correlation	,165	,844**	-,178	1	-,145	,783**	-,145	,454**	,783**	
	Sig. (2-tailed)	,208	,000	,174		,270	,000	,270	,000	,000	
Y5	N	60	60	60	60	60	60	60	60	60	60
	Pearson Correlation	,801**	-,124	,771**	-,145	1	-,134	1,000**	,151	-,134	1,
Y6	Sig. (2-tailed)	,000	,343	,000	,270		,309	,000	,250	,309	
	N	60	60	60	60	60	60	60	60	60	60
Y7	Pearson Correlation	,001	,855**	-,005	,783**	-,134	1	-,134	,412**	1,000**	
	Sig. (2-tailed)	,995	,000	,972	,000	,309	,309	,309	,001	,000	
Y8	N	60	60	60	60	60	60	60	60	60	60
	Pearson Correlation	,801**	-,124	,771**	-,145	1,000**	-,134	1	,151	-,134	1,
Y9	Sig. (2-tailed)	,000	,343	,000	,270	,000	,309		,250	,309	
	N	60	60	60	60	60	60	60	60	60	60
Y10	Pearson Correlation	,321*	,256*	,058	,454**	,151	,412**	,151	1	,412**	
	Sig. (2-tailed)	,012	,048	,657	,000	,250	,001	,250		,001	
Y11	N	60	60	60	60	60	60	60	60	60	60
	Pearson Correlation	,001	,855**	-,005	,783**	-,134	1,000**	-,134	,412**	1	
JUMLAH	Sig. (2-tailed)	,995	,000	,972	,000	,309	,000	,309	,001		
	N	60	60	60	60	60	60	60	60	60	60

**. Correlation is significant at the 0.01 level (2-tailed).

Lampiran 2 : Hasil Uji Validitas

Reliability Statistics

Cronbach's Alpha	N of Items
.788	9

Reliability Statistics

Cronbach's Alpha	N of Items
.547**	

.730	10
------	----

Reliability Statistics

Cronbach's Alpha	N of Items
.739	8

Reliability Statistics

Cronbach's Alpha	N of Items
.776	11

Lampiran 3 : Hasil Uji Statistik Deskriptif

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
X1	60	4,00	5,00	4,4938	,45299
X2	60	,11	1,00	,5222	,19654
X3	60	3,71	5,00	4,2310	,33693
Y	60	3,55	5,00	4,1303	,30970
Valid N (listwise)	60				

Lampiran 4 : Hasil Uji Normalitas dan Asums Klasik

Uji Normalitas

One-Sample Kolmogorov-Smirnov Test

	Unstandardized Residual
N	60
Normal Parameters ^{a,b}	
Mean	,0000000
Std. Deviation	,29540257
Absolute	,138
Positive	,138
Most Extreme Differences	

	Negative	
Kolmogorov-Smirnov Z		,087
Asymp. Sig. (2-tailed)		,204


a. Test distribution is Normal.

b. Calculated from data.

Uji Normalitas

Normal P-P Plot of Regression Standardized Residual

Dependent Variable: Y



Hasil Uji Asumsi Klasik

Uji Multikolonieritas

Model	Coefficients ^a						Collinearity Statistics	
	Unstandardized Coefficients		Standardized Coefficients		t	Sig.		
	B	Std. Error	Beta			Tolerance	VIF	
1	(Constant)	4,149	,605		6,855	,000		
	X1	,173	,088	,253	1,966	,054	,980	1,020

X2	-,046	,201	-,029	-,229	,820	1,000	1,000
X3	-,182	,118	-,199	-1,542	,129	,980	1,020


a. Dependent Variable: Y

Uji Heteroskedastisitas

Universitas Esa Unggul

Scatterplot

Dependent Variable: Y



Uji Autokerelasi

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	,299 ^a	,090	,041	,30331	,687

a. Predictors: (Constant), X3, X2, X1

b. Dependent Variable: Y

Lampiran 5 : Hasil Uji Hipotesis

Uji Simultan (Uji-F)

ANOVA ^a						
Model	Sum of Squares	df	Mean Square	F	Sig.	
1	Regression	,485	3	,162	5,045	,004 ^b
	Residual	1,794	56	,032		
	Total	2,279	59			

a. Dependent Variable: RES2

b. Predictors: (Constant), X3, X2, X1

Lampiran 6 : Hasil Uji Regresi Linear Berganda

Model	Coefficients ^a					
	B	Std. Error	Standardized Coefficients Beta	t	Sig.	
1	(Constant)	.193	.480		.403	.689
	X1	.798	.063	.833	12.602	.000
	X2	.240	.075	.216	3.221	.002
	X3	-.101	.075	-.090	-1.344	.184

a. Dependent Variable: Y