

DAFTAR PUSTAKA

- Adityawarman (2007). *Hubungan Aktivitas Fisik dengan Komposisi Tubuh pada Remaja (Skripsi)*. Semarang: FK UNDIP.
- Almatsier, S. (2009). *Prinsip Dasar Ilmu Gizi*. Jakarta: Gramedia Pustaka Utama.
- Al-Rethaiaa, A. S., Fahmy, A.-E. A., & Al-Shwaiyat, N. M. (2010). Obesity and Eating Habits among College Students in Saudi Arabia: A Cross Sectional Study. *Nutrition Journal*, 1-10.
- Al-Tawil, N. G., Abdulla, M. M., & Abdul Ameer, A. J. (2007) "Prevalence Of And Factors Associated With Overweight And Obesity Among A Group Of Iraqi Women," *Eastern Mediterranean Health Journal*, 13(2). 420–429.
- Amelia, W., R. (2009). *Hubungan antara indeks massa tubuh dan faktor lain dengan status lemak tubuh pada pramusaji di pelayanan gizi unit rawat inap terpadu gedung A RSUPN Dr.Ciptomangun Kusumo Jakarta (Skripsi)*. Depok: FKM Universitas Indonesia.
- Ankarfeldt, M. Z., Gottliebsen, K., Angquist, L., Astrup, A., Heitmann, B. L., & Sørensen T. I. A. (2015). Dietary Protein and Urinary Nitrogen in Relation to 6 Year Changes in Fat Mass and Fat Free Mass. *International Journal of Obesity*, 162-168.
- Bailey, B. W., Sullivan, D. K., Kirk, E. P., & Donnelly, J. E. (2010). Dietary Predictors of Visceral Adiposity in Overweight Young Adults. *Br J Nutr*, 1702-1705.
- Ball, S. D., & Swan, P. D. (2003). Accuracy of estimating intra-abdominal fat in obese women. *Journal of Exercise Physiology Online*, 6(4), 1-7.
- Brandhagen, M., Forslund, H. B., Lissner, L., Winkvist, A., Lindroos, A. K., Carlsson, L. M. S., et al. (2012). Alcohol and Macronutrient Intake Patterns are Related to General and Central Adiposity. *European Journal of Clinical Nutrition*, 305-313.
- Buanasita, A., Andriyanto, Sulistyowati, I. (2015). Perbedaan Tingkat Konsumsi Energi, Lemak, Cairan, dan Status Hidrasi Mahasiswa Obesitas dan Non Obesitas. *Indonesian Journal of Human Nutrition*, 11-22.
- Binkley, N., Novotny, R., Krueger, D., Kawahara, T., Daida, Y. G., Lensmeyer, et al. (2007). Low Vitamin D Status Despite Abundant Sun Exposure. *The Journal of Clinical Endocrinology & Metabolism*, 2130-2135.

- Candrawati, S. (2011). Hubungan Tingkat Aktivitas Fisik Dengan Indeks Massa Tubuh (Imt) Dan Lingkar Pinggang Mahasiswa. *Jurnal Keperawatan Soedirman (The Soedirman Journal of Nursing)*, 112-118.
- Depkes RI. (2002). *PUGS*. Jakarta: Direktorat Bina Kesehatan Masyarakat, Direktorat Gizi.
- Depkes RI. (2009). *Pengendalian Penyakit Jantung*. Jakarta.
- Depkes RI. (2013a). *Angka Kecukupan Gizi (AKG) 2013*. <http://himagizi.lk.ipb.ac.id/files/2014/01/AKG2013-Hardin-Final-Edit-bersama.pdf>.
- Depkes RI. (2013b). *Laporan Hasil Riset Kesehatan Dasar Indonesia (Riskesdas)*.
- Depkes RI. (2013c). *Pokok-Pokok Hasil Riskesdas Provinsi DKI Jakarta 2013*. Jakarta: Lembaga Penerbitan Badan Litbangkes.
- Eickemberg, M., Oliveira, C. C., Roriz, A. K., Fontes, G. A., Mello, A. L., & Sampaio, L. R. (2013). Bioelectrical Impedance and Visceral Fat: a Comparison with Computed Tomography in Adults and Elderly. *Arq Bras Endocrinol Metab*, 27-32.
- Feldman, D., Pike, J. W., & Adams, J. S. (2011). *Vitamin D* (3rd ed., Vol. I). USA: Academic Press.
- Fernandes, R. A., Rosa, C. S., Buonani, C., Oliveira, A. R., & Júnior, I. F. (2007). The Use of Bioelectrical Impedance to Detect Excess Visceral and Subcutaneous Fat. *Journal de Pediatria*, 529-534.
- Gibson, R. S. (2005). *Principle of Nutritional Assesment* (2nd ed.). Oxford: Oxford University Press.
- Gilbert, E. L & Ryan, M. J. (2011). High Dietary Fat Promotes Visceral Obesity and Impaired Endothelial Function in Female Mice With Systemic Lupus Erythematosus. *Gender Medicine*, 150-155.
- Gutierrez-Fisac, J. L., Lopez, E., Banegas, J. R., Graciani, A., & Rodriguez-Artalejo, F. (2004). Prevalence of overweight and obesity in elderly people in Spain. *Obesity*, 710-15.
- Hardisyah & Supariasa, I. D. N. (2016). *Ilmu Gizi: Teori dan Aplikasi*. Jakarta: EGC.
- Harvey, R. A., & Ferrier, D. R. (2011). *Biochemistry*. philadelphia: Lippincott Williams & Wilkins.

- Hasanah, L. (2017). *Faktor-Faktor Yang Memengaruhi Lemak Viseral Pada Karyawan Universitas Esa Unggul (skripsi)*. Jakarta: Universitas Esa Unggul.
- Hassan, N. E., . El Shebini, S. M., . Ahmed, N. H., & Mostafa, M. S. (2015). Association between Macronutrients Intake, Visceral Obesity and Blood Pressure in a Sample of Obese Egyptian Women . *Macedonian Journal of Medical Sciences*, 184-188.
- Heriyanto, M. H. (2012). *Hubungan Asupan Gizi dan Faktor Lain dengan Persen Lemak Tubuh pada Mahasiswi Prodi Gizi dan Ilmu Komunikasi UI Angkatan 2009 (Skripsi)*. Depok: FKM UI.
- Irianto, D. P. (2007). *Panduan Gizi Lengkap Keluarga dan Olahragawan*. Yogyakarta: Andi Offset.
- Ismail, I., Keating, S. E., Baker, M. K., & Johnson, N. A. (2011). A Systematic Review And Meta-Analysis of The Effect of Aerobic vs. Resistance Exercise Training on Visceral Fat. *Obesity Reviews*, 68-91.
- Keating, S. E., Parker, H. M., Pavey, T. G., Baker, M. K., Caterson, I. D., George, J., et al. (2016). Objectively Quantified Physical Activity and Sedentary Behavior in Predicting Visceral Adiposity and Liver Fat. *Journal of Obesity*, 1-10.
- Koszowska, A. U., Nowak, J., Dittfeld, A., Brończyk-Puzoń, A., Kulpok, A., & Zubelewicz-Szkodzińska, B. (2014). Obesity, Adipose Tissue Function and The Role of Vitamin D. *Central European Journal of Immunology*, 260-264.
- Kurniawan, M. W., & Widyaningsih, T. D. (2017). Hubungan Pola Konsumsi Pangan dan Besar Uang Saku Mahasiswa Manajemen Bisnis dengan Mahasiswa Jurusan Teknologi Hasil Pertanian Universitas Brawijaya Terhadap Status Gizi. *Jurnal Pangan dan Agroindustri*, 1-12.
- Lilyasari, O. (2007). Hipertensi dengan Obesitas. Adakah Peran Endotelin 1? *J Kardiol Ind*, 460-75.
- Low, S., Chin, M. C., & Deurenberg-Yap, M. (2009). Review on Epidemic of Obesity. *Ann Acad Med Singapore*, 57-65.
- Lundy, R. F. (2008). Gustatory Hedonic Value: Potential Function for Forebrain Control of Brainstem Taste Processing. *Neuroscience and Biobehavioral Reviews*, 1601-1606.

- McGuire, M., & Beerman, K. A. (2013). *Nutritional Sciences: From Fundamentals to Food* (3rd ed.). Belmont: Wadsworth Cengage Learning.
- McKeown, N. M., Troy, L. M., Jacques, P. F., Hoffmann, U., O'Donnell, C. J., & Fox, C. S. (2010). Whole and Refined Grain Intakes are Differentially Associated with Abdominal Visceral and Subcutaneous Adiposity in Healthy Adults: The Framingham Heart Study. *Am J Clin Nutr*, 1165–1171.
- Misnadiarly. (2007). *Obesitas Sebagai Faktor Resiko Berbagai penyakit*. Jakarta: Pustaka Obor Populer.
- Miyashita, Y., Koide, N., Ohtsuka, M., Ozaki, H., Itoh, Y., Oyamaa, T., et al. (2004). Beneficial Effect of Low Carbohydrate in Low Calorie Diets on Visceral Fat Reduction In Type 2 Diabetic Patients With Obesity. *Diabetes Research and Clinical Practice*, 235-241.
- Mlinar, B., Marc, J., Janez, A., & Pfeifer, M. (2007). Molecular Mechanisms of Insulin Resistance and Associated Diseases. *Clinica Chimica Acta*, 20-35.
- Moslehi, N., Ehsani, B., Mirmiran, P., Hojjat, P., & Azizi, F. (2015). Association of Dietary Proportions of Macronutrients with Visceral Adiposity Index: Non-Substitution and Iso-Energetic Substitution Models in a Prospective Study. *Nutrients*, 7(10), 8859–8870.
- Musaiger, A. O. (2011). Overweight and Obesity in Eastern Mediterranean Region: Prevalence and Possible Causes. *Journal of Obesity*, 1-17.
- Mustelin, L., Silventoinen, K., Pietiläinen, K., Rissanen, A., & Kaprio, J. (2009). Physical Activity Reduces The Influence of Genetic Effects on BMI and Waist Circumference: A Study in Young Adult Twins. *Int J Obes*, 29-36.
- Mukhtar, N., Dachlan, D. M., Fatimah, S. (2015). Hubungan Asupan Zat Gizi dengan Status Gizi pada Mahasiswa (Skripsi). Makassar: Prodi Ilmu Gizi Fakultas Kesehatan Masyarakat Universitas Hasanuddin.
- Oja, L., & Toivo (2004). Relationships Between Physical Activity, Motor Ability, and Antropometric Variables in Athlete.
- Pradana, A. (2014). *Hubungan antara Indeks Massa Tubuh (IMT) dengan Nilai Lemak Viseral pada Mahasiswa Kedokteran Undip (Skripsi)*. Semarang: Program Pendidikan Sarjana Kedokteran Fakultas Kedokteran Universitas Diponegoro.
- Purnakarya, I., Zulliadi, F., & Elnovriza, D. (2011). Studi Faktor-Faktor yang Berhubungan dengan Status Gizi Mahasiswa Program Studi Ilmu

- Kesehatan Masyarakat Fakultas Kedokteran Universitas Andalas. *Jurnal Kesehatan Masyarakat*, V(2), 70-74.
- Purwati, S., Rahayuningsih, S., Salimar. (2001). *Perencanaan Menu Untuk Penderita Kegemukan*. Jakarta: Penebar Swadaya.
- Ranggadwipa, D. D. (2014). *Hubungan Aktivitas Fisik dan Asupan Energi terhadap Massa Lemak Tubuh dan Lingkar Pinggang pada Mahasiswa Fakultas Kedokteran Universitas Diponegoro (Skripsi)*. Semarang: Program Pendidikan Sarjana Kedokteran Fakultas Kedokteran Universitas Diponegoro.
- Rohman, M. (2007). Patogenesis dan Terapi Sindroma Metabolik. *J Kardiol Ind*, 160-8.
- Rosenblum, J. L., Castro, V. M., Moore, C. E., & Kaplan, L. M. (2012). Calcium And Vitamin D Supplementation Is Associated with Decreased Abdominal Visceral Adipose Tissue in Overweight and Obese Adults. *Am J Clin Nutr*, 101-107.
- Ryo, M., Maeda, K., Onda, T., Katashima, M., Okumiya, A., Nishida, M., et al. (2005). A New Simple Method for the Measurement of Visceral Fat Accumulation by Bioelectrical Impedance. *Diabetes Care*, 451-453.
- Saelens, B. E., Seeley, R. J., van Schaick, K., Donnelly, L. F., & O'Brien, K. J. (2007). Visceral abdominal fat is correlated with whole-body fat and physical activity among 8-y-old children at risk of obesity. *The American Journal of Clinical Nutrition*, 85(1), 46-53.
- Sam, S. (2008). Relationship of Abdominal Visceral and Subcutaneous Adipose Tissue with Lipoprotein Particle Number and Size in Type 2 Diabetes. *Diabetes*, 2022-7.
- Sasakabe, Tae., Haimoto, H., Umegaki, H., Waka, K. (2015). Association Of Decrease In Carbohydrate Intake With Reduction In Abdominal Fat During 3-Month Moderate Low-Carbohydrate Diet Among Non-Obese Japanese Patients With Type 2 Diabetes. *Metabolism Clinical and Experimental*, 618 - 625.
- Serrano, M. A., Cañada, J., Moreno, J. C., & Gurrea, G. (2017). Solar Ultraviolet Doses and Vitamin D in A Northern Mid-Latitude. *Science of the Total Environment*, 744-750.
- Shuster, A., Patlas, M., Pinthus, J. H., & Mourtzakis, M. (2012). The Clinical Importance of Visceral Adiposity: A Critical Review of Methods for Visceral Adipose Tissue Analysis. *The British Journal of Radiology*, 1-10.

- Slavin, J. (2004). Whole Grains and Human Health. *Nutrition Research Review*, 1-12.
- Smolin, L. A., & Grosvenor, M. B. (2008). *Nutrition Science & Application* (2nd ed.). United States of America: John Wiley & Sons Inc.
- Stallmann-Jorgensen, I. S., Gutin, B., Hatfield-Laube, J. L., Humphries, M. C., Johnson, M. C., & Barbeau P. (2007). General and Visceral Adiposity in Black and White Adolescents and Their Relation with Reported Physical Activity and Diet. *International Journal of Obesity*, 622-629.
- Steins Bisschop, C. N., Peeters, P. H. M., Monninkhof, E. M., Van Der Schouw, Y. T., & May, A. M. (2013). Associations of Visceral Fat, Physical Activity and Muscle Strength with The Metabolic Syndrome. *Maturitas*, 139 – 145.
- Sudiobjo, P., Arovah, N. I., & Lakmi, R. A. (2013). Tingkat Pemahaman Dan Survei Level Aktivitas Fisik, Status Kecukupan Energi Dan Status Antropometrik Mahasiswa Program Studi Pendidikan Kepelatihan Olahraga Fik Uny. *Medikora*, 183-203.
- Sugiyono. (2007). *Metode Penelitian Pendekatan Kuantitatif, Kualitatif, dan R & D*. Bandung: Alfabeta.
- Supariasa, I. D., Bakri, B., & Fajar, I. (2012). *Penilaian Status Gizi*. Jakarta: Buku Kedokteran EGC.
- Swarjana, I. K. (2016). *Statistik Kesehatan*. Yogyakarta: CV Andi Offset.
- Tchernof A, & Després J. P. (2013). Pathophysiology of Human Visceral Obesity: an Update. *Physiol Rev*, 359–404.
- Tomoko, K., Takasea, H., Yamaguchia, T. F., Ochiaia, R., Katashimaa, M., Katsuragi, Y., et al. (2014). Association of Dietary Factors with Abdominal Subcutaneous and Visceral Adiposity in Japanese Men. *Obesity Research & Clinical Practice*, 16-25.
- Wajchenberg, B. L. (2000). Subcutaneous and Visceral Adipose Tissue: Their Relation to the Metabolic Syndrome. *Endocrine Reviews*, 697-738.
- Wangko, W. S., & Wangko, S. (2010). Adipogenesis Tumbuh Kembang Adiposit. *Jurnal Biomedik*, 153-161.
- Wei, Z., Donglian, C., Ying, W., Ning, L., Qingqing, H., Yang, Q., et al. (2013). Calcium Plus Vitamin D3 Supplementation Facilitated Fat Loss in

Overweight and Obese College Students with Very-Low Calcium Consumption: A Randomized Controlled Trial. *Nutrition Journal*, 1-8.

Widodo, K, I. N., & Edy, W. (2006). Pengaruh Pemberian Diet Tinggi Kalsium Terhadap Penurunan Berat Badan pada Rattus Novergicus Galur Wistar. *Jurnal Kedokteran Brawijaya*, XXII(2), 58-63.

WHO. (2001). *Human energy requirement*. Geneva, World Health Organization: WHO Technical Report Series, no.72.

WHO. (2016, Juni). Dipetik Maret 2017, dari Obesity and Overweight: <http://www.who.int/mediacentre/factsheets/fs311/en/>

Yunieswati, W. 2014. *Konsumsi Pangan, Aktivitas Fisik, Status Antropometri dan Persen Lemak Tubuh pada Mahasiswa (Skripsi)*. Bogor: Departemen Gizi Masyarakat Fakultas Ekologi Manusia Institut Pertanian Bogor.

Zhang, M., Li, P., Zhu, Y., Chang, H., Wang, X., Liu, W., et al. (2015). Higher visceral fat area increases the risk of vitamin D insufficiency and deficiency in Chinese adults. *Nutrition & Metabolism*, 1-14.