

LAMPIRAN 4
UJI NORMALITAS

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Nilai KR sebelum kelompok perlakuan 1	.163	11	.200 [*]	.888	11	.133
Nilai KR sesudah kelompok perlakuan 1	.203	11	.200 [*]	.913	11	.262
Nilai selisih KR kelompok perlakuan 1	.192	11	.200 [*]	.964	11	.821
Nilai KR sebelum kelompok perlakuan 2	.215	11	.163	.883	11	.115
Nilai KR sesudah kelompok perlakuan 2	.142	11	.200 [*]	.921	11	.327
Nilai selisih KR kelompok perlakuan 2	.133	11	.200 [*]	.971	11	.898
Sebelum12	.163	11	.200 [*]	.888	11	.133
Sesudah12	.203	11	.200 [*]	.913	11	.262
Selisih12	.192	11	.200 [*]	.964	11	.821

LAMPIRAN : UJI HOMOGENITAS

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
Sebelum12	Based on Mean	.665	1	20	.425
	Based on Median	.130	1	20	.722
	Based on Median and with adjusted df	.130	1	14.739	.724
	Based on trimmed mean	.470	1	20	.501
Sesudah12	Based on Mean	2.932	1	20	.102
	Based on Median	2.379	1	20	.139
	Based on Median and with adjusted df	2.379	1	18.094	.140
	Based on trimmed mean	2.784	1	20	.111
Selisih12	Based on Mean	.458	1	20	.506
	Based on Median	.329	1	20	.572
	Based on Median and with adjusted df	.329	1	19.918	.573
	Based on trimmed mean	.452	1	20	.509

LAMPIRAN : UJI HIPOTESIS I

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Nilai KR sebelum kelompok perlakuan 1 - Nilai KR sesudah kelompok perlakuan 1	.90000	.34278	.10335	.66972	1.13028	8.708	10	.000

LAMPIRAN : UJI HIPOTESIS II

Paired Samples Test

		Paired Differences					t	df	Sig. (2-tailed)
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Nilai KR sebelum kelompok perlakuan 2 - Nilai KR sesudah kelompok perlakuan 2	.75636	.39021	.11765	.49422	1.01851	6.429	10	.000

LAMPIRAN : UJI HIPOTESIS III

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
Selisih12	Equal variances assumed	.458	.506	.917	20	.370	.14364	.15660	-.18303	.47030
	Equal variances not assumed			.917	19.673	.370	.14364	.15660	-.18338	.47065

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
Sesudah12	Equal variances assumed	2.932	.102	-.154	20	.879	-.04364	.28281	-.63356	.54629

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
Sesudah12	Equal variances assumed	2.932	.102	-.154	20	.879	-.04364	.28281	-.63356	.54629
	Equal variances not assumed			-.154	16.416	.879	-.04364	.28281	-.64192	.55465