

### Lampiran-3

#### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pengetahuan	33	100.0%	0	0.0%	33	100.0%



#### Descriptives


		Statistic	Std. Error	
Pengetahuan	Mean	22.15	.346	
	95% Confidence Interval for Mean	Lower Bound	21.45	
		Upper Bound	22.86	
	5% Trimmed Mean		22.26	
	Median		22.00	
	Variance		3.945	
	Std. Deviation		1.986	
	Minimum		17	
	Maximum		25	
	Range		8	
	Interquartile Range		3	
	Skewness		-.834	.409
	Kurtosis		.274	.798

#### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Pengetahuan	.167	33	.021	.923	33	.022

a. Lilliefors Significance Correction





### Statistics

Pengetahuan

N	Valid	33
	Missing	0
Mean		22.15
Median		22.00

### Pengetahuan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 17	1	3.0	3.0	3.0
18	1	3.0	3.0	6.1
19	2	6.1	6.1	12.1
20	2	6.1	6.1	18.2
21	4	12.1	12.1	30.3
22	7	21.2	21.2	51.5
23	6	18.2	18.2	69.7
24	8	24.2	24.2	93.9
25	2	6.1	6.1	100.0
Total	33	100.0	100.0	

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Perilaku	33	100.0%	0	0.0%	33	100.0%



### Descriptives


		Statistic	Std. Error
Perilaku	Mean	60.70	1.655
	95% Confidence Interval for Mean		
	Lower Bound	57.33	
	Upper Bound	64.07	
	5% Trimmed Mean	60.55	
	Median	59.00	
	Variance	90.405	
	Std. Deviation	9.508	
	Minimum	46	
	Maximum	78	
	Range	32	
	Interquartile Range	16	
	Skewness	.266	.409
	Kurtosis	-1.102	.798

### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
Perilaku	.136	33	.126	.949	33	.125

a. Lilliefors Significance Correction





**Statistics**

Perilaku

N	Valid	33
	Missing	0
Mean		60.70
Median		59.00

**Perilaku**

	Frequency	Percent	Valid Percent	Cumulative Percent
46	1	3.0	3.0	3.0
47	1	3.0	3.0	6.1
48	2	6.1	6.1	12.1
51	2	6.1	6.1	18.2
52	1	3.0	3.0	21.2
53	2	6.1	6.1	27.3
54	2	6.1	6.1	33.3
55	2	6.1	6.1	39.4
57	3	9.1	9.1	48.5
59	1	3.0	3.0	51.5
61	2	6.1	6.1	57.6
Valid 63	1	3.0	3.0	60.6
65	2	6.1	6.1	66.7
67	2	6.1	6.1	72.7
68	1	3.0	3.0	75.8
70	2	6.1	6.1	81.8
71	1	3.0	3.0	84.8
72	1	3.0	3.0	87.9
75	1	3.0	3.0	90.9
76	1	3.0	3.0	93.9
77	1	3.0	3.0	97.0
78	1	3.0	3.0	100.0
Total	33	100.0	100.0	

**Statistics**

GRPengetahuan

N	Valid	33
	Missing	0

**GRPengetahuan**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang Baik	17	51.5	51.5	51.5
Baik	16	48.5	48.5	100.0
Total	33	100.0	100.0	

**Statistics**

GRPerilaku

N	Valid	33
	Missing	0

**GRPerilaku**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang Baik	17	51.5	51.5	51.5
Baik	16	48.5	48.5	100.0
Total	33	100.0	100.0	

**Statistics**

GRUsia

N	Valid	33
	Missing	0

**GRUsia**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid > 35	15	45.5	45.5	45.5
<= 35	18	54.5	54.5	100.0
Total	33	100.0	100.0	

**Statistics**

Pendidikan

N	Valid	33
	Missing	0



**Pendidikan**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid SD/SMP	15	45.5	45.5	45.5
Valid SMA/PT	18	54.5	54.5	100.0
Total	33	100.0	100.0	

**Statistics**

GR.P.Mengemudi

N	Valid	33
	Missing	0

**GR.P.Mengemudi**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Baru	11	33.3	33.3	33.3
Valid Lama	22	66.7	66.7	100.0
Total	33	100.0	100.0	

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
GR.P.Mengemudi *	33	100.0%	0	0.0%	33	100.0%
GRPerilaku						

**GR.P.Mengemudi \* GRPerilaku Crosstabulation**

		GRPerilaku		Total	
		Kurang Baik	Baik		
GR.P.Mengemudi	Baru	Count	8	3	11
		% within GR.P.Mengemudi	72.7%	27.3%	100.0%
Lama	Count	9	13	22	
		% within GR.P.Mengemudi	40.9%	59.1%	100.0%
Total	Count	17	16	33	
		% within GR.P.Mengemudi	51.5%	48.5%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.972 <sup>a</sup>	1	.085		
Continuity Correction <sup>b</sup>	1.835	1	.176		
Likelihood Ratio	3.059	1	.080		
Fisher's Exact Test				.141	.087
Linear-by-Linear Association	2.882	1	.090		
N of Valid Cases	33				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.33.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GR.P.Mengemudi (Baru / Lama)	3.852	.797	18.621
For cohort GRPerilaku = Kurang Baik	1.778	.957	3.301
For cohort GRPerilaku = Baik	.462	.165	1.287
N of Valid Cases	33		

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
GRUsia * GRPerilaku	33	100.0%	0	0.0%	33	100.0%

**GRUsia \* GRPerilaku Crosstabulation**

		GRPerilaku		Total	
		Kurang Baik	Baik		
GRUsia	> 35	Count	8	7	15
		% within GRUsia	53.3%	46.7%	100.0%
GRUsia	<= 35	Count	9	9	18
		% within GRUsia	50.0%	50.0%	100.0%
Total		Count	17	16	33
		% within GRUsia	51.5%	48.5%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.036 <sup>a</sup>	1	.849	1.000	.563
Continuity Correction <sup>b</sup>	.000	1	1.000		
Likelihood Ratio	.036	1	.849		
Fisher's Exact Test					
Linear-by-Linear Association	.035	1	.851		
N of Valid Cases	33				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.27.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GRUsia (> 35 / <= 35)	1.143	.290	4.507
For cohort GRPerilaku = Kurang Baik	1.067	.551	2.067
For cohort GRPerilaku = Baik	.933	.458	1.901
N of Valid Cases	33		

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pendidikan * GRPerilaku	33	100.0%	0	0.0%	33	100.0%

**Pendidikan \* GRPerilaku Crosstabulation**

		GRPerilaku		Total	
		Kurang Baik	Baik		
Pendidikan	SD/SMP	Count	8	7	15
		% within Pendidikan	53.3%	46.7%	100.0%
Pendidikan	SMA/PT	Count	9	9	18
		% within Pendidikan	50.0%	50.0%	100.0%
Total		Count	17	16	33
		% within Pendidikan	51.5%	48.5%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.036 <sup>a</sup>	1	.849	1.000	.563
Continuity Correction <sup>b</sup>	.000	1	1.000		
Likelihood Ratio	.036	1	.849		
Fisher's Exact Test					
Linear-by-Linear Association	.035	1	.851		
N of Valid Cases	33				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.27.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pendidikan (SD/SMP / SMA/PT)	1.143	.290	4.507
For cohort GRPerilaku = Kurang Baik	1.067	.551	2.067
For cohort GRPerilaku = Baik	.933	.458	1.901
N of Valid Cases	33		

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
GRPengetahuan *	33	100.0%	0	0.0%	33	100.0%
GRPerilaku						

**GRPengetahuan \* GRPerilaku Crosstabulation**

			GRPerilaku		Total
			Kurang Baik	Baik	
GRPengetahuan	Kurang Baik	Count	13	4	17
		% within GRPengetahuan	76.5%	23.5%	100.0%
GRPengetahuan	Baik	Count	4	12	16
		% within GRPengetahuan	25.0%	75.0%	100.0%
Total		Count	17	16	33
		% within GRPengetahuan	51.5%	48.5%	100.0%

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.742 <sup>a</sup>	1	.003		
Continuity Correction <sup>b</sup>	6.803	1	.009		
Likelihood Ratio	9.172	1	.002		
Fisher's Exact Test				.005	.004
Linear-by-Linear Association	8.478	1	.004		
N of Valid Cases	33				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.76.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for GRPengetahuan (Kurang Baik / Baik)	9.750	1.983	47.936
For cohort GRPerilaku = Kurang Baik	3.059	1.258	7.439
For cohort GRPerilaku = Baik	.314	.127	.774
N of Valid Cases	33		