

ANALISIS UNIVARIAT

FREQUENCY TABLE

USIA

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid TUA	22	73.3	73.3	73.3
MUDA	8	26.7	26.7	100.0
Total	30	100.0	100.0	

IMT

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid BERESIKO	8	26.7	26.7	26.7
TIDAK BERESIKO	22	73.3	73.3	100.0
Total	30	100.0	100.0	

MASA KERJA

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid LAMA	26	86.7	86.7	86.7
BARU	4	13.3	13.3	100.0
Total	30	100.0	100.0	

POSISI KERJA

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid RESIKO TINGGI	15	50.0	50.0	50.0
RESIKO RENDAH	15	50.0	50.0	100.0
Total	30	100.0	100.0	

KELUHAN NYERI PUNGGUNG BAWAH

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid MEMILIKI KELUHAN	17	56.7	56.7	56.7
TIDAK MEMILIKI KELUHAN	13	43.3	43.3	100.0
Total	30	100.0	100.0	

ANALISIS BIVARIAT

CROSSTABS

USIA * NYERI PUNGGUNG BAWAH Crosstabulation

		NYERI PUNGGUNG BAWAH		Total	
		MEMILIKI KELUHAN	TIDAK MEMILIKI KELUHAN		
USIA	TUA	Count	16	6	22
		Expected Count	12.5	9.5	22.0
		% within USIA	72.7%	27.3%	100.0%
	MUDA	Count	1	7	8
		Expected Count	4.5	3.5	8.0
		% within USIA	12.5%	87.5%	100.0%
Total	Count	17	13	30	
	Expected Count	17.0	13.0	30.0	
	% within USIA	56.7%	43.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	8.666 ^a	1	.003		
Continuity Correction ^b	6.387	1	.011		
Likelihood Ratio	9.244	1	.002		
Fisher's Exact Test				.009	.005
Linear-by-Linear Association	8.377	1	.004		
N of Valid Cases	30				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 3.47.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for USIA (TUA / MUDA)	18.667	1.879	185.399
For cohort NYERI PUNGGUNG BAWAH = MEMILIKI KELUHAN	5.818	.914	37.045
For cohort NYERI PUNGGUNG BAWAH = TIDAK MEMILIKI KELUHAN	.312	.150	.647
N of Valid Cases	30		

IMT * NYERI PUNGGUNG BAWAH Crosstabulation

		NYERI PUNGGUNG BAWAH		Total	
		MEMILIKI KELUHAN	TIDAK MEMILIKI KELUHAN		
IMT	BERESIKO	Count	7	1	8
		Expected Count	4.5	3.5	8.0
		% within IMT	87.5%	12.5%	100.0%
IMT	TIDAK BERESIKO	Count	10	12	22
		Expected Count	12.5	9.5	22.0
		% within IMT	45.5%	54.5%	100.0%
Total		Count	17	13	30
		Expected Count	17.0	13.0	30.0
		% within IMT	56.7%	43.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.224 ^a	1	.040		
Continuity Correction ^b	2.685	1	.101		
Likelihood Ratio	4.709	1	.030		
Fisher's Exact Test				.092	.047
Linear-by-Linear Association	4.083	1	.043		
N of Valid Cases	30				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 3.47.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for IMT (BERESIKO / TIDAK BERESIKO)	8.400	.879	80.265
For cohort NYERI PUNGGUNG BAWAH = MEMILIKI KELUHAN	1.925	1.136	3.262
For cohort NYERI PUNGGUNG BAWAH = TIDAK MEMILIKI KELUHAN	.229	.035	1.491
N of Valid Cases	30		

MASA KERJA * NYERI PUNGGUNG BAWAH Crosstabulation

		NYERI PUNGGUNG BAWAH		Total		
		MEMILIKI KELUHAN	TIDAK MEMILIKI KELUHAN			
MASA KERJA	LAMA	Count	17	9	26	
		Expected Count	14.7	11.3	26.0	
		% within MASA KERJA	65.4%	34.6%	100.0%	
	BARU	Count	0	4	4	
			Expected Count	2.3	1.7	4.0
			% within MASA KERJA	0.0%	100.0%	100.0%
Total	Count	17	13	30		
		Expected Count	17.0	13.0	30.0	
		% within MASA KERJA	56.7%	43.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6.036 ^a	1	.014		
Continuity Correction ^b	3.666	1	.056		
Likelihood Ratio	7.512	1	.006		
Fisher's Exact Test				.026	.026
Linear-by-Linear Association	5.834	1	.016		
N of Valid Cases	30				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.73.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
For cohort NYERI_PUNGGUNG_BAWAH = TIDAK MEMILIKI KELUHAN	.346	.204	.587
N of Valid Cases	30		

POSISI KERJA * NYERI PUNGGUNG BAWAH Crosstabulation

		NYERI PUNGGUNG BAWAH		Total	
		MEMILIKI KELUHAN	TIDAK MEMILIKI KELUHAN		
POSISI KERJA	RESIKO TINGGI	Count	12	3	15
		Expected Count	8.5	6.5	15.0
		% within	80.0%	20.0%	100.0%
		POSISI KERJA			
		Count	5	10	15
		RESIKO RENDAH	Expected Count	8.5	6.5
		% within POSISI KERJA	33.3%	66.7%	100.0%
Total		Count	17	13	30
		Expected Count	17.0	13.0	30.0
		% within	56.7%	43.3%	100.0%
		POSISI KERJA			

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	6.652 ^a	1	.010		
Continuity Correction ^b	4.887	1	.027		
Likelihood Ratio	6.946	1	.008		
Fisher's Exact Test				.025	.013
Linear-by-Linear Association	6.430	1	.011		
N of Valid Cases	30				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for POSISI KERJA (RESIKO TINGGI / RESIKO RENDAH)	8.000	1.522	42.042
For cohort NYERI_PUNGGUNG_B AWAH = MEMILIKI KELUHAN	2.400	1.123	5.127
For cohort NYERI_PUNGGUNG_B AWAH = TIDAK MEMILIKI KELUHAN	.300	.103	.878
N of Valid Cases	30		

DOKUMENTASI PENELITIAN

