

## Lampiran 1

### Validitas Dan Reliabilitas

#### 1. Perilaku Hidup Bersih Dan Sehat

##### Reliability Statistics

Cronbach's Alpha	N of Items
,833	15

##### Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
PHS1	38,00	57,474	,758	,804
PHS2	38,45	60,366	,519	,819
PHS3	37,95	58,997	,669	,810
PHS4	38,00	61,158	,499	,821
PHS5	37,75	57,882	,771	,804
<b>PHS6</b>	<b>38,45</b>	<b>67,103</b>	<b>,091</b>	<b>,847</b>
PHS7	38,20	58,695	,616	,813
PHS8	38,20	61,432	,538	,819
<b>PHS9</b>	<b>38,30</b>	<b>75,695</b>	<b>-,323</b>	<b>,882</b>
PHS10	37,95	60,261	,542	,818
PHS11	38,25	62,618	,481	,822
PHS12	39,05	62,997	,460	,824
PHS13	38,20	60,168	,552	,817
PHS14	38,60	60,779	,570	,817
PHS15	37,95	59,208	,578	,815

#### Pertanyaan Yang Tidak Valid

	Corrected Item-Total Correlation	Pernyataan	Keterangan
PHS6	0,091	Membuang sampah dilaci meja sekolah	Tidak Valid
PHS9	-0,323	Menyiram wc/toilet dengan air bersih setiap selesai menggunakan	Tidak Valid

Setelah Di Delete Pertanyaan Yang Tidak Valid

**Reliability Statistics**

Cronbach's Alpha	N of Items
,895	13

**Item-Total Statistics**

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
PHS1	32,85	59,187	,759	,879
PHS2	33,30	63,274	,447	,894
PHS3	32,80	60,484	,688	,882
PHS4	32,85	62,661	,518	,890
PHS5	32,60	59,305	,794	,877
PHS7	33,05	60,366	,622	,885
PHS8	33,05	62,471	,594	,887
PHS10	32,80	61,642	,568	,888
PHS11	33,10	64,516	,474	,892
PHS12	33,90	64,200	,507	,890
PHS13	33,05	61,629	,574	,888
PHS14	33,45	62,471	,577	,887
PHS15	32,80	60,695	,596	,887

## 2. Dukungan Guru

### Reliability Statistics

Cronbach's Alpha	N of Items
,838	10

### Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
DG1	25,00	38,526	,470	,829
DG2	25,25	35,987	,665	,811
DG3	26,05	38,261	,557	,822
DG4	25,10	38,832	,483	,828
DG5	24,95	37,313	,467	,830
DG6	25,60	36,779	,540	,822
DG7	25,10	34,937	,584	,818
DG8	24,90	37,042	,476	,829
DG9	25,05	38,050	,496	,826
DG10	25,00	36,632	,602	,817

## Lampiran 2

### Uji Normalitas

#### 1. Perilaku Hidup Bersih Dan Sehat

##### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
PHBS_TOTAL	,114	116	,001	,976	116	,033

a. Lilliefors Significance Correction

#### 2. Dukungan Guru

##### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
DG_TOTAL	,119	116	,000	,978	116	,052

a. Lilliefors Significance Correction

### Hasil Uji Normalitas Variabel Independen

Variabel	Kolmogorov-Smirnov	p-value
Perilaku Hidup Bersih Dan Sehat	0,001	< 0,05
Dukungan Guru	0,000	< 0,05

### Lampiran 3

Median

#### 1. Perilaku Hidup Bersih Dan Sehat

##### Statistics

PHBS

N	Valid	116
	Missing	0
Mean		35,90
Median		35,00
Std. Deviation		4,494
Minimum		25
Maximum		51

#### 2. Dukungan Guru

##### Statistics

DG\_TOTAL

N	Valid	116
	Missing	0
Mean		32,02
Median		32,00
Std. Deviation		3,462
Minimum		22
Maximum		40

## Lampiran 4

### Analisis Univariat

#### 1. Jenis Kelamin

Jenis Kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Laki-laki	60	51,7	51,7	51,7
Valid Perempuan	56	48,3	48,3	100,0
Total	116	100,0	100,0	

#### 2. Pendidikan Orangtua

Status pendidikan orangtua terakhir

	Frequency	Percent	Valid Percent	Cumulative Percent
Pendidikan Rendah (SD-SMP)	29	25,0	25,0	25,0
Valid Pendidikan Tinggi (SMA-PT)	87	75,0	75,0	100,0
Total	116	100,0	100,0	

#### 3. Perilaku Hidup Bersih Dan Sehat

PHBS

	Frequency	Percent	Valid Percent	Cumulative Percent
Buruk	71	61,2	61,2	61,2
Valid Baik	45	38,8	38,8	100,0
Total	116	100,0	100,0	

#### 4. Diare

Apakah adik-adik pernah dikatakan sakit diare oleh tenaga kesehatan (dokter/bidan/petugas puskesmas) pada tiga bulan terakhir (Februari-April)?

	Frequency	Percent	Valid Percent	Cumulative Percent
Diare	52	44,8	44,8	44,8
Valid Tidak Diare	64	55,2	55,2	100,0
Total	116	100,0	100,0	

#### 5. Dukungan Guru

DUKUNGAN\_GURU

	Frequency	Percent	Valid Percent	Cumulative Percent
buruk	62	53,4	53,4	53,4
Valid baik	54	46,6	46,6	100,0
Total	116	100,0	100,0	

## Lampiran 5

### Analisis Bivariat

#### 1. PHBS Dengan Diare

##### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
PHS * Diare	116	100,0%	0	0,0%	116	100,0%

##### PHS \* Diare Crosstabulation

		Diare		Total	
		Diare	Tidak Diare		
PHS	buruk	Count	40	31	71
		% within PHS	56,3%	43,7%	100,0%
PHS	baik	Count	12	33	45
		% within PHS	26,7%	73,3%	100,0%
Total		Count	52	64	116
		% within PHS	44,8%	55,2%	100,0%

##### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9,804 <sup>a</sup>	1	,002		
Continuity Correction <sup>b</sup>	8,641	1	,003		
Likelihood Ratio	10,091	1	,001		
Fisher's Exact Test				,002	,001
Linear-by-Linear Association	9,720	1	,002		
N of Valid Cases	116				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 20,17.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PHS (buruk / baik)	3,548	1,578	7,978
For cohort Diare = Diare	2,113	1,249	3,575
For cohort Diare = Tidak Diare	,595	,433	,818
N of Valid Cases	116		

2. Dukungan Guru Dengan Diare

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
DUKUNGAN_GURU * Apakah adik-adik pernah dikatakan sakit diare oleh tenaga kesehatan (dokter/bidan/petugas puskesmas)pada tiga bulan terakhir (Februari-April)?	116	100,0%	0	0,0%	116	100,0%

**DUKUNGAN\_GURU \* Diare Crosstabulation**

		Diare		Total
		Diare	Tidak Diare	
DUKUNGAN_GURU	buruk	Count 37	25	62
		% within 59,7%	40,3%	100,0%
		DUKUNGAN_GURU		
DUKUNGAN_GURU	baik	Count 15	39	54
		% within 27,8%	72,2%	100,0%
		DUKUNGAN_GURU		
Total		Count 52	64	116
		% within 44,8%	55,2%	100,0%
		DUKUNGAN_GURU		

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	11,875 <sup>a</sup>	1	,001		
Continuity Correction <sup>b</sup>	10,620	1	,001		
Likelihood Ratio	12,143	1	,000		
Fisher's Exact Test				,001	,001
Linear-by-Linear Association	11,773	1	,001		
N of Valid Cases	116				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 24,21.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for DUKUNGAN_GURU (buruk / baik)	3,848	1,760	8,414
For cohort Diare = Diare	2,148	1,334	3,459
For cohort Diare = Tidak Diare	,558	,395	,788
N of Valid Cases	116		




## Lampiran 6


### Frekuensi Pertanyaan Kuesioner

#### 1. Perilaku Hidup Bersih dan Sehat


##### a. Indikator Mencuci Tangan




##### b. Indikator Membuang Sampah



c. Indikator Menggunakan Jamban



d. Indikator Perilaku Jajan



## 2. Dukungan Guru

