

LAMPIRAN

Lampiran 1. Hasil Analisis Univariat

tingkat_umur

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Dewasa Awal	51	75.0	75.0	75.0
	Dewasa Akhir	17	25.0	25.0	100.0
	Total	68	100.0	100.0	

tingkat_pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Pend. Rendah	39	57.4	57.4	57.4
	Pend. Menengah	29	42.6	42.6	100.0
	Total	68	100.0	100.0	

tingkap_pendapatan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Rp501.000-Rp1.000.000	51	75.0	75.0	75.0
	Rp1.001.000-Rp2.000.000	17	25.0	25.0	100.0
	Total	68	100.0	100.0	

tingkap_sikap

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Negatif	53	77.9	77.9	77.9
	Positif	15	22.1	22.1	100.0
	Total	68	100.0	100.0	

tingkat_pengetahuan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	kurang	45	66.2	66.2	66.2
	cukup	23	33.8	33.8	100.0
Total		68	100.0	100.0	

Lampiran 2. Hasil Analisa Bivariat

HUBUNGAN UMUR IBU DENGAN SIKAP IBU DALAM PEMBERIAN BEKAL

tingkat_umur * tingkap_sikap Crosstabulation

			tingkap_sikap		Total
			Negatif	Positif	
tingkat_umur	Dewasa Awal	Count	36	15	51
		Expected Count	39.8	11.3	51.0
		% within tingkat_umur	70.6%	29.4%	100.0%
	Dewasa Akhir	Count	17	0	17
		Expected Count	13.3	3.8	17.0
		% within tingkat_umur	100.0%	0.0%	100.0%
Total	Count	53	15	68	
	Expected Count	53.0	15.0	68.0	
	% within tingkat_umur	77.9%	22.1%	100.0%	

Chi-Square Tests

	Value	Df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6.415 ^a	1	.011	.015	.007
Continuity Correction ^b	4.818	1	.028		
Likelihood Ratio	9.969	1	.002		
Fisher's Exact Test					
Linear-by-Linear Association	6.321	1	.012		
N of Valid Cases	68				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.75.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
For cohort tingkap_sikap = Negatif	.706	.591	.843
N of Valid Cases	68		

HUBUNGAN PENDIDIKAN IBU DENGAN SIKAP IBU DALAM PEMBERIAN BEKAL

tingkat_pendidikan * tingkap_sikap Crosstabulation

			tingkap_sikap		Total
			Negatif	Positif	
tingkat_pendidikan	Pend. Rendah	Count	38	1	39
		Expected Count	30.4	8.6	39.0
		% within tingkat_pendidikan	97.4%	2.6%	100.0%
	Pend. Menengah	Count	15	14	29
		Expected Count	22.6	6.4	29.0
		% within tingkat_pendidikan	51.7%	48.3%	100.0%
Total		Count	53	15	68
		Expected Count	53.0	15.0	68.0
		% within tingkat_pendidikan	77.9%	22.1%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	20.214 ^a	1	.000	.000	.000
Continuity Correction ^b	17.643	1	.000		
Likelihood Ratio	22.291	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	19.917	1	.000		
N of Valid Cases	68				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.40.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for tingkat_pendidikan (Pend. Rendah / Pend. Menengah)	35.467	4.279	293.991
For cohort tingkat_sikap = Negatif	1.884	1.320	2.687
For cohort tingkat_sikap = Positif	.053	.007	.381
N of Valid Cases	68		

HUBUNGAN PENDAPATAN KELUARGA DENGAN SIKAP IBU DALAM PEMBERIAN BEKAL

tingkap_pendapatan * tingkat_sikap Crosstabulation

			tingkap_sikap	
			Negatif	Positif
tingkap_pendapatan	Rp501.000-Rp1.000.000	Count	40	11
		Expected Count	39.8	11.3
		% within tingkat_pendapatan	78.4%	21.6%
	Rp1.001.000-Rp2.000.000	Count	13	4
		Expected Count	13.3	3.8
		% within tingkat_pendapatan	76.5%	23.5%
Total		Count	53	15
		Expected Count	53.0	15.0
		% within tingkat_pendapatan	77.9%	22.1%

tingkap_pendapatan * tingkap_sikap Crosstabulation

			Total
tingkap_pendapatan	Rp501.000-Rp1.000.000	Count	51
		Expected Count	51.0
		% within tingkap_pendapatan	100.0%
	Rp1.001.000-Rp2.000.000	Count	17
		Expected Count	17.0
		% within tingkap_pendapatan	100.0%
Total		Count	68
		Expected Count	68.0
		% within tingkap_pendapatan	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.029 ^a	1	.866	1.000	.554
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.028	1	.867		
Fisher's Exact Test					
Linear-by-Linear Association	.028	1	.867		
N of Valid Cases	68				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.75.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for tingkat_pendapatan (Rp501.000-Rp1.000.000 / Rp1.001.000-Rp2.000.000)	1.119	.304	4.123
For cohort tingkat_sikap = Negatif	1.026	.760	1.385
For cohort tingkat_sikap = Positif	.917	.336	2.502
N of Valid Cases	68		

HUBUNGAN PENGETAHUAN GIZI IBU DENGAN SIKAP IBU DALAM PEMBERIAN BEKAL

tingkat_pengetahuan * tingkat_sikap Crosstabulation

			tingkat_sikap		Total
			Negatif	Positif	
tingkat_pengetahuan	kurang	Count	40	5	45
		Expected Count	35.1	9.9	45.0
		% within tingkat_pengetahuan	88.9%	11.1%	100.0%
	cukup	Count	13	10	23
		Expected Count	17.9	5.1	23.0
		% within tingkat_pengetahuan	56.5%	43.5%	100.0%
Total	Count	53	15	68	
	Expected Count	53.0	15.0	68.0	
	% within tingkat_pengetahuan	77.9%	22.1%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9.275 ^a	1	.002	.004	.004
Continuity Correction ^b	7.487	1	.006		
Likelihood Ratio	8.873	1	.003		
Fisher's Exact Test					
Linear-by-Linear Association	9.138	1	.003		
N of Valid Cases	68				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.07.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for tingkat_pengetahuan (kurang / cukup)	6.154	1.776	21.320
For cohort tingkat_sikap = Negatif	1.573	1.083	2.284
For cohort tingkat_sikap = Positif	.256	.099	.660
N of Valid Cases	68		