

**Lampiran 2.**

**Analisa Regresi Berganda dan Asumsi Klasik**

**Descriptives**

**Descriptive Statistics**

	N	Minimum	Maximum	Mean	Std. Deviation
EVA	175	-111717026	334727470	128610674	128724122
DER	175	.01	10.63	.8710	1.06371
ROA	175	-.10	.25	.0610	.05693
ROE	175	-.27	1.84	.1164	.16581
EPS	175	-42.80	904.54	82.1728	162.57393
PBV	175	.12	8.30	1.6555	1.66155
Valid N (listwise)	175				

**One-Sample Kolmogorov-Smirnov Test**

		EVA	DER	ROA	ROE	EPS	PBV
N		175	175	175	175	175	175
Normal Parameters <sup>a,b</sup>	Mean	128610674	.8710	.0610	.1164	82.1728	1.6555
	Std. Deviation	128724122	1.0637	.05693	.16581	162.5739	1.6615
Most Extreme Differences	Absolute	.417	.226	.101	.168	.323	.192
	Positive	.232	.226	.101	.151	.323	.192
	Negative	-.417	-.212	-.067	-.168	-.261	-.178
Kolmogorov-Smirnov Z		5.521	2.990	1.335	2.226	4.275	2.541
Asymp. Sig. (2-tailed)		.000	.000	.057	.000	.000	.000

a. Test distribution is Normal.

b. Calculated from data.

**Descriptive Statistics**

	Mean	Std. Deviation	N
LNPBV	.1036	.97754	147
LNEVA	25.3765	2.23898	147
LNDER	-.3336	.72413	147
ROA	.0726	.04911	147
LNROE	-2.3976	1.04671	147
LNEPS	3.4687	1.56140	147

## Regression

**Variables Entered/Removed<sup>a</sup>**

Model	Variables Entered	Variables Removed	Method
1	LNEPS, LNDER, LNEVA, ROA, LNROE <sup>b</sup>	.	Enter

a. Dependent Variable: LNPBV

b. All requested variables entered.

**Model Summary<sup>b</sup>**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics					Durbin-Watson
					R Square Change	F Change	df1	df2	Sig. F Change	
1	.451 <sup>a</sup>	.203	.175	.88788	.203	7.195	5	141	.000	2.359

a. Predictors: (Constant), LNEPS, LNDER, LNEVA, ROA, LNROE

b. Dependent Variable: LNPBV

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	28.361	5	5.672	7.195	.000 <sup>b</sup>
	Residual	111.154	141	.788		
	Total	139.515	146			

a. Dependent Variable: LNPBV



b. Predictors: (Constant), LNEPS, LNDER, LNEVA, ROA, LNROE


**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations			Collinearity Statistics		
		B	Std. Error				Beta	Zero-order	Partial	Part	Tolerance	VIF
1	(Constant)	-.429	.988		-.435	.664						
	LNEVA	.007	.035	.015	.187	.852	.165	.016	.014	.873	1.145	
	LNDER	.515	.116	.381	4.436	.000	.397	.350	.333	.764	1.309	
	ROA	3.378	2.111	.170	1.600	.112	.217	.134	.120	.502	1.991	
	LNROE	-.032	.120	-.035	-.268	.789	.285	-.023	-.020	.341	2.933	
	LNEPS	.062	.063	.099	.990	.324	.225	.083	.074	.560	1.786	

a. Dependent Variable: LNBPV

### Charts





**Lampiran 3**

**Uji Normalitas Residual Regression  
NPar Tests**

**One-Sample Kolmogorov-Smirnov Test**

		LNEVA	LNDER	ROA	LNROE	LNEPS	LNPBV
N		158	175	175	161	159	175
Normal Parameters <sup>a,b</sup>	Mean	25.2022	-.5068	.0610	-2.4730	3.4323	.0436
	Std. Deviation	2.32414	.92338	.05693	1.08211	1.56309	.99785
	Absolute	.105	.122	.101	.133	.095	.063
Most Extreme Differences	Positive	.105	.092	.101	.091	.072	.035
	Negative	-.098	-.122	-.067	-.133	-.095	-.063
Kolmogorov-Smirnov Z		1.317	1.617	1.335	1.685	1.198	.833
Asymp. Sig. (2-tailed)		.062	.011	.057	.007	.113	.491

a. Test distribution is Normal.

b. Calculated from data.

