

**LAMPIRAN
BIVARIAT**

Pendidikan_ibu_kelompok * Status_gizi Crosstabulation

		Status_gizi		Total
		Stunting	Normal	
Pendidikan_ibu_kelompok	Rendah	Count 21 % within Pendidikan_ibu_kelompok 45.7%	25 54.3%	46 100.0%
	Tinggi	Count 44 % within Pendidikan_ibu_kelompok 37.0%	75 63.0%	119 100.0%
Total		Count 65 % within Pendidikan_ibu_kelompok 39.4%	100 60.6%	165 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.046 ^a	1	.306		
Continuity Correction ^b	.714	1	.398		
Likelihood Ratio	1.037	1	.309		
Fisher's Exact Test				.375	.199
N of Valid Cases	165				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.12.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pendidikan_ibu_kelompok (Rendah / Tinggi)	1.432	.719	2.853
For cohort Status_gizi = Stunting	1.235	.833	1.829
For cohort Status_gizi = Normal	.862	.640	1.162
N of Valid Cases	165		

Asupan_energi * Status_gizi Crosstabulation

			Status_gizi		Total
			Stunting	Normal	
Asupan_energi	Kurang	Count	92	12	104
		% within Asupan_energi	88.5%	11.5%	100.0%
	Cukup	Count	8	53	61
		% within Asupan_energi	13.1%	86.9%	100.0%
Total		Count	100	65	165
		% within Asupan_energi	60.6%	39.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	91.425 ^a	1	.000		
Continuity Correction ^b	88.296	1	.000		
Likelihood Ratio	99.467	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	90.871	1	.000		
N of Valid Cases	165				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 24.03.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Asupan_energi (Kurang / Cukup)	.020	.008	.051
For cohort Status_gizi = Stunting	.133	.077	.228
For cohort Status_gizi = Normal	6.745	3.523	12.916
N of Valid Cases	165		

Tingkat_pendapatan_kelompok * Status_gizi Crosstabulation

		Status_gizi		Total
		Stunting	Normal	
Tingkat_pendapatan_kelompok	Count	22	21	43
	% within Tingkat_pendapatan_kelompok	51.2%	48.8%	100.0%
	Count	43	79	122
	% within Tingkat_pendapatan_kelompok	35.2%	64.8%	100.0%
Total	Count	65	100	165
	% within Tingkat_pendapatan_kelompok	39.4%	60.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.374 ^a	1	.066		
Continuity Correction ^b	2.740	1	.098		
Likelihood Ratio	3.325	1	.068		
Fisher's Exact Test				.072	.050
Linear-by-Linear Association	3.353	1	.067		
N of Valid Cases	165				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.94.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Tingkat_pendapatan_kelompok (Rendah / Tinggi)	1.925	.952	3.891
For cohort Status_gizi = Stunting	1.452	.994	2.119
For cohort Status_gizi = Normal	.754	.541	1.052
N of Valid Cases	165		