

Uji Validitas

PENGETAHUAN

Case Processing Summary

		N	%
Cases	Valid	30	100.0
	Excluded ^a	0	.0
	Total	30	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.864	16

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
P1	10.10	15.266	.538	.854
P2	9.93	15.444	.468	.858
P3	9.90	15.334	.501	.856
P4	9.60	15.903	.560	.855
P5	9.77	15.564	.486	.857
P6	9.67	16.023	.423	.859
P7	9.87	15.085	.577	.852
P8	9.67	16.023	.423	.859
P9	10.10	15.266	.538	.854
P10	9.93	15.444	.468	.858
P11	9.90	15.334	.501	.856
P12	9.60	15.903	.560	.855
P13	9.77	15.564	.486	.857
P14	9.67	16.023	.423	.859
P15	9.87	15.085	.577	.852
P16	9.67	16.023	.423	.859

SIKAP

Case Processing Summary

		N	%
Cases	Valid	30	100.0
	Excluded ^a	0	.0
	Total	30	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.737	10

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
S1	28.67	14.782	.421	.712
S2	28.87	13.016	.611	.678
S3	30.67	16.161	.088	.767
S4	29.00	14.759	.412	.713
S5	28.50	16.466	.376	.729
S6	28.70	14.700	.534	.700
S7	29.93	13.789	.391	.719
S8	29.20	13.545	.444	.709
S9	29.33	12.506	.572	.683
S10	28.43	16.599	.429	.728

Case Processing Summary

		N	%
Cases	Valid	30	100.0
	Excluded ^a	0	.0
	Total	30	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.767	9

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
S1	26.97	13.413	.438	.746
S2	27.17	11.730	.626	.714
S4	27.30	13.045	.501	.737
S5	26.80	14.855	.445	.756
S6	27.00	13.655	.477	.743
S7	28.23	12.668	.375	.764
S8	27.50	12.603	.394	.758
S9	27.63	11.068	.616	.715
S10	26.73	15.237	.434	.762

PERILAKU**Case Processing Summary**

		N	%
Cases	Valid	30	100.0
	Excluded ^a	0	.0
	Total	30	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.804	8

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
PL1	22.00	14.828	.495	.786
PL2	22.13	14.326	.488	.791
PL3	22.73	13.926	.632	.763
PL4	21.83	15.592	.559	.777
PL5	21.27	17.582	.528	.794
PL6	21.60	16.110	.470	.789
PL7	22.50	14.741	.562	.775
PL8	21.63	15.068	.538	.779

UJI NORMALITAS

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
PENGETAHUAN	191	100.0%	0	0.0%	191	100.0%

Descriptives

		Statistic	Std. Error
PENGETAHUAN	Mean	10.12	.154
	95% Confidence Interval for Mean		
	Lower Bound	9.82	
	Upper Bound	10.43	
	5% Trimmed Mean	10.11	
	Median	10.00	
	Variance	4.559	
	Std. Deviation	2.135	
	Minimum	6	
	Maximum	16	
	Range	10	
	Interquartile Range	3	
	Skewness	.097	.176
	Kurtosis	-.649	.350

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
PENGETAHUAN	.150	191	.000	.962	191	.000

a. Lilliefors Significance Correction

STATISTIK

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
SIKAP	191	100.0%	0	0.0%	191	100.0%

Descriptives

		Statistic	Std. Error
SIKAP	Mean	19.01	.196
	95% Confidence Interval for Mean		
	Lower Bound	18.62	
	Upper Bound	19.40	
	5% Trimmed Mean	18.93	
	Median	18.00	
	Variance	7.347	
	Std. Deviation	2.711	
	Minimum	14	
	Maximum	28	
	Range	14	
	Interquartile Range	4	
	Skewness	.529	.176
Kurtosis	-.133	.350	

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
SIKAP	.190	191	.000	.955	191	.000

a. Lilliefors Significance Correction

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
PERILAKU	191	100.0%	0	0.0%	191	100.0%

Descriptives

		Statistic	Std. Error
PERILAKU	Mean	17.16	.174
	95% Confidence Interval for Mean	Lower Bound	16.82
		Upper Bound	17.51
	5% Trimmed Mean		17.12
	Median		17.00
	Variance		5.768
	Std. Deviation		2.402
	Minimum		12
	Maximum		23
	Range		11
	Interquartile Range		3
	Skewness	.224	.176
	Kurtosis	-.241	.350

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
PERILAKU	.112	191	.000	.974	191	.001

a. Lilliefors Significance Correction

ANALISIS UNIVARIAT

PENGETAHUAN_1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Buruk	86	45.0	45.0	45.0
	Baik	105	55.0	55.0	100.0
	Total	191	100.0	100.0	

SIKAP_1

	Frequency	Percent	Valid Percent	Cumulative Percent
Negatif	61	31.9	31.9	31.9
Valid Positif	130	68.1	68.1	100.0
Total	191	100.0	100.0	

PERILAKU_1

	Frequency	Percent	Valid Percent	Cumulative Percent
Kurang	76	39.8	39.8	39.8
Valid Baik	115	60.2	60.2	100.0
Total	191	100.0	100.0	

ANALISIS BIVARIAT

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pengetahuan_1 * Perilaku_1	191	100.0%	0	0.0%	191	100.0%

PENGETAHUAN_1 * PERILAKU_1 Crosstabulation

		PERILAKU_1		Total
		kurangbaik	baik	
PENGETAHUAN_1	Count	39	47	86
	% within PENGETAHUAN_1	45.3%	54.7%	100.0%
	Count	37	68	105
	% within PENGETAHUAN_1	35.2%	64.8%	100.0%
Total	Count	76	115	191
	% within PENGETAHUAN_1	39.8%	60.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.017 ^a	1	.156		
Continuity Correction ^b	1.617	1	.203		
Likelihood Ratio	2.016	1	.156		
Fisher's Exact Test				.182	.102
Linear-by-Linear Association	2.007	1	.157		
N of Valid Cases	191				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 34.22.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PENGETAHUAN_1 (Buruk / Baik)	1.525	.851	2.733
For cohort PERILAKU_1 = kurangbaik	1.287	.909	1.822
For cohort PERILAKU_1 = baik	.844	.665	1.071
N of Valid Cases	191		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Sikap_1 * Perilaku_1	191	100.0%	0	0.0%	191	100.0%

Sikap_1 * Perilaku_1 Crosstabulation

		Perilaku_1		Total	
		Kurang	Baik		
Sikap_1	Negatif	Count	27	34	61
		% within Sikap_1	44.3%	55.7%	100.0%
	Positif	Count	49	81	130
		% within Sikap_1	37.7%	62.3%	100.0%
Total	Count	76	115	191	
	% within Sikap_1	39.8%	60.2%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.748 ^a	1	.387		
Continuity Correction ^b	.499	1	.480		
Likelihood Ratio	.744	1	.388		
Fisher's Exact Test				.429	.239
Linear-by-Linear Association	.744	1	.388		
N of Valid Cases	191				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 24.27.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Sikap_1 (Negatif / Positif)	1.313	.708	2.434
For cohort Perilaku_1 = Kurang	1.174	.821	1.680
For cohort Perilaku_1 = Baik	.895	.689	1.161
N of Valid Cases	191		