

# HASIL ANALISIS UNIVARIAT DAN BIVARIAT

## 1. HASIL UNIVARIAT PENGETAHUAN

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pengetahuan	86	100.0%	0	.0%	86	100.0%

Descriptives

		Statistic	Std. Error
Pengetahuan	Mean	5.14	.166
	95% Confidence Interval for Mean		
	Lower Bound	4.81	
	Upper Bound	5.47	
	5% Trimmed Mean	5.17	
	Median	5.00	
	Variance	2.380	
	Std. Deviation	1.543	
	Minimum	1	
	Maximum	8	
	Range	7	
	Interquartile Range	2	
	Skewness	-.416	.260
	Kurtosis	-.062	.514

Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
Pengetahuan	.185	86	.000	.946	86	.001

**Tests of Normality**

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
Pengetahuan	.185	86	.000	.946	86	.001

a. Lilliefors Significance Correction

**Pengetahuan**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid rendah	50	58.1	58.1	58.1
tinggi	36	41.9	41.9	100.0
Total	86	100.0	100.0	

**p1**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	62	72.1	72.1	72.1
1	24	27.9	27.9	100.0
Total	86	100.0	100.0	

**p2**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	78	90.7	90.7	90.7
1	8	9.3	9.3	100.0
Total	86	100.0	100.0	

**p3**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	62	72.1	72.1	72.1
1	24	27.9	27.9	100.0
Total	86	100.0	100.0	

**p4**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	29	33.7	33.7	33.7
	1	57	66.3	66.3	100.0
	Total	86	100.0	100.0	

**p5**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	43	50.0	50.0	50.0
	1	43	50.0	50.0	100.0
	Total	86	100.0	100.0	

**p6**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	24	27.9	27.9	27.9
	1	62	72.1	72.1	100.0
	Total	86	100.0	100.0	

**p7**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	69	80.2	80.2	80.2
	1	17	19.8	19.8	100.0
	Total	86	100.0	100.0	

**p8**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	12	14.0	14.0	14.0
	1	74	86.0	86.0	100.0
	Total	86	100.0	100.0	

**p9**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	23	26.7	26.7	26.7
	1	63	73.3	73.3	100.0
	Total	86	100.0	100.0	

**p10**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	16	18.6	18.6	18.6
	1	70	81.4	81.4	100.0
	Total	86	100.0	100.0	

## 2. HASIL BIVARIAT PENGETAHUAN DG PERILAKU MEROKOK REMAJA

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
pengetahuan * perilaku_remaja	86	100.0%	0	.0%	86	100.0%

pengetahuan \* perilaku\_remaja Crosstabulation

			perilaku_remaja		Total
			merokok	tidak merokok	
Pengetahuan	rendah	Count	22	28	50
		% within pengetahuan	44.0%	56.0%	100.0%
		% within perilaku_remaja	46.8%	71.8%	58.1%
	tinggi	Count	25	11	36
		% within pengetahuan	69.4%	30.6%	100.0%
		% within perilaku_remaja	53.2%	28.2%	41.9%
Total	Count	47	39	86	
	% within pengetahuan	54.7%	45.3%	100.0%	
	% within perilaku_remaja	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.468 <sup>a</sup>	1	.019		
Continuity Correction <sup>b</sup>	4.489	1	.034		
Likelihood Ratio	5.567	1	.018		
Fisher's Exact Test				.028	.017
Linear-by-Linear Association	5.404	1	.020		
N of Valid Cases <sup>b</sup>	86				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16,33.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for pengetahuan (rendah / tinggi)	.346	.140	.853
For cohort perilaku_remaja = merokok	.634	.433	.927
For cohort perilaku_remaja = tidak merokok	1.833	1.057	3.178
N of Valid Cases	86		

### 3. HASIL UNIVARIAT SIKAP

#### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
sikap	86	100.0%	0	.0%	86	100.0%

#### Descriptives

		Statistic	Std. Error
sikap	Mean	27.28	.328
	95% Confidence Interval for Lower Bound	26.63	
	Mean Upper Bound	27.93	
	5% Trimmed Mean	27.40	
	Median	27.00	
	Variance	9.262	
	Std. Deviation	3.043	
	Minimum	20	
	Maximum	32	
	Range	12	
	Interquartile Range	4	
	Skewness	-.362	.260
	Kurtosis	-.239	.514

#### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
sikap	.091	86	.073	.962	86	.012

a. Lilliefors Significance Correction

**Sikap**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	negatif	45	52.3	52.3	52.3
	positif	41	47.7	47.7	100.0
	Total	86	100.0	100.0	

**s1**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	1.2	1.2	1.2
	3	23	26.7	26.7	27.9
	4	62	72.1	72.1	100.0
	Total	86	100.0	100.0	

**s2**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	2	2.3	2.3	2.3
	2	18	20.9	20.9	23.3
	3	43	50.0	50.0	73.3
	4	23	26.7	26.7	100.0
	Total	86	100.0	100.0	

**s3**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	3	3.5	3.5	3.5
	3	49	57.0	57.0	60.5
	4	34	39.5	39.5	100.0
	Total	86	100.0	100.0	

**s4**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	2	2.3	2.3	2.3
	2	1	1.2	1.2	3.5
	3	50	58.1	58.1	61.6
	4	33	38.4	38.4	100.0
	Total	86	100.0	100.0	

**s5**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	6	7.0	7.0	7.0
	2	1	1.2	1.2	8.1
	3	30	34.9	34.9	43.0
	4	49	57.0	57.0	100.0
	Total	86	100.0	100.0	

**s6**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	8	9.3	9.3	9.3
	2	2	2.3	2.3	11.6
	3	26	30.2	30.2	41.9
	4	50	58.1	58.1	100.0
	Total	86	100.0	100.0	

s7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	1.2	1.2	1.2
	2	1	1.2	1.2	2.3
	3	24	27.9	27.9	30.2
	4	60	69.8	69.8	100.0
	Total	86	100.0	100.0	

s8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	3.5	3.5	3.5
	2	2	2.3	2.3	5.8
	3	37	43.0	43.0	48.8
	4	44	51.2	51.2	100.0
	Total	86	100.0	100.0	

#### 4. HASIL BIVARIAT SIKAP DG PERILAKU MEROKOK REMAJA

##### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
sikap * perilaku_remaja	86	100.0%	0	.0%	86	100.0%

##### sikap \* perilaku\_remaja Crosstabulation

			perilaku_remaja		Total
			merokok	tidak merokok	
sikap	negatif	Count	35	10	45
		% within sikap	77.8%	22.2%	100.0%
		% within perilaku_remaja	74.5%	25.6%	52.3%
	positif	Count	12	29	41
		% within sikap	29.3%	70.7%	100.0%
		% within perilaku_remaja	25.5%	74.4%	47.7%
Total		Count	47	39	86
		% within sikap	54.7%	45.3%	100.0%
		% within perilaku_remaja	100.0%	100.0%	100.0%

##### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	20.370 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	18.459	1	.000		
Likelihood Ratio	21.231	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	20.133	1	.000		
N of Valid Cases <sup>b</sup>	86				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18,59.

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)		
Pearson Chi-Square	20.370 <sup>a</sup>	1	.000				
Continuity Correction <sup>b</sup>	18.459	1	.000				
Likelihood Ratio	21.231	1	.000				
Fisher's Exact Test						.000	.000
Linear-by-Linear Association	20.133	1	.000				
N of Valid Cases <sup>b</sup>	86						

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18,59.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for sikap (negatif / positif)	8.458	3.197	22.377
For cohort perilaku_remaja = merokok	2.657	1.610	4.385
For cohort perilaku_remaja = tidak merokok	.314	.176	.562
N of Valid Cases	86		

## 5. HASIL UNIVARIAT KETERSEDIAAN

**ketersediaan\_dirumah**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tersedia	66	76.7	76.7	76.7
	tidak tersedia	20	23.3	23.3	100.0
	Total	86	100.0	100.0	

**ketersediaan\_disekolah**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tersedia	42	48.8	48.8	48.8
	tidak tersedia	44	51.2	51.2	100.0
	Total	86	100.0	100.0	

**ketersediaan\_rokok**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tersedia	71	82.6	82.6	82.6
	tidak tersedia	15	17.4	17.4	100.0
	Total	86	100.0	100.0	

## 6. HASIL BIVARIAT KETERSEDIAAN DG PERILKU MEROKOK REMAJA

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
ketersediaan_rokok * perilaku_remaja	86	100.0%	0	.0%	86	100.0%

ketersediaan\_rokok \* perilaku\_remaja Crosstabulation

			perilaku_remaja		Total
			merokok	tidak merokok	
ketersediaan_rokok	Tersedia	Count	46	25	71
		% within ketersediaan_rokok	64.8%	35.2%	100.0%
		% within perilaku_remaja	97.9%	64.1%	82.6%
	tidak tersedia	Count	1	14	15
		% within ketersediaan_rokok	6.7%	93.3%	100.0%
		% within perilaku_remaja	2.1%	35.9%	17.4%
Total	Count	47	39	86	
	% within ketersediaan_rokok	54.7%	45.3%	100.0%	
	% within perilaku_remaja	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	16.880 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	14.616	1	.000		
Likelihood Ratio	19.006	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	16.684	1	.000		
N of Valid Cases <sup>b</sup>	86				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6,80.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for ketersediaan_rokok (tersedia / tidak tersedia)	25.760	3.198	207.517
For cohort perilaku_remaja = merokok	9.718	1.452	65.057
For cohort perilaku_remaja = tidak merokok	.377	.268	.532
N of Valid Cases	86		

**7. HASIL UNIVARIAT KETERJANGKAUAN**

**keterjangkauan\_mrokok**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	terjangkau	55	64.0	64.0	64.0
	tidak terjangkau	31	36.0	36.0	100.0
	Total	86	100.0	100.0	

**8. HASIL BIVARIAT KETERJANGKAUAN DG PERILAKU MEROKOK REMAJA**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
keterjangkauan_mrokok * perilaku_remaja	86	100.0%	0	.0%	86	100.0%

keterjangkauan\_mrokok \* perilaku\_remaja Crosstabulation

			perilaku_remaja		Total
			merokok	tidak merokok	
keterjangkauan_mrokok	terjangkau	Count	44	11	55
		% within keterjangkauan_mrokok	80.0%	20.0%	100.0%
		% within perilaku_remaja	93.6%	28.2%	64.0%
	tidak terjangkau	Count	3	28	31
		% within keterjangkauan_mrokok	9.7%	90.3%	100.0%
		% within perilaku_remaja	6.4%	71.8%	36.0%
Total	Count		47	39	86
	% within keterjangkauan_mrokok		54.7%	45.3%	100.0%
	% within perilaku_remaja		100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	39.559 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	36.773	1	.000		
Likelihood Ratio	43.720	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	39.099	1	.000		
N of Valid Cases <sup>b</sup>	86				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14,06.

b. Computed only for a 2x2 table

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for keterjangkauan_mrokok (terjangkau / tidak terjangkau)	37.333	9.566	145.705
For cohort perilaku_remaja = merokok	8.267	2.797	24.429
For cohort perilaku_remaja = tidak merokok	.221	.129	.380
N of Valid Cases	86		

**9. HASIL UNIVARIAT PERILAKU MEROKOK KELUARGA**

**perilaku\_ortu**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Merokok	48	55.8	55.8	55.8
	tidak merokok	38	44.2	44.2	100.0
	Total	86	100.0	100.0	

**keluarga\_mrokok**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Merokok	33	38.4	38.4	38.4
	tidak merokok	53	61.6	61.6	100.0
	Total	86	100.0	100.0	

**perilaku\_keluarga**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Merokok	58	67.4	67.4	67.4
	tidak merokok	28	32.6	32.6	100.0
	Total	86	100.0	100.0	

**10. HASIL BIVARIAT PERILAKU MEROKOK KELUARGA DG PERILAKU MEROKOK REMAJA**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
perilaku_keluarga * perilaku_remaja	86	100.0%	0	.0%	86	100.0%

**perilaku\_keluarga \* perilaku\_remaja Crosstabulation**

			perilaku_remaja		Total
			merokok	tidak merokok	
perilaku_keluarga	Merokok	Count	45	13	58
		% within perilaku_keluarga	77.6%	22.4%	100.0%
		% within perilaku_remaja	95.7%	33.3%	67.4%
perilaku_keluarga	tidak merokok	Count	2	26	28
		% within perilaku_keluarga	7.1%	92.9%	100.0%
		% within perilaku_remaja	4.3%	66.7%	32.6%
Total		Count	47	39	86
		% within perilaku_keluarga	54.7%	45.3%	100.0%
		% within perilaku_remaja	100.0%	100.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	37.810 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	35.021	1	.000		
Likelihood Ratio	42.343	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	37.370	1	.000		
N of Valid Cases <sup>b</sup>	86				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12,70.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for perilaku_keluarga (merokok / tidak merokok)	45.000	9.409	215.228
For cohort perilaku_remaja = merokok	10.862	2.837	41.592
For cohort perilaku_remaja = tidak merokok	.241	.148	.394
N of Valid Cases	86		

## 11. HASIL UNIVARIAT PERILAKU MEROKOK REMAJA

perilaku\_remaja

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Merokok	47	54.7	54.7	54.7
	tidak merokok	39	45.3	45.3	100.0
	Total	86	100.0	100.0	

pr1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	75	87.2	87.2	87.2
	1	11	12.8	12.8	100.0
	Total	86	100.0	100.0	

pr2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	86	100.0	100.0	100.0

pr3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	86	100.0	100.0	100.0

pr4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	40	46.5	46.5	46.5
	1	46	53.5	53.5	100.0
	Total	86	100.0	100.0	

pr5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	86	100.0	100.0	100.0