

Uji validitas dan reliabilitas tingkat kepuasan

Case Processing Summary

		N	%
Cases	Valid	30	100.0
	Excluded ^a	0	.0
Total		30	100.0

Reliability Statistics

Cronbach's Alpha	N of Items
.963	25

a. Listwise deletion based on all variables in the procedure.

Item Statistics

	Mean	Std. Deviation	N
P1	3.47	.507	30
P2	3.50	.509	30
P3	3.47	.571	30
P4	3.47	.507	30
P5	3.57	.504	30
P6	3.53	.571	30
P7	3.40	.498	30
P8	3.47	.507	30
P9	3.53	.571	30
P10	3.40	.498	30
P11	3.50	.509	30
P12	3.43	.568	30
P13	3.43	.504	30
P14	3.47	.507	30
P15	3.43	.568	30
P16	3.40	.498	30
P17	3.47	.507	30
P18	3.57	.568	30
P19	3.50	.509	30
P20	3.43	.504	30
P21	3.43	.504	30
P22	3.43	.504	30
P23	3.53	.571	30
P24	3.50	.509	30

P25	3.50	.509	30
-----	------	------	----

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Cronbach's Alpha if Item Deleted
P1	83.37	82.309	.883	.960
P2	83.33	83.333	.765	.961
P3	83.37	83.689	.639	.962
P4	83.37	82.309	.883	.960
P5	83.27	84.685	.621	.962
P6	83.30	83.941	.614	.962
P7	83.43	82.737	.851	.960
P8	83.37	84.033	.688	.961
P9	83.30	83.941	.614	.962
P10	83.43	82.944	.827	.960
P11	83.33	84.023	.688	.961
P12	83.40	84.317	.580	.962
P13	83.40	83.628	.739	.961
P14	83.37	83.689	.727	.961
P15	83.40	85.766	.438	.964
P16	83.43	82.875	.835	.960
P17	83.37	84.654	.619	.962
P18	83.27	84.064	.605	.962
P19	83.33	83.954	.696	.961
P20	83.40	82.800	.833	.960
P21	83.40	83.076	.802	.960
P22	83.40	84.248	.669	.962
P23	83.30	84.700	.539	.963
P24	83.33	82.989	.804	.960
P25	83.33	84.161	.673	.962

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
86.83	90.695	9.523	25

LAMPIRAN SPSS

HASIL ANALISA DEMOGRAFI

Umur

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid <20 tahun	2	3,2	3,2	3,2
20-29 tahun	16	25,4	25,4	28,6
30-39 tahun	17	27,0	27,0	55,6
40-49 tahun	9	14,3	14,3	69,8
50-59 tahun	11	17,5	17,5	87,3
60-69 tahun	6	9,5	9,5	96,8
> 70 tahun	2	3,2	3,2	100,0
Total	63	100,0	100,0	

Jenis Kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Laki-laki	34	54,0	54,0	54,0
Perempuan	29	46,0	46,0	100,0
Total	63	100,0	100,0	

Pekerjaan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Swasta	43	68,3	68,3	68,3
TNI/Polri	4	6,3	6,3	74,6
PNS	10	15,9	15,9	90,5
Pensiunan	6	9,5	9,5	100,0
Total	63	100,0	100,0	

Status Perkawinan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Menikah	45	71,4	71,4	71,4
Belum Menikah	18	28,6	28,6	100,0
Total	63	100,0	100,0	

Tingkat Pendidikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid SMA	26	41,3	41,3	41,3
Perguruan Tinggi	37	58,7	58,7	100,0
Total	63	100,0	100,0	

Pendidikan Perawat

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Buruk	40	63,5	63,5	63,5
Baik	23	36,5	36,5	100,0
Total	63	100,0	100,0	

Keterampilan Perawat

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Buruk	31	49,2	49,2	49,2
Baik	32	50,8	50,8	100,0
Total	63	100,0	100,0	

Kinerja Perawat

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Buruk	35	55,6	55,6	55,6
Baik	28	44,4	44,4	100,0
Total	63	100,0	100,0	

HASIL ANALISA UNIVARIAT

Tangible

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Puas	27	42,9	42,9	42,9
Puas	36	57,1	57,1	100,0
Total	63	100,0	100,0	

Reliability

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Puas	32	50,8	50,8	50,8
Puas	31	49,2	49,2	100,0
Total	63	100,0	100,0	

Responsiveness

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Puas	31	49,2	49,2	49,2
Puas	32	50,8	50,8	100,0
Total	63	100,0	100,0	

Assurance

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Puas	31	49,2	49,2	49,2
Puas	32	50,8	50,8	100,0
Total	63	100,0	100,0	

Empathy

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Puas	31	49,2	49,2	49,2
Puas	32	50,8	50,8	100,0
Total	63	100,0	100,0	

Kepuasan Pasien

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Puas	28	44,4	44,4	44,4
Puas	35	55,6	55,6	100,0
Total	63	100,0	100,0	

HASIL ANALISA BIVARIAT

Kinerja Perawat dan kepuasan pasien

Kinerja Perawat * Kepuasan Pasien Crosstabulation

		Kepuasan Pasien		Total	
		Tidak Puas	Puas		
Kinerja Perawat	Buruk	Count	24	11	35
		Expected Count	15,6	19,4	35,0
		% within Kinerja Perawat	68,6%	31,4%	100,0%
	Baik	Count	4	24	28
		Expected Count	12,4	15,6	28,0
		% within Kinerja Perawat	14,3%	85,7%	100,0%
Total		Count	28	35	63
		Expected Count	28,0	35,0	63,0
		% within Kinerja Perawat	44,4%	55,6%	100,0%
		% of Total	44,4%	55,6%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	18,566 ^b	1	,000		
Continuity Correction ^a	16,432	1	,000		
Likelihood Ratio	20,017	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	18,271	1	,000		
N of Valid Cases	63				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 12,44.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	,477	,000
N of Valid Cases	63	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Pengaruh pendidikan perawat dan kepuasan pasien tangible

Crosstab

			Tangible		Total
			Tidak Puas	puas	
Pendidikan Perawat	Buruk	Count	23	17	40
		Expected Count	17,1	22,9	40,0
		% within Pendidikan Perawat	57,5%	42,5%	100,0%
		% of Total	36,5%	27,0%	63,5%
	Baik	Count	4	19	23
		Expected Count	9,9	13,1	23,0
Total	Count		27	36	63
	Expected Count		27,0	36,0	63,0
	% within Pendidikan Perawat		42,9%	57,1%	100,0%
	% of Total		42,9%	57,1%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9,593 ^b	1	,002		
Continuity Correction ^a	8,025	1	,005		
Likelihood Ratio	10,244	1	,001		
Fisher's Exact Test				,003	,002
Linear-by-Linear Association	9,440	1	,002		
N of Valid Cases	63				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 9,86.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	,364	,002
N of Valid Cases	63	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Pengaruh pendidikan perawat dan kepuasan pasien reliability

Crosstab

			Reliability		Total
			Tidak Puas	Puas	
Pendidikan Perawat	Buruk	Count	26	14	40
		Expected Count	20,3	19,7	40,0
		% within Pendidikan Perawat	65,0%	35,0%	100,0%
		% of Total	41,3%	22,2%	63,5%
	Baik	Count	6	17	23
		Expected Count	11,7	11,3	23,0
		% within Pendidikan Perawat	26,1%	73,9%	100,0%
		% of Total	9,5%	27,0%	36,5%
Total	Count	32	31	63	
	Expected Count	32,0	31,0	63,0	
	% within Pendidikan Perawat	50,8%	49,2%	100,0%	
	% of Total	50,8%	49,2%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8,847 ^b	1	,003		
Continuity Correction ^a	7,359	1	,007		
Likelihood Ratio	9,123	1	,003		
Fisher's Exact Test				,004	,003
Linear-by-Linear Association	8,707	1	,003		
N of Valid Cases	63				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11,32.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,351	,003
N of Valid Cases		63	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Pengaruh pendidikan perawat dan kepuasan pasien responsiveness

Crosstab

			Responsiveness		Total
			Tidak Puas	Puas	
Pendidikan Perawat	Buruk	Count	27	13	40
		Expected Count	19,7	20,3	40,0
		% within Pendidikan Perawat	67,5%	32,5%	100,0%
		% of Total	42,9%	20,6%	63,5%
	Baik	Count	4	19	23
		Expected Count	11,3	11,7	23,0
		% within Pendidikan Perawat	17,4%	82,6%	100,0%
		% of Total	6,3%	30,2%	36,5%
Total	Count	31	32	63	
	Expected Count	31,0	32,0	63,0	
	% within Pendidikan Perawat	49,2%	50,8%	100,0%	
	% of Total	49,2%	50,8%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	14,670 ^b	1	,000		
Continuity Correction ^a	12,734	1	,000		
Likelihood Ratio	15,620	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	14,438	1	,000		
N of Valid Cases	63				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 11,32.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	,435	,000
N of Valid Cases	63	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Pengaruh pendidikan perawat dan kepuasan pasien assurance

Crosstab

			Assurance		Total
			Tidak Puas	Puas	
Pendidikan Perawat	Buruk	Count	25	15	40
		Expected Count	19,7	20,3	40,0
		% within Pendidikan Perawat	62,5%	37,5%	100,0%
		% of Total	39,7%	23,8%	63,5%
	Baik	Count	6	17	23
		Expected Count	11,3	11,7	23,0
		% within Pendidikan Perawat	26,1%	73,9%	100,0%
		% of Total	9,5%	27,0%	36,5%
Total	Count	31	32	63	
	Expected Count	31,0	32,0	63,0	
	% within Pendidikan Perawat	49,2%	50,8%	100,0%	
	% of Total	49,2%	50,8%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7,747 ^b	1	,005		
Continuity Correction ^a	6,359	1	,012		
Likelihood Ratio	7,993	1	,005		
Fisher's Exact Test				,008	,005
Linear-by-Linear Association	7,624	1	,006		
N of Valid Cases	63				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 11,32.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	,331	,005
N of Valid Cases	63	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Pengaruh pendidikan perawat dan kepuasan pasien empathy

Crosstab

			Empathy		Total
			Tidak Puas	Puas	
Pendidikan Perawat	Buruk	Count	27	13	40
		Expected Count	19,7	20,3	40,0
		% within Pendidikan Perawat	67,5%	32,5%	100,0%
		% of Total	42,9%	20,6%	63,5%
	Baik	Count	4	19	23
		Expected Count	11,3	11,7	23,0
		% within Pendidikan Perawat	17,4%	82,6%	100,0%
		% of Total	6,3%	30,2%	36,5%
Total	Count	31	32	63	
	Expected Count	31,0	32,0	63,0	
	% within Pendidikan Perawat	49,2%	50,8%	100,0%	
	% of Total	49,2%	50,8%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	14,670 ^b	1	,000		
Continuity Correction ^a	12,734	1	,000		
Likelihood Ratio	15,620	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	14,438	1	,000		
N of Valid Cases	63				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 11,32.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	,435	,000
N of Valid Cases	63	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Pengaruh keterampilan perawat dan kepuasan pasien tangible

Crosstab

			Tangible		Total
			Tidak Puas	Puas	
Keterampilan Perawat	Buruk	Count	19	12	31
		Expected Count	13,3	17,7	31,0
		% within Keterampilan Perawat	61,3%	38,7%	100,0%
		% of Total	30,2%	19,0%	49,2%
	Baik	Count	8	24	32
		Expected Count	13,7	18,3	32,0
		% within Keterampilan Perawat	25,0%	75,0%	100,0%
		% of Total	12,7%	38,1%	50,8%
Total	Count	27	36	63	
	Expected Count	27,0	36,0	63,0	
	% within Keterampilan Perawat	42,9%	57,1%	100,0%	
	% of Total	42,9%	57,1%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8,468 ^b	1	,004		
Continuity Correction ^a	7,051	1	,008		
Likelihood Ratio	8,676	1	,003		
Fisher's Exact Test				,005	,004
Linear-by-Linear Association	8,333	1	,004		
N of Valid Cases	63				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13,29.

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	,344	,004
N of Valid Cases		63	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Pengaruh keterampilan perawat dan kepuasan pasien reliability

Crosstab

			Reliability		Total
			Tidak Puas	Puas	
Keterampilan Perawat	Buruk	Count	23	8	31
		Expected Count	15,7	15,3	31,0
		% within Keterampilan Perawat	74,2%	25,8%	100,0%
		% of Total	36,5%	12,7%	49,2%
	Baik	Count	9	23	32
		Expected Count	16,3	15,7	32,0
		% within Keterampilan Perawat	28,1%	71,9%	100,0%
		% of Total	14,3%	36,5%	50,8%
Total	Count	32	31	63	
	Expected Count	32,0	31,0	63,0	
	% within Keterampilan Perawat	50,8%	49,2%	100,0%	
	% of Total	50,8%	49,2%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	13,371 ^b	1	,000		
Continuity Correction ^a	11,591	1	,001		
Likelihood Ratio	13,893	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	13,158	1	,000		
N of Valid Cases	63				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 15,25.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	,418	,000
N of Valid Cases	63	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

Pengaruh keterampilan perawat dan kepuasan pasien responsiveness

Crosstab

			Responsiveness		Total
			Tidak Puas	Puas	
Keterampilan Perawat	Buruk	Count	21	10	31
		Expected Count	15,3	15,7	31,0
		% within Keterampilan Perawat	67,7%	32,3%	100,0%
		% of Total	33,3%	15,9%	49,2%
	Baik	Count	10	22	32
		Expected Count	15,7	16,3	32,0
		% within Keterampilan Perawat	31,3%	68,8%	100,0%
		% of Total	15,9%	34,9%	50,8%
Total	Count	31	32	63	
	Expected Count	31,0	32,0	63,0	
	% within Keterampilan Perawat	49,2%	50,8%	100,0%	
	% of Total	49,2%	50,8%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8,389 ^b	1	,004		
Continuity Correction ^a	6,993	1	,008		
Likelihood Ratio	8,586	1	,003		
Fisher's Exact Test				,006	,004
Linear-by-Linear Association	8,256	1	,004		
N of Valid Cases	63				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 15,25.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	,343	,004
N of Valid Cases	63	

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.

Pengaruh keterampilan perawat dan kepuasan pasien assurance

Crosstab

			Assurance		Total
			Tidak Puas	Puas	
Keterampilan Perawat	Buruk	Count	21	10	31
		Expected Count	15,3	15,7	31,0
		% within Keterampilan Perawat	67,7%	32,3%	100,0%
		% of Total	33,3%	15,9%	49,2%
	Baik	Count	10	22	32
		Expected Count	15,7	16,3	32,0
		% within Keterampilan Perawat	31,3%	68,8%	100,0%
		% of Total	15,9%	34,9%	50,8%
Total	Count	31	32	63	
	Expected Count	31,0	32,0	63,0	
	% within Keterampilan Perawat	49,2%	50,8%	100,0%	
	% of Total	49,2%	50,8%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8,389 ^b	1	,004		
Continuity Correction ^a	6,993	1	,008		
Likelihood Ratio	8,586	1	,003		
Fisher's Exact Test				,006	,004
Linear-by-Linear Association	8,256	1	,004		
N of Valid Cases	63				

- a. Computed only for a 2x2 table
- b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15,25.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	,343	,004
N of Valid Cases	63	

- a. Not assuming the null hypothesis.
- b. Using the asymptotic standard error assuming the null hypothesis.

Pengaruh keterampilan perawat dan kepuasan pasien empathy

Crosstab

			Empathy		Total
			Tidak Puas	Puas	
Keterampilan Perawat	Buruk	Count	21	10	31
		Expected Count	15,3	15,7	31,0
		% within Keterampilan Perawat	67,7%	32,3%	100,0%
		% of Total	33,3%	15,9%	49,2%
	Baik	Count	10	22	32
		Expected Count	15,7	16,3	32,0
		% within Keterampilan Perawat	31,3%	68,8%	100,0%
		% of Total	15,9%	34,9%	50,8%
Total	Count	31	32	63	
	Expected Count	31,0	32,0	63,0	
	% within Keterampilan Perawat	49,2%	50,8%	100,0%	
	% of Total	49,2%	50,8%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8,389 ^b	1	,004		
Continuity Correction ^a	6,993	1	,008		
Likelihood Ratio	8,586	1	,003		
Fisher's Exact Test				,006	,004
Linear-by-Linear Association	8,256	1	,004		
N of Valid Cases	63				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 15,25.

Symmetric Measures

	Value	Approx. Sig.
Nominal by Nominal Contingency Coefficient	,343	,004
N of Valid Cases	63	

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

**DAFTAR HADIR DOSEN PEMBIMBING SKRIPSI
PROGRAM STUDI ILMU KEPERAWATAN FAKULTAS ILMU-ILMU KESEHATAN**

PERIODE/BULAN :

Mata Kuliah : Skripsi

Hari/Jam :

Ruang : Lab Keperawatan

NamaDosen : Mira Asmirajanti, S.Kp.M.Kep

BIMBINGAN KE-	TANGGAL	TOPIK DAN MATERI PEMBAHASAN	BIMBINGAN		TANDA TANGAN	
			AWAL	AKHIR	DOSEN	MAHASISWA
1	31/10/2012	- Sistematika penulisan. - BAB I belum seperti alur novel	16.00	18.00		
2	13/11/2012	- Latar belakang harus 1 alur dari paragraf 1 ke paragraf lain.	16.00	18.00		
3	20/11/2012	- Kalimat masih panjang. - Ditambah penelitian orang lain. - Tujuan harus lebih dipertegas.	16.30	18.00		
4	10/12/2012	- Kerangka konsep harus sejalan dengan tujuan. - Definisi operasional harus kesimpulan sendiri.	16.00	18.30		
5	11/12/2012	- BAB I - BAB II - BAB III	16.00	18.00		

**DAFTAR HADIR DOSEN PEMBIMBING SKRIPSI
PROGRAM STUDI ILMU KEPERAWATAN FAKULTAS ILMU-ILMU KESEHATAN**

PERIODE/BULAN :

Mata Kuliah : Skripsi

Hari/Jam :

Ruang : Lab Keperawatan

NamaDosen : Mira Asmirajanti, S.Kp.M.Kep

BIMBINGAN KE-	TANGGAL	TOPIK DAN MATERI PEMBAHASAN	BIMBINGAN		TANDA TANGAN	
			AWAL	AKHIR	DOSEN	MAHASISWA
6	13/12/2012	- BAB I Acc - BAB II yang tidak penting dihilangkan - BAB III hipotesa diperbaiki lagi - BAB IV sampel harus di sesuaikan	16.30	18.00		
7	20/12/2012	- BAB II Acc - BAB III diperbaiki lagi kerangka konsep - BAB IV harus ada uji validitas	17.00	18.00		
8	27/12/2012	- Buat kuesioner - BAB II kurangi halaman - BAB III Acc	16.00	18.00		
9	01/01/2013	- BAB I Acc - BAB II Acc - BAB III Acc - BAB IV Acc tinggal hasil uji validitas	17.00	18.30		
10	03/01/2013	Acc sidang proposal	16.00	18.00		

**DAFTAR HADIR DOSEN PEMBIMBING SKRIPSI
PROGRAM STUDI ILMU KEPERAWATAN FAKULTAS ILMU-ILMU KESEHATAN**

PERIODE/BULAN :

Mata Kuliah : Skripsi

Hari/Jam :

Ruang : Lab Keperawatan

NamaDosen : Mira Asmirajanti, S.Kp.M.Kep

BIMBINGAN KE-	TANGGAL	TOPIK DAN MATERI PEMBAHASAN	BIMBINGAN		TANDA TANGAN	
			AWAL	AKHIR	DOSEN	MAHASISWA
11	07/01/2013	- Revisi post sidang proposal BAB I s/d BAB IV dan perbaiki kuesioner	16.30	18.00		
12	21/01/2013	- BAB I s/d BAB IV Acc - Perbaiki pertanyaan2 kuesioner	16.30	18.00		
13	31/10/2013	- Acc untuk penelitian	16.00	17.00		
14	18/02/2013	- Konsul BAB V bahasannya harus lebih operasional - Lanjut BAB VI dan BAB VII	16.00	18.00		
15	21/02/2013	- BAB V kalimat lebih operasional - BAB VI pembahasan lebih di tonjolkan - BAB VIII kalimat harus operasional	16.30	18.00		

**DAFTAR HADIR DOSEN PEMBIMBING SKRIPSI
PROGRAM STUDI ILMU KEPERAWATAN FAKULTAS ILMU-ILMU KESEHATAN**

PERIODE/BULAN :

Mata Kuliah : Skripsi

Hari/Jam :

Ruang : Lab Keperawatan

NamaDosen : Mira Asmirajanti, S.Kp.M.Kep

BIMBINGAN KE-	TANGGAL	TOPIK DAN MATERI PEMBAHASAN	BIMBINGAN		TANDA TANGAN	
			AWAL	AKHIR	DOSEN	MAHASISWA
16	25/02/2013	- BAB V Acc - BAB VI pembahasannya di tambah - BAB VII saran di tambahkan	16.00	18.00		
17	28/02/2013	- BAB VI kalimat harus lebih operasional - BAB VII kalimat harus lebih operasional	16.30	18.00		
18	01/03/2013	- BAB VI pembahasan diperbaiki lagi - BAB VII Acc	16.00	17.00		
19	02/03/2013	- ACC sidang skripsi	16.30	17.30		
20	12/03/2013	- Perbaikan (Revisi Post sidang skripsi)	16.00	17.00		

**DAFTAR HADIR DOSEN PEMBIMBING SKRIPSI
PROGRAM STUDI ILMU KEPERAWATAN FAKULTAS ILMU-ILMU KESEHATAN**

PERIODE/BULAN :

Mata Kuliah : Skripsi

Hari/Jam :

Ruang : Lab Keperawatan

NamaDosen : Mira Asmirajanti, S.Kp.M.Kep

BIMBINGAN KE-	TANGGAL	TOPIK DAN MATERI PEMBAHASAN	BIMBINGAN		TANDA TANGAN	
			AWAL	AKHIR	DOSEN	MAHASISWA
21	21/03/2013	- Perbaikan seluruh BAB post sidang skripsi	16.00	17.00		
22	01/04/2013	- Perbaikan post sidang skripsi	16.00	17.00		

**DAFTAR HADIR DOSEN PEMBIMBING SKRIPSI
PROGRAM STUDI ILMU KEPERAWATAN FAKULTAS ILMU-ILMU KESEHATAN**

PERIODE/BULAN :

Mata Kuliah : Skripsi
Hari/Jam :
Ruang : Lab Keperawatan
NamaDosen : NestiSinaga, S.Kp, M.Kes

BIMBINGAN KE-	TANGGAL	TOPIK DAN MATERI PEMBAHASAN	BIMBINGAN		TANDA TANGAN	
			AWAL	AKHIR	DOSEN	MAHASISWA
1	07/01/2013	- Revisi post sidang proposal BAB I s/d BAB IV dan perbaiki kuesioner	16.30	18.00		
2	21/01/2013	- BAB I s/d BAB IV Acc - Perbaiki pertanyaan2 kuesioner	16.30	18.00		
3	31/10/2013	- Acc untuk penelitian	16.00	17.00		
4	18/02/2013	- Konsul BAB V bahasannya harus lebih operasional - Lanjut BAB VI dan BAB VII	16.00	18.00		
5	21/02/2013	- BAB V kalimat lebih operasional - BAB VI pembahasan lebih di tonjolkan - BAB VIII kalimat harus operasional	16.30	18.00		

**DAFTAR HADIR DOSEN PEMBIMBING SKRIPSI
PROGRAM STUDI ILMU KEPERAWATAN FAKULTAS ILMU-ILMU KESEHATAN**

PERIODE/BULAN :

Mata Kuliah : Skripsi
Hari/Jam :
Ruang : Lab Keperawatan
NamaDosen : NestiSinaga, S.Kp, M.Kes

BIMBINGAN KE-	TANGGAL	TOPIK DAN MATERI PEMBAHASAN	BIMBINGAN		TANDA TANGAN	
			AWAL	AKHIR	DOSEN	MAHASISWA
6	28/02/2013	- BAB VI kalimat harus lebih operasional - BAB VII kalimat harus lebih operasional	16.00	18.00		
7	03/03/2013	- BAB VI pembahasan diperbaiki lagi - BAB VII Acc	16.30	18.00		
8	04/03/2013	- ACC sidang skripsi	16.00	17.00		
9	12/03/2013	- Perbaikan (Revisi Post sidang skripsi)	16.30	17.30		
10	21/03/2013	- Perbaikan seluruh BAB post sidang skripsi	16.00	17.00		
11	01/04/2013	- Perbaikan post sidang skripsi	16.00	17.00		