

HASIL OUTPUT SPSS Uji Validitas & Reliabilitas

1. Uji Validitas dan Reliabilitas Persepsi Posisi Kerja DUDUK

Reliability

Case Processing Summary

		N	%
Cases	Valid	30	100,0
	Excluded ^a	0	,0
	Total	30	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,926	10

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
P1	14,57	46,530	,772	,915
P2	14,87	50,533	,551	,926
P3	14,50	45,569	,865	,910
P4	14,73	48,547	,625	,923
P5	14,80	48,372	,697	,919
P6	14,20	48,510	,555	,928
P7	14,63	46,723	,811	,913
P8	14,63	46,447	,872	,910
P9	14,77	48,668	,672	,920
P10	14,70	46,562	,754	,916

2. UJI VALIDITAS DAN RELIABILITAS NYERI LEHER

Reliability

Case Processing Summary

		N	%
Cases	Valid	30	100,0
	Excluded ^a	0	,0
	Total	30	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,967	25

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
P1	37,10	261,266	,806	,965
P2	37,33	269,195	,550	,967
P3	37,17	263,523	,824	,965
P4	37,37	267,826	,625	,966
P5	37,47	269,913	,709	,966
P6	36,70	265,872	,541	,968
P7	37,17	259,799	,880	,964
P8	37,23	263,013	,835	,965
P9	37,33	265,954	,660	,966
P10	37,37	265,895	,727	,965
P11	37,33	266,437	,643	,966
P12	37,37	262,240	,824	,965
P13	37,37	269,757	,585	,967
P14	37,27	269,789	,614	,966
P15	37,10	261,266	,806	,965
P16	37,13	259,430	,899	,964
P17	36,97	262,930	,650	,966
P18	37,13	258,671	,888	,964
P19	37,33	267,678	,601	,967
P20	37,07	264,409	,678	,966
P21	37,33	264,782	,700	,966
P22	37,40	265,697	,778	,965
P23	37,43	268,185	,777	,965
P24	37,33	261,678	,806	,965
P25	37,40	266,248	,802	,965

HASIL OUTPUT SPSS HASIL PENELITIAN

PERSEPSI POSISI KERJA DUDUK DAN NYERI LEHER

Frequencies

Statistics

		Persepsi Posisi Kerja duduk	Nyeri Leher
N	Valid	47	47
	Missing	0	0

Frequency Table

Persepsi Posisi Kerja duduk

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Posisi kerja duduk benar, skor < 25	13	27,7	27,7	27,7
	Posisi kerja duduk salah, skor 25-40	34	72,3	72,3	100,0
Total		47	100,0	100,0	

Frequencies

Statistics

Persepsi Posisi Kerja duduk


N	Valid	47
	Missing	0
Mean		25,77
Median		25,00
Mode		25
Std. Deviation		3,655
Minimum		20
Maximum		35

Frequency Table

Persepsi Posisi Kerja duduk

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 20	3	6,4	6,4	6,4
21	3	6,4	6,4	12,8
22	2	4,3	4,3	17,0
23	4	8,5	8,5	25,5
24	1	2,1	2,1	27,7
25	12	25,5	25,5	53,2
26	11	23,4	23,4	76,6
27	1	2,1	2,1	78,7
28	1	2,1	2,1	80,9
30	4	8,5	8,5	89,4
32	2	4,3	4,3	93,6
34	2	4,3	4,3	97,9
35	1	2,1	2,1	100,0
Total	47	100,0	100,0	

Histogram



NYERI LEHER

Frequencies

Nyeri Leher

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Rendah, skor 41-56	9	19,1	19,1	19,1
Sedang, skor 57-72	25	53,2	53,2	72,3
Tinggi, skor 73-88	13	27,7	27,7	100,0
Total	47	100,0	100,0	

Statistics


Nyeri Leher

N	Valid	47
	Missing	0
Mean		66,15
Median		69,00
Mode		70
Std. Deviation		8,301
Minimum		50
Maximum		79

Nyeri Leher

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 50	2	4,3	4,3	4,3
51	1	2,1	2,1	6,4
54	2	4,3	4,3	10,6
55	1	2,1	2,1	12,8
56	3	6,4	6,4	19,1
58	2	4,3	4,3	23,4
59	3	6,4	6,4	29,8
60	1	2,1	2,1	31,9
63	2	4,3	4,3	36,2
64	1	2,1	2,1	38,3
65	2	4,3	4,3	42,6
66	1	2,1	2,1	44,7
67	1	2,1	2,1	46,8
68	1	2,1	2,1	48,9
69	2	4,3	4,3	53,2
70	5	10,6	10,6	63,8
71	2	4,3	4,3	68,1
72	1	2,1	2,1	70,2
73	4	8,5	8,5	78,7
74	2	4,3	4,3	83,0
75	3	6,4	6,4	89,4
76	2	4,3	4,3	93,6
77	1	2,1	2,1	95,7
78	1	2,1	2,1	97,9
79	1	2,1	2,1	100,0
Total	47	100,0	100,0	

Histogram



UJI NORMALITAS DATA KOLMOGOROV-SMIRNOV

NPar Tests

One-Sample Kolmogorov-Smirnov Test

		Persepsi Posisi Kerja duduk
N		47
Normal Parameters ^{a,b}	Mean	25,77
	Std. Deviation	3,655
Most Extreme Differences	Absolute	,240
	Positive	,240
	Negative	-,140
Kolmogorov-Smirnov Z		1,648
Asymp. Sig. (2-tailed)		,009

a. Test distribution is Normal.

b. Calculated from data.

NPar Tests

One-Sample Kolmogorov-Smirnov Test

		Nyeri Leher
N		47
Normal Parameters ^{a,b}	Mean	66,15
	Std. Deviation	8,301
Most Extreme Differences	Absolute	,147
	Positive	,103
	Negative	-,147
Kolmogorov-Smirnov Z		1,006
Asymp. Sig. (2-tailed)		,264

a. Test distribution is Normal.

b. Calculated from data.


UJI KORELASI PEARSON PRODUCT MOMENT

Correlations

		Persepsi Posisi Kerja duduk	Nyeri Leher
Persepsi Posisi Kerja duduk	Pearson Correlation	1	,608**
	Sig. (2-tailed)		,000
	N	47	47
Nyeri Leher	Pearson Correlation	,608**	1
	Sig. (2-tailed)	,000	
	N	47	47

** . Correlation is significant at the 0.01 level (2-tailed).

Graph



s